

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-08822

Priority: May 12, 1993

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that LOUISE M PRUGH

2983 S WATERFORD DR

SPOKANE WA 99203-4407

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 12, 1993; and has submitted Proof of Beneficial Use on September 14, 1998. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5 (NESE), Sec. 20, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 04W 20 Lot 5 (NESE)

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 28th day of

April, 1999.

Acting for

KARL J. DREHER, Director

MICROFILMED

AUG 17 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

SEP 14 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08822 Telephone No. 208-667-0393

2. Name(s) of Permit Holder(s): Prugh Family LLC

3. Mailing Address: 4327 S. HOGAN, Spokane, WA. 99203

4. Source of Water: CDA LAKE If **GROUNDWATER** (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock):

Irrigation (No. of acres): Other:

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No X

Has the measuring device been installed? Yes or No X

Flow Measurement Port: Is a flow measurement port required? Yes or No X

Has the measurement port been installed? Yes or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Steve Prugh Telephone Number: 509-448-3484

Address: 4327 S. HOGAN, Spokane, WA. 99203

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Lawrence Prugh (Partner) Date: Sept 10-98
(include your title, if on behalf of company or organization)

OCT 28 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08822

Proposed Priority: May 12, 1993

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **LOUISE M PRUGH**
5811 S PERRY
SPOKANE WA 99223

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE

tributary of **SPOKANE RIVER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 5(NESE), Sec. 20, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

39N 03W 15


48N 04W 20 Lot 5(NESE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1998.**
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

1st day of October, 1993.



for R. Keith Higginson, Director

APPROVED

OCT 12 1993

RECEIVED

SEP 10 1993

Form 202

6/85 Department of Water Resources

STATE OF IDAHO

Ident. No. 95-8822

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Louise M. Prugh Phone 509-448-8609
Post office address 5811 S. Perry, Spokane WA 99223
2. Source of water supply Lake Coeur d'Alene which is a tributary of SPokane RIVER
3. Location of point of diversion is _____ 1/4 of NE 1/4 of SE 1/4, Govt. Lot 5⁺
Sec. 20 Township 48N Range 4 W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____

b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years years (minimum 1 year).

OCT 28 1993

* per government plat.

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
48N	4W	20													175				

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. NONE

- Who owns the property at the point of diversion? Applicant / State of Idaho Dept Lands
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Encroachment permit

12. Remarks: _____

OCT 28 1993

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

OCT 28 1993

Louise M. Pugh
(Applicant)

Received by DL Date 5/12/93 Time 4:00 pm Preliminary check by _____
Fee \$ 30 Received by DL # N006532 Date 5/12/93
Publication prepared by pm Date 7/28/93 Published in CD'A Quora
Publication approved pm Date 8/25/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED
OCT 28 1993



T48N
R4W
S20 LT5

Sec. 21.

Sec. 21
MICROFILMED
OCT 28 1993

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08822 DATE 4/22/91 REVIEWER: SHARLA

NAME Change/OK
 Address OK Waterford Dr
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (P39 /P47) ☐ Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK ☐ Change (P41/P47) ☐ Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .04 cfs
 Fee limit .20 cfs \$5000
 Measured 1 cfs
 Theoretical .05 cfs
 Recommended Total Div Rate .04 cfs
 @ 100' lift and 40 psi or 75' lift and 50 psi

WATER USES	Change (P46)	
<u>Dom</u>	<u>.04</u> cfs	<u>1.2</u> af
TOTALS		

Irrig - overlap (R58-R61, R62-R65, R66-R69)
 supp. gw (WB7/065/079)
 overlap spec. combined rts (W35)
 <1acre (W31)
 Domestic (W01/WB5/070/071/075)
 Power (W42 or W43/025/027/R22 or R23)
 Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af

REMARKS _____

ADD'L CONDITIONS ☐ Watermaster Control WD# _____
☐ GW Measurement/Measuring Device
☐ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ☒ yes ☐ no SRBA Claim N/A Adjust Memo _____
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 22 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08822

1. Owner: Louise M. Prugh Phone No. (509) 448-8609

Current Address: 2983 S. Waterford Dr. Spokane, WA 99203-4407

2. Accompanied by: N/A EXAM DATE: Feb 11, 1999

Address: N/A Phone No. N/A

Relationship to Permit Holder: N/A

3. Source: Coeur d'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	5		NE	SE	20	48N	4W	Kootenai	USGS 7.5' Quad, Metsker G.L. Maps


2. Place(s) of Use:

Indicate Method of Determination USGS 7.5' Quad, Metsker

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	4W	20													05-D				

MICROFILMED
AUG 11 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N/A

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1.5		Grundfos Submersible	2694-9434 1209-10394514

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MEASURED

300 1 1 1999

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from Oeud'Hene lake for domestic use.
A 1.5 horsepower submersible pump is used to provide water to home through
approximately 300 ft. of 1.5 inch polyurethane pipe.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 11 1999

F. FLOW CALCULATIONSMeasured Method: See Theoretical Calculation Additional Computation Sheets Attached**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days In Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>.04</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.04</u>	<u>1.2</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name David A. Regel Date Feb 18, 1999


Reviewer _____ Date _____

SEAL

MICROFILMED
AUG 11 1999

WORLEY QUADRANGLE
IDAHO-KOOTENAI CO.
7.5-MINUTE SERIES (TOPOGRAPHIC)
NW/4 PLUMMER 15' QUADRANGLE

2579 III SE
(MICA BAY)



MICROFILMED
AUG 11 1999
T 48 N
T 47 N



T48N E4W C

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08822, PRUGH
DATE: 18-FEB-99
COMPLETE BY: PAGEL

HORSEPOWER = 1.5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 75 FEET

SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.05 CFS

MICROFILM
AUG 11 1999

PERMIT # 95-08822

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Point
of
Diversion

Place
of
USE



MICROFILMED
AUG 11 1999

95-08822

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08822 Reviewed by Jay Date 10-20-98

GENERAL CONSIDERATIONS

TYPES OF USE

NO Name same as permit? dom.
NO Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
 Ground water source
 Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address 2983 S. Waterford Dr. Proof Made 9-14-98
Spokane, 99203-4407

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 958822 Date: 9/23/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____
SYSTEM COMPLETED:
No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - N/A
GROUNDWATER:
+ 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>
Drilling Permit:
Included w/permit - P99 Permit No. _____
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)
SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>
LOCATION:
Water District - WD No. _____
Surface water - 005 or 005-01J-P08 (+.2)
or 005-01H-P01 (-.2 w/pump); NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - 3 <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses)
Non Trust <1> - 048-049
RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use)
Payette (65) - 047-P04, 064(all consumptive use)
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.)
USE:
Fish Propagation - 06A or 09E-P10 (WQ) & 010-042 (req),
002-P06 (MD), 07A (Special), 044 (N 1000 Spr)
Irrigation - 803(in WD use SW 1st)(+5A in WD do P/U compare)
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 06A or 010 or 09E-P10 & 054 (req)
Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10'Size)
Domestic (surface) - 021(Boise R ↑ L Peak), 27A(Payette R), N/A
OWNERSHIP:
Non land owner - 004 -P/D owned by State of ID Dept of Lands
PROTESTED:
Hearing agreement - 020
OTHER CONDITIONS:
REMARKS: - 0w01(1)
BENEFICIAL USE DUE: - 10-1-1998
COMMENTS: - P/D ownership @ Div 2

DATE: 09/27/93
PAGE: 1

Audit: 00/00/00

No. a
4/87-06/92n

INFORMATION DEPARTMENT OF WATER RESOURCE
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
SEP 10 1993

APPLICATION # _____

***** INITIAL REVIEW *****

Department of Water Resources

APPLICANT: PROGH BY: B DATE: 7/20/93

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
- ☒ Field report attached
- ☒ Analysis Supp. attached(>5cfs/500af)
- ☒ Water delivered by water master?
- Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 7/20/93

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ☒ Groundwater management area
- ☒ Critical ground water area
- ☒ Well Drilling Permit required
- ☒ Well Drilling Application and Fees received
- ☒ Well Drilling Application approved?
- Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☐ Notice of pending void order issued. Final order response date: ____/____/____
- ☒ Further information required from applicant
- ☒ Affidavit of publication received
- ☒ Application published correctly, If not, record action taken: _____
- ☒ Publication dates and paper recorded on application | Sr. Agent initial AB
- ☒ Protests received. Final protest date: 8/23/93
- ☐ Measuring device required
- ☐ Measuring port required
- ☐ Special conditions: _____
- ☐ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: B RYA Date: 9/1/93