

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08795

Priority: December 22, 1992

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:

12.0 AF

This is to certify, that MARTY FRANTZ
420 INDIANA

COEUR D ALENE ID 83814 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated December 22, 1992; and
has submitted Proof of Beneficial Use on April 18, 1994. An examination indicates
that the works have a diversion capacity of 0.100 cfs of water from:

HAYDEN LAKE

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.10 CFS	12.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5 (SWNE), Sec. 10, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	03W	10	Lot 2(NWNE) 2	Lot 5(SWNE) 2		4

Total number of acres irrigated: 4

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
6. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

MICROFILMED
JAN 7 1997

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 95-08795

CONDITIONS OF APPROVAL AND REMARKS

7. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29th day of November, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED
JAN 24 1997

RECEIVED
APR 18 1994
Department of Water Resources

For Office Use Only
Amt. of Fee \$ 50.00
Date 4/18/94
Receipt No. 603003
Received By duw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 98-08795 Telephone No. (208) 765-1839
2. Name(s) of Permit Holder(s): Marty Frantz
3. Post Office Address: 420 Indiana, Coeur d'Alene, ID 83814
4. Source of Water: Hayden Lake
 - a. If ground water, well driller's name: N/A Date Drilled: N/A
 - b. Pump horsepower: 05 Pressure (psi) 35 Dynamic pumping level (ft) _____
5. Extent of Use:

Domestic _____ (No. of households)	Irrigation <u>04</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted 0.10 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? _____ Yes <u>X</u> No _____	Installed? _____ Yes _____ No _____
OR		
Flow Measurement Port:	Required? _____ Yes <u>X</u> No _____	Installed? _____ Yes _____ No _____
8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

<u>Marty Frantz</u>	<u>(208) 765-1839</u>
Name	Telephone No.
<u>420 Indiana, Coeur d'Alene, ID 83814</u>	
Address	
10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4/14/94
Date

[Signature] Owner
Signature (and title if on behalf of a company or organization)

SEP 12 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08795

Proposed Priority: December 22, 1992 Maximum Diversion Rate: 0.10 CFS

This is to certify, that **MARTY FRANIZ**
N 12425 GEM SHORE RD
HAYDEN LAKE ID 83835

has applied for a permit to appropriate water from:

HAYDEN LAKE tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 10, Township 51N, Range 03W
KOOTENAI County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN RGE SEC</u>					
51N 03W 10	NWNE 2	SWNE 2			4

Total number of acres irrigated: 4

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1994.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 95A.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

3 day of June, 1993.

R. Keith Higginson
for R. Keith Higginson, Director

JUL 07 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8795
RECEIVED
APR 29 1993

To appropriate the public waters of the State of Idaho Department of Water Resources

1. Name of applicant MARTY FRANTZ Phone 772-9577
Post office address N. 12425 GEM SHORE ROAD, HAYDEN LAKE, ID 83835
2. Source of water supply HAYDEN LAKE which is a tributary of SINKS
3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 10 Township 51N
Range 3W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for IRRIGATION purposes from 3/15 to 11/15 BLM
(cfs or ~~acre-feet per annum~~) JUNE 1 to OCT. 31 (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.
0.20

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 5 HP PUMP 1 1/2" INTAKE,
2" OUT LET, 80 GAL PER MIN @ 35 PSI CONNECTED TO A SPRINKLER
SYSTEM THAT DELIVERS 36 GALS PER MIN.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is _____ years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

JUL 07 1993

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
51N	3W	10		2	2			~~1~~ 2	~~1~~ 2										

Total number of acres to be irrigated 4

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion STATE OF IDAHO (LAND)

b. Who owns the land to be irrigated or place of use MARTY FRANTZ

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

MICROFILMED


III 07 1993

T. 51N.
R. 3+W.

PLACE OF
USE

POINT OF
DIVERSION

NO
JUL 07 1993
Mo




ELEVATION 2238 JULY 1958

Clarksville

Clark Point

The Clark House

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. D. J.
(Applicant)

RECORDED

JUL 07 1993

Received by B Date 12/24/92 Time 9:00 AM
Preliminary check by B Fee \$ 30 / 100 N-6211
Receipted by B Date 12/24/92
Publication prepared by [Signature] Date 12/30/92
Published in Colum G. Allen Press
Publication dates 1/7-1/4/93 3/4-11/93
Publication approved [Signature] Date 1/23/93 5/28/93
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

JUL 07 1993

MEMORANDUM

TO: File 95-08795

FROM: Sharla

DATE: November 26, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 95-08795 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Irrigation	3/15 - 11/15	0.10 cfs	12.0 afa
------------	--------------	----------	----------

The standard volume/acre for this area is 3.0 ($4 \times 3.0 = 12.0$).

Examiner: Herman Spangle

Exam Date: September 18, 1996

11/28/96

11/28/96

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08795

DATE 11/26/96

REVIEWER: S H A R L A

NAME	Change <u>OK</u>	Address Change <u> </u>
SOURCE	<u> </u>	Is change clarification of originally intended source? <u> </u> If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV	<u> </u>	Amendment required <u>NO</u>
PLACE OF USE	<u> </u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate	<u>.10</u> cfs
Fee limit	<u>.20</u> cfs <u>\$5000</u>
Measured	<u> </u> cfs
Theoretical	<u>.09</u> cfs

1 zone out of 7 run at a time
 $47 = .53 \text{ ac} \times .03 = .02 \text{ cfs}$, use of
 5 hp for higher rates of div. - (see app)

Recommended Total Div Rate .10 cfs

ANNUAL VOLUME/ NATURE OF USES

80 gpm pump = .18 cfs
36 gpm system delivery .08 cfs

Use	Volume Calculation
<u>Dr.</u>	<u>4 x 3.0 = 12.0</u> af
<u> </u>	<u> </u> af
<u> </u>	<u> </u> af
<u> </u>	<u> </u> af
SUBTOTAL	<u>12.0</u> af

Flow rate .10 cfs X 245 days X 1.98 ~~af~~ = 72.3 af
 Total volume recommended 12.0 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS


CONDITIONS R04 Watermaster Control WD# 95A
R49 GW Measurement/Measuring Device R02
 Overlap

 Use-specific conditions
 Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo volume

1st Amend Letter N/A
 2nd Amend Letter

E d D C b B u



17. 101
AYDEN'S
Sec. 16
12337

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 21 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No.

95-08795

1. Owner: Marty Frantz Phone No. 772-9577 ext. 22

Current Address: 420 Indiana, Coeur d'Alene, Id. 83814

2. Accompanied by: Howard - EXAM DATE: 9-18-96

Address: Same as above Phone No. 772-0456

Relationship to Permit Holder: Caretaker

3. Source: Hayden LK. tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None.

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	10	51N	03W	Kootenai	USGS. 7.5' QUAD	Site Visit


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	03W	10		2	2														4

Total - 4 acres

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = **N.T.S.**

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Diversion #1		5.0		Berkeley	R 1 1/2" TPMS

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Theoretical						

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

System consist of 5 H.P. Motor w/ Berkeley Pump.
A 2" R.V.C Pipe with a basket screen on the end is the
intake. 1" R.V.C. Pipe is used for the distribution system
with Sprinkler heads. Place of use is on Lawn, Fruit trees
and Landscaping. Four Acres Total. System has 7 different
Zones and is Run 1 Zone @ a time.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JAN 24 1987

F. FLOW CALCULATIONS

Measured Method:

X Additional Computation Sheets Attached

**See Theoretical Calculation*

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (4)(3.5) = 14.0 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.10)(245)(1.9835) = 48.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 14.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.10	14.0
Totals:			.10	14.0

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Herman J. Sample

Date

9-18-96

Reviewer

Date

SEAL

WATER

100

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08795

DATE: 18-SEP-96

COMPLETE BY: HERMAN

HORSEPOWER = 5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 250 FEET

SYSTEM PRESSURE = 35 PSI


QUANTITY = 0.09 CFS

MICROFILMED
JAN 24 1997



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ANNUAL REPORT SUPPLY
PHOTOGRAPH

Intake Line
Pump House and Intake



5 HP Motor
Berkeley Pump
Place of use



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPL

OTOGRA P

PLACE OF USE

PIACE

MICROFILMED
JAN 24 1987




STATE OF IDAHO
DEPARTMENT OF WATER & LAND RECLAMATION
REPORT SUPPLEMENT

PHOTOGRAPH

PLACE OF USE

MAINTENANCE
JAN 24 1997





MICROFILMED
JAN 24 1997

ELEVATION 2238 JULY 1958

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-8795

Reviewed by [Signature]

Date 5-2-94

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Irr.
Correct Uses? yes

SOURCE OF WATER

☒ Surface water source
☐ Ground water source

☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50.00 Amount Submitted
yes Correct?

MEASURING DEVICE

☐ Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address 420 Indiana
Coeur d'Alene 83814

Proof Made 4-18-94

APPLICATION FOR PERMIT REVIEW

Application #: 95-08795 Date: 5/25/93 Reviewer: Cindy Zimmerman

SYSTEM COMPLETED:

AREA OF CONCERN? No

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

GROUNDWATER:

GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)

- No measurement required <flow chart>

LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

Approved w/permit - P99 Permit No. _____

Not included - 046-46A-46B-P23 (after 7/1/87), N/A

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

Water Districts - WD No. 95A

Surface water - 005, 005-01H-P01 (LT.2 w/pump)
005-01J-P08 (GT.2), NMR <flow chart>

Groundwater - P05 (if well has not been drilled)

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

Swan Falls Flag - (1, Blank or Other)

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust <1> - 048-049

RIVER BASINS:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042 (req), 002-P06(MD), 07A(Special),
044(Policy 5G)

Power - 08A, 17K, 025, 027 (req); 01F-P19; 09E-P10;
<25 cfs-P18; 17G or 17M; 18B-P09

Mining - 06A, 010, or 09E-P10 & 054 (req)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec/Wildlf/Aes - 027(Non-Consumptive)

Domestic - 021 (Boise River - upstream from L Peak)

(restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

Non land owner - 004

PROTESTED:

Agreement - 020

Beneficial Use Due Date - 6-1-1994

Other Conditions/Remarks: - _____


MEMORANDUM

TO: Northern Region
FROM: Brenda L. Miller *BLM*
DATE: February 22, 1993
RE: P/U Correction
Application No. 95-08795

=====

The place of use for this application is located within the NWNE and SWNE 1/4 1/4's, not the NWNW and SWNW 1/4 1/4's of Section 10. The application was advertised with the incorrect place of use. The file is being returned to the region for correction and re-advertisement.

Thanks!



MICROFILMED

JAN 24 1987

No. a
4/87-06/92n

IDaho DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95-8795

***** INITIAL REVIEW *****

APPLICANT: FRANTZ BY: AB DATE: 12/22/92

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
(X) Dam information requested
or not requested
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowlegment)
Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- Field check: by _____
Field report attached _____
Analysis Supp. attached(>5cfs/500af) _____
Water delivered by water master? _____
Water District # _____

PROCESSING

Yes No PRIORITY DATE: 12/22/92
____ > (Include Moratorium Remark)

____ > Statewide Avertising: (Diversion rate
greater than 10 cfs or 1,000 af).

3/4/93
1/7/93 Advertised in: CDA

County of: KOOTENAI

SEND COPIES TO:

() USFS CdA	() USFS Oro	() USFS Grangeville
() BLM	() W/W Corps	() Albeni Corps
() F&G CdA	() F&G Lew	(X) IDL <u>plutonium</u> & CDA
() H&W CdA	() H&W Lew	() Adj Div
(Other) _____		

LETTERS SENT REQUESTING:

() Dam information () Fish Information
() Power information () Other

INFORMATION RECEIVED

() Power information () Dam information
() Fish Information () Other

***** GROUNDWATER SECTION *****

(Yes) (No) Checked by: _____ Date: ____/____/____
Remarks: _____
____ (X) Groundwater management area
____ Critical ground water area
____ Well Drilling Permit required
____ Well Drilling Application and Fees received
____ Well Drilling Application approved?
____ Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No) Notice of pending void order issued. Final order response date: ____/____/____
Further information required from applicant
Affidavit of publication received
Application published correctly, If not, record action taken: _____
____ P/U received - re-do
____ Publication dates and paper recorded on application | Sr. Agent initial AB
____ Protests received. Final protest date: 1/25/93
____ Measuring device required 3/22/93
____ Measuring port required
____ Special conditions: _____
____ Special conditions of approval supplement and/or cover letter attached: 1/1/93

Approval Recommended by: AB RUA

Department of Water Resources
Date: 2/3/93

4/15/93

95-08795

FRANTZ, MARTY
N 12425 GEM SHORE RD
HAYDEN LAKE, ID 83835

Source: HAYDEN LAKE

Tributary: SINKS

Diversion Pt: SWNE Sec 10 T 51N R 03W in KOOTENAI County.

Use: IRRIGATION (.100 CFS)

Total Diversion: (.100 CFS)

Date Filed: 12/22/1992

In: KOOTENAI County
T51N R03W S10

NWNW

SWNW

4.0 ACRES TOTAL

RECORDED
JUL 07 1993