

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

MAR 20 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08782 Telephone No. 310 510 0869

2. Name(s) of Permit Holder(s): CAL PARSONS

3. Mailing Address: PO BOX 16, AUBURN, CA 90704

4. Source of Water: BATHURM CREEK If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____

a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No _____

Has the measuring device been installed? Yes X or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No _____

Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 50 - (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: CAL PARSONS Telephone Number: 310 510 0869
208 687 3690

Address: BOX 1211 BATHURM ID 83858 (SEE LETTER)

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: _____

(include your title, if on behalf of company or organization)

Date: 17 MARCH 98

MICROFILMED
MAY 18 1998

STATE OF IDAHO
RECEIVED DEPARTMENT OF WATER RESOURCES

MAR 27 1995 REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
Department of Water Resources BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right. -

Permit No. 95-08782

Name(s) of Permit Holder: CAL PARSONS

Mailing Address: BOX 16, AVALON CA 90704

Date Proof is Due: APRIL 3, 1995 Telephone No. (310) 510 0869

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

SEE ENCLOSED LETTER

Costing \$ 5245

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

SEE ENCLOSED LETTER

Permit holder(s) request an extension to OCTOBER 25, th, 1997

FEE: \$50.00

Cal Parsons
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

APR 18 1995

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to April 1, 1998.

Signed this 3rd day of April, 1995

J. Blus Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08782

Proposed Priority: September 28, 1992 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **CAL PARSONS**
PO BOX 16
AVALON CA 90704

has applied for a permit to appropriate water from:

RATHDRUM CREEK tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.12 CFS
AESTHETIC	01/01 to 12/31	0.08 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SESWNW , Sec. 17, Township 52N, Range 04W
KOOTENAI County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>			
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N 04W 17	SWNW 4			4

Total number of acres irrigated: 4

PLACE OF USE: AESTHETIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 3, 1995**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 95C.
5. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

RECORDED

MAY 26 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08782


CONDITIONS/REMARKS:

7. Prior to construction of the aesthetic system, the permit holder shall submit a project plan to the Department of Water Resources for approval.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this

16th day of March, 1993

for J. Keith Higginson
R. Keith Higginson, Director



MAY 26 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant CAL PARSONS Phone (310) 510 0869

Post office address Box 16 AUBURN, CA 90704

2. Source of water supply RATHDRUM CREEK / TOWN LAKE which is a tributary of SINKS

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____

Sec. 17 Township 52N. Range 4W. B.M. KOOTENAI County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for IRRIGATION purposes from MARCH 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.08 for AESTHETIC purposes from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP IN CREEK, PIPELINE TO PLACE OF USE. GRAVITY FLOW FOR WATERSCAPE RETURNED TO CREEK OR WATER FALL IN CREEK.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year).

MAY 26 1993

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
52N.	4W	17						4											4
52N.	4W.	17						I											

Total number of acres to be irrigated 4

10. Describe any other water rights used for the same purposes as described above. NONE


- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MAY 26 1993

95-8782

50'



[illegible]

RECEIVED
MAY 26 1992

~~X~~ Calverton

(Applicant)

Received by AS Date 9/28/92 Time 11:00 Preliminary check by AS
Fee \$ 30/100 Receipted by AS # M-5997 Date 9/28/92
Publication prepared by pm Date 10/7/92 Published in Crem d'Alone Press
Publication approved pm Date 10/29/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

MAY 26 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 08 2004

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08782

1. Owner: Cal Parsons Phone No. (310) 510-0869

Current Address: P.O. Box 16 Avalon, CA 90704

2. Accompanied by: _____ EXAM DATE: 9-16-98

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Rathdrum Creek tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	17	52N	4W	Kootenai	USGS 7.5' Quad.

2. Place(s) of Use:


Indicate Method of Determination USGS 7.5' Quad.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	4W	17											I-39 D, 4						3.9
	</																		

MICROFILMED

APR 29 2004

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N/A

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		7.5			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow meter		Badger		86479941		

2. Measurements: 90 gallon per minute

MICROFILMED

APR 21 2004

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. 6211793
Receipt By: [Signature]
Date Received: 3/20/98
RECEIVED

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

MAR 20 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08782 Telephone No. 310 510 0869
2. Name(s) of Permit Holder(s): CAL PARSONS
3. Mailing Address: PO BOX 16, AUMON, CA 90704
4. Source of Water: RATHDRUM CREEK If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
 - a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____
 - b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No _____
	Has the measuring device been installed?	Yes <u>X</u> or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No _____
	Has the measurement port been installed?	Yes _____ or No _____
8. Fee Enclosed: \$ 50 - (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: CAL PARSONS Telephone Number: 310 510 0869
208 687 3670
Address: BOX 1211 RATHDRUM ID 83808 (SEE LETTER)
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 17 MARCH 98
(include your title, if on behalf of company of organization) **MICROFILMED**

APR 21 2004

9508782



FROST
FREE
HYDRANT
FOR
IRRIGATION
SYSTEM



MICROFILMED
APR 21 2004

POND



95-8782



IRRIGATION
SYSTEM



IRRIGATION
SYSTEM

MICROFILMED
APR 21 2004

9-16-98

CONTROL
VALVE



← RATHDRUM
CREEK
&
INTAKE
LINE
LOCATION

POWER
PANEL ↓

7.5 H.P. PUMP
↓



WATER
METER



BADGER
#96479941

LOCKABLE
TOP

MICROFILMED

APR 21 2004

95-08782



POND
←



POND
←

MICROFILMED

APR 21 2004

WEST

'° 52' 30"


302000m.N.


510000m.E.

SPIRIT LAKE 6.6 MI.
5.6 MI. TO IDAHO 54

50'

(SPIRIT L.





$$70 \times 30 \times 9 = 18900$$

$$20 \times 8 \times 5 = 800$$

$$\frac{19700}{43560} = .45 \text{ acre}$$

$$\begin{array}{r} 2.95 \\ .92 \\ \hline 3.87 \end{array}$$

28-80-29
2008-449

E. NARRATIVE/REMARKS/COMMENTS

water is diverted from Rattlesnake Creek by a 7.5 H.P. pump into a 3" line. A two inch line splits off of the mainline to two ponds. The pond dimensions are 6'x10'x18' & 20'x8'x5'. The other pond is fed water from split from mainline. Various sizes of pipes and sprinklers make up the irrigation system.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 21 2004

F. FLOW CALCULATIONS

Measured Method:

____ Additional Computation Sheets Attached

$$\frac{90 \text{ gpm}}{448.8 \text{ gpm}} = .20 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$428 \text{ ft} \times 300 \text{ ft} = 128400 \text{ ft}^2$$

$$400 \text{ ft} \times 100 \text{ ft} = 40000 \text{ ft}^2$$

$$128400 \text{ ft}^2 + 40000 \text{ ft}^2 = 168400 \text{ ft}^2$$

$$\frac{168400 \text{ ft}^2}{43560 \text{ ft}^2} = 3.87 \text{ acre}$$

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.0 \text{ acre} \times 3.5 \text{ af/acre/season} = 14 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .12 \text{ cfs} \times 245 \text{ days} \times 1.9835 = 58.3 \text{ af}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 14 \text{ af}$$

2. Volume Calculations for Other Uses:

$$\text{Storage ponds} = 70' \times 30' \times 9' = 18900 \text{ ft}^3$$

$$6' \times 10' \times 18' = 1080 \text{ ft}^3$$

$$20' \times 8' \times 5' = 800 \text{ ft}^3$$

$$20780 \text{ ft}^3 / 43560 \text{ ft}^2 = .47 \text{ af}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03/15	11/15	.12	14
Aesthetic	01/01	12/31	.08	
Aesthetic Storage	01/01	12/31		0.5
Totals:			.20	14.5

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

I. AUTHENTICATIONField Examiner's Name Robert Knoblock Date 9-16-98

Reviewer _____ Date _____

SEAL

MICROFILMED

SEP 21 2001

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08782 Reviewed by [Signature] Date 5-1-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? ?
yes Address same as permit?
yes Proof timely received? Correct Uses? _____
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
_____ Ground water source
_____ Drilling permit required?
_____ Copy in the file? Drilling Permit No. _____
_____ Amount paid for permit _____ Correct?
_____ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required? yes Required?
50- Amount Submitted yes Installed?
yes Correct? _____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 3-20-98

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08782

RECEIVED

SEP 17 1997

Department of Water Resources

Proposed Priority: September 28, 1992 Maximum Diversion Rate: 0.20 CFS
This is to certify, that **CAL PARSONS**

PO BOX 16
AVALON CA 90704

has applied for a permit to appropriate water from:

RATHDRUM CREEK

tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.12 CFS
AESTHETIC	01/01 to 12/31	0.08 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESWNW , Sec. 17, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	04W	17	SWNW	4		4

Total number of acres irrigated: 4

PLACE OF USE: AESTHETIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 3, 1995.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 95C.
5. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

MICROFILMED

MAY 18 1998

RECEIVED
APR 01 1993

95-8782

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08782

CONDITIONS/REMARKS:

- ✓ 7. Prior to construction of the aesthetic system, the permit holder shall submit a project plan to the Department of Water Resources for approval.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this

16th day of March, 1993

J. Keith Saylor



for
R. Keith Higginson, Director

MICROFILMED

MAY 18 1998

SEP 5TH 1997

RATHDRUM CREEK



ASYMMETRIC SYSTEM

PLAN VIEW

MICROFILMED

NOT TO SCALE

REF # 15321

MAY 18 1998

384.92

N00°08'04"E

386.84

#14836

410.22

N89°52'04"E

#15321

GREENACRES CANAL

AKA RATHDRUM

252.74

S80°33'59"E

N89°52'04"E

AESTHETIC

S89°52'04"W

1318.59

N89°52'04"E

659.31

12.16.10.2
51.1.1.1
4 Areas 12.467 A.

5157
22.12.11

MICROFILMED
MAY 18 1998

428.85

SEP 5th 1997

S00°05'11"W 342.92

Project Plan for Aesthetic System

The proposed aesthetic project plan will utilize water in the area as indicated in the attached sketch and property map.

A rock scape, waterfall, and pond will be located next to the 4" diameter irrigation outlet will utilize a $\frac{3}{4}$ " diameter pipe to supply the system. The pond will have an outlet/overflow stream terminating west of the pond.

A Rockscape located approximately 107' east of the creek will have a $\frac{3}{4}$ " diameter pipe to supply water in this area. Water will overflow a pool and enter the ground.

A Pond area is located 20' east of the creek will be supplied by a 2" gate valve and yard hydrant. Development of this pond will commence when this plan is approved, as water is necessary for soil compaction. Preliminary excavation of this area is complete.

The amount of water used for the aesthetic system is measured by monitoring the water meter located adjacent to the pump.

MICROFILMED

MAY 18 1998

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 95-08782 Reviewed by [Signature] Date 3-31-95

BASIC INFORMATION

3-27-95 Date stamp received

yes Extension received timely

yes Fee received and receipted

yes Name and signature same as permit

no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN *Recommend extend to April 1, 1998, on basis of due diligence.*

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X _____

Change Proof Due Date 4-1-98 _____

Change Priority Date X _____

APPLICATION FOR PERMIT REVIEW

Application #: 95-8782 Date: 3-12-93 Reviewer: Brenda ~~Chapman~~

SYSTEM COMPLETED:

No - 26A-P17
 Complete in 1 year - P16
 Yes
 Proof not submitted - P16
 Proof submitted - N/A

AREA OF CONCERN? NO

GROUNDWATER:

GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
 - No measurement required <flow chart>
 LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

Approved w/permit - P99 Permit No. _____
 Not included - 046-46A-46B-P23 (after 7/1/87), N/A

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

Water Districts - WD No. 95C
 Surface water - R04, R04-01H-P01 (LT.2 w/pump)
 R04-01J-P08 (GT.2), NMR <flow chart>
 Groundwater - P05
 Irrigation Districts - 023
 Canal Co. Areas - 023
 Drainage Districts - 024
 Boise Front (63) - 058 (Groundwater)
 Swan Falls Flag - _____ (1, Blank or Other)
 Trust - 051-052-053-P74 (Consumptive Uses)
 Non Trust <1> - 048-049

RIVER BASINS:

(Surface Water) Water District Control Condition &....
 Boise (63) - 05A & 11E
 Payette (65) - 047-P04, 059-P71
 Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
 042(req.), 002-P06(MD), 07A(Spec.),
 044(Policy 5G)
 Power - Use Power Review
 Mining - 06A, 010, or 09E-P10 & 054(req.)
 Storage - 18A-for multiple measuring devices(In WD),
 18B-P09(Size)
 Rec/Wildlf/Aes - 027(Non-Consumptive)
 Domestic - 021 (Boise River - upstream from L Peak)
 (restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

Non land owner - 004

PROTESTED:

Agreement - 020

Beneficial Use Due Date - 04-03-1995

Other Conditions/Remarks: ① Prior to construction of the aesthetic system, the applicant shall submit a plan to the Department for approval.

Permit holder

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95-8782

***** INITIAL REVIEW *****

APPLICANT: PARSONS BY: B3 DATE: 9/28/92

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (v) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (v) Description of diverting works
(i) Dam information requested
or not requested
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (v) Map
(x) Signature
(v) Fee (Amt, recpt, acknowledgment)
Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- x Field check: by _____
 Field report attached
 Analysis Supp. attached(>5cfs/500af)
x Water delivered by water master?
Water District # 95c

PROCESSING

Yes No PRIORITY DATE: 9/28/92
 x (Include Moratorium Remark)
 x Statewide Avertising: (Diversion rate
greater than 10 cfs or 1,000 af).

10/15/92 Advertised in: CTDA Bull

County of: KOOTENAI

SEND COPIES TO:

() USFS CdA	() USFS Oro	() USFS Grangeville
() BLM	() W/W Corps	() Albeni Corps
() F&G CdA	() F&G Lew	() IDL
() H&W CdA	() H&W Lew	() Adj Div
(Other) _____		

LETTERS SENT REQUESTING:

() Dam information () Fish Information
() Power information () Other

INFORMATION RECEIVED

() Power information () Dam information
() Fish Information () Other

***** GROUNDWATER SECTION *****

(Yes) (No) Checked by: _____ Date: ____/____/____

- x Groundwater management area
 Critical ground water area
 Well Drilling Permit required
 Well Drilling Application and Fees received
 x Well Drilling Application approved?
Well Drilling Application Number _____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- Notice of pending void order issued. Final order response date: ____/____/____
 Further information required from applicant
 Affidavit of publication received
 Application published correctly, If not, record action taken: _____
 Publication dates and paper recorded on application
 x Protests received. Final protest date: 11/2/92
 Measuring device required
 Measuring port required
 Special conditions: _____
 Special conditions of approval supplement and/or cover letter attached:

RECEIVED
FEB 25 1993
Department of Water Resources

Approval Recommended by: B3 PUA Date: 11/3/92

95-08782

PARSONS, CAL
PO BOX 16
AVALON, CA 90704

Source: RATHDRUM CREEK

Tributary: SINKS

Diversion Pt: SESWNW Sec 17 T 52N R 04W in KOOTENAI County.

Use: IRRIGATION	(.120 CFS)
AESTHETIC	(.080 CFS)
Total Diversion:	(.200 CFS)

Date Filed: 9/28/1992

In: KOOTENAI County
T52N R04W S17 SWNW

4.0 ACRES TOTAL

RECORDED

MAY 26 1993