

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 95-08775

Priority: November 8, 1992

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

11.4 AF

This is to certify, that LIN RIMPLE
2772 DIAGONAL RD

RATHDRUM ID 83858 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 15, 1992; and has submitted Proof of Beneficial Use on February 24, 1997. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	9.0 AF
DOMESTIC	01/01 to 12/31	0.07 CFS	2.4 AF
	Totals	0.07 CFS	11.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 15, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	04W	15	SENW	3		3

Total number of acres irrigated: 3

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED

OCT 28 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 95-08775

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 4 homes and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of OCTOBER, 1998.


KARL J. DREHER Director



MICROFILMED

OCT 28 1998

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-08775

Priority: November 8, 1992

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

11.4 AF

This is to certify, that LIN RIMPLE

2772 DIAGONAL RD

RATHDRUM ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 15, 1992; and has submitted Proof of Beneficial Use on February 24, 1997. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	9.0 AF
DOMESTIC	01/01 to 12/31	0.07 CFS	2.4 AF
	Totals	0.07 CFS	11.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 15, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

52N 04W 15

ACRES

SENW 3

ACRES

ACRES

TOTAL

3

Total number of acres irrigated:

3

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

SUPERSEDED

MICROFILMED

MICROFILMED

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 95-08775

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 3 homes and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 25TH day of SEPTEMBER, 1998.

Acting for

KARL J. DREHER, Director

SUPERSEDED
WR

NOV 18 1998

IN THE MATTER OF PERMIT NO. 95-08775)
)
) **ORDER OF**
IN THE NAME OF LIN RIMPLE) **REINSTATEMENT**
)

MAY 28 1997

FOR OFFICE USE ONLY
Amt. of Fee \$: 100.00
Receipt No. NO10979
Receipt By: CD
Date Received: 2/24/97

RECEIVED
FEB 27 1997

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08775 Telephone No. 414-435-7608

2. Name(s) of Permit Holder(s): Lin A. Rimple

3. Mailing Address: 6025 Ledge Crest Dr. De Pere, WI 54115

4. Source of Water: well If GROUNDWATER (well), Date Drilled: mo. 8 / yr. 91

a. Well Driller: United Drilling Pump Drilling Permit Number: - - -

b. OPTIONAL:
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 3 Stockwater (No. and type of stock): 0

Irrigation (No. of acres): 37 Other: 0

6. Total rate of diversion and/or volume for which proof is submitted: 0.85 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u>X</u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u>X</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u>X</u>

8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Telephone Number:

Address:

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Lin A. Rimple Date: 1-27-96
(include your title, if on behalf of company or organization)

MICROFILMED

MAY 28 1997

RECEIVED

NOV 17 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

REQUEST FOR EXTENSION OF TIME

**TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 95-08775

Name(s) of Permit Holder: Lin A. Rimple

Mailing Address: Box 25601, HAYDEN, ID 83835

Date Proof is Due: JAN 1, 95 Telephone No. 208-687-3265

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

well drilled and line run to house

Costing \$ \$14,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

financial, time, and surveys and illness

Permit holder(s) request an extension to JAN 1st, 19 97.

FEE: \$50.00

Lin A. Rimple
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

DEC 21 1994

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1997.

Signed this 13th day of December, 19 94.

J. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08775

Proposed Priority: September 15, 1992 Maximum Diversion Rate: 0.85 CFS

This is to certify, that LIN RIMPLE

PO BOX 2561

HAYDEN ID 83835

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.74 CFS
DOMESTIC	01/01 to 12/31	0.11 CFS
	Totals	0.85 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 15, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N 04W 15	SENW 37			37

Total number of acres irrigated: 37

PLACE OF USE: DOMESTIC

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>
52N 04W 15	NENW	SWNW	SENW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 2, 1995.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the right holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Domestic use is for 5 homes.

RECEIVED

DEC 16 1992


State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 95-08775

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25th day of November, 1992.


R. Keith Higginson, Director

for



RECEIVED

DEC 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

687-3245

1. Name of applicant LIN RIMPLE Phone ~~687-3245~~

Post office address P.O. BOX 2561, HAYDEN, ID 83835

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SE 1/4 of NW 1/4, Govt. Lot _____

Sec. 15 Township S20. Range 4W. B.M. KOOTENAI County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

* .11 Amount 0.20 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

* .74 Amount 0.80 for IRRIGATION purposes from 3-15 to 11-30 11-15 BLM (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .85/00 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP, PIPELINE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

* Standard for 5 homes.

* Standard at total amount @ .02 per acre.

RECORDED

DEC 16 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 5
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
52N.	4W.	15					D		D	D									
52N.	4W.	15								37									

Total number of acres to be irrigated 37

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

9/10
16/15

Sec. 15 Twp. 52 N.R. 4 W.

TAX No.

0800
10.72 Ac

5280' = 1 mile

264
25280
40
1280
2400
170
3.7
2570
435
1600
1275
3250
2975
275

400
41600

2570
1600

570' between lines
4.25"

3700

1070

100'

Burlington

Northern

Abandoned

RATHDRUM - BAYVIEW ROAD

4 1/2"

320'

2570

4500

Burlington Northern

120


3AC

THIS IS NOT A SURVEY. THIS PLAT IS SUPPLIED
BY PIONEER TITLE COMPANY FOR INFORMATION
PURPOSES ONLY AND THE COMPANY ASSUMES
NO LIABILITY AS TO ITS ACCURACY

DEC 16 1992

5302000m N.

(U.S. 10) 11 MI.
1.3 MI.



Twin Lakes

Twin Lakes Station

ELEV 2306 OCT 1961

PACIFIC

ST PAUL

MILWAUKEE

CHICAGO

Rathdrum

M&N 2290
Rathdrum Magnetic

Sturgeon

Gravel Pit

Gravel Pit

NORTHERN

PACIFIC

PIPELINE

ROAD

RAMSEY

MICROFILMED

OCT 28 1998

[illegible]

DEC 16 1962

Application for permit to appropriate the public waters of

Paul Rimple
(Applicant)

Received by GB Date 9/15/92 Time 3:20 PM Preliminary check by GB
Fee \$ 45.00 Receipted by [Signature] # N 5955 Date 9/15/92
Publication prepared by [Signature] Date 9/23/92 Published in CDR Press 10/1 + 8/92
Publication approved [Signature] Date 10/13/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

DEC 16 1992

Memorandum to File

To: Keen
From: Beardslee
Date: October 8, 1998
RE: License 95-08775 / Lin Rimple

As we discussed today on the phone, Ms. Rimple contacted me on October 5, 1998, to express that she was concerned that her water right license did not list enough acreage for what they are actually irrigating.

I returned to Ms. Rimple's property on October 5, 1998, and she showed me where her irrigation is/will be. A fire occurred on her property and it was not real obvious where she had been irrigating, however, she pointed out that she had seven spigots and garden hose to irrigate her lawn.

The measurement were as follows:

Lin's Lawn
 $360' \times 240' = 86,400 \text{ Ft}^2 / 43,560 \text{ Ft}^2 = 1.98 \text{ Acres}$

Lin's trailer
 $150' \times 90' = 13,500 \text{ Ft}^2 / 43,560 \text{ Ft}^2 = 0.31 \text{ Acres}$

Home with golf cart in photo
 $100' \times 150' = 15,000 \text{ Ft}^2 / 43,560 \text{ Ft}^2 = 0.34 \text{ Acres}$

Dog Kennel
Irregular shape (estimated 0.30 acres)

Our field examination appears to accurately identify the number of acres of irrigation.

* As we discussed, there are four homes using water from the well. The License should be changed from three to four homes.

MICROFILMED

OCT 28 1998

MEMORANDUM

TO: File 95-08775

FROM: Sharla

DATE: September 25, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit No. 95-08775 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

T52N, R4W, S15 - SENW (3 acres)

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.07 cfs	9.0 af
Domestic	1/1 - 12/31	0.07 cfs	2.4 afa
	TOTALS	0.07 cfs	11.4 afa

The entire place of use is within the SENW as identified on the map.

The irrigation component covers all lawn/garden irrigation, thus the volume for domestic use is in-house only.

Exam Date: August 18, 1998
Examiner: David David Pagel

MICROFILMED
OCT 28 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95.08775 DATE 9/25/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

3-1/4' identified for dom.
don't require amendment
for var. in 3

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .85 cfs
 Fee limit 1.00 cfs \$1000
 Measured .07 cfs
 Theoretical .05 cfs at 40 psi and 320' lift
 Recommended Total Div Rate .07 cfs

WATER USES	<u>OK</u>	Change (P46)	
<u>Dom</u>	<u>.07</u> cfs	<u>3 x 3 = 9</u> af	Irrig -
<u>Dom</u>	<u>.07</u> cfs	<u>4 x 6 = 24</u> af	
			overlap (R58-R61, R62-R65, R66-R69)
			supp. gw (WB7/065/079)
			overlap spec. combined rts (W35)
			<1 acre (W31)
			(W01/WB5/070/071/075)
TOTALS	<u>.07</u> cfs	<u>11.4</u> af	Domestic (W42 or W43/025/027/R22 or R23)
			Power (077) Wtr Quality (081/R07)
			Fish (042)

Flow rate .07 cfs X 365 days X 1.98 = 50.6 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes _____ no SRBA Claim _____ Adjust Memo ju
 Amend letters /

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 31 1998
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08775

1. Owner: Liv Rimple Phone No. (208) 687-3265

Current Address: 2772 Diagonal Rd. Rathdrum, ID 83858

2. Accompanied by: Liv Rimple EXAM DATE: Aug 18, 1998

Address: Same Phone No. _____

Relationship to Permit Holder: self

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	15	52N	4W	Kootenai	USGS 7.5' Quad., short Plat


2. Place(s) of Use:

Indicate Method of Determination USGS 7.5' Quad.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N	4W	15					01		01	01									3

MICROFILMED
OCT 28 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NA

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3		Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket / stop watch					5gal.	

2. Measurements: 5 gal / 37.29 sec. with 4 hydrants open simultaneously

MICROFILMED

OCT 28 1998

E. NARRATIVE/REMARKS/COMMENTS

A 3 Hp pump diverts water at a maximum rate of 32.2 gpm (.072 cfs) from the well for domestic and irrigation use.

Approximately 900 ft. of 1.25" pvc line supplies water to 4 homes. Lin Rimple stated that when fully developed there will be 3 acres of lawn and garden irrigated out of the total 32 acres of land.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

OCT 28 1998

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$32.2 \text{ gpm } (.072 \text{ cfs})$$

$$4 \text{ hydrants} \times 5 \text{ gal} / 37.29 \text{ secs.}$$

$$= \frac{20 \text{ gals}}{\times} = \frac{37.29 \text{ secs}}{60 \text{ secs}}$$

$$\frac{32.2 \text{ gpm}}{448.83 \text{ gpm}} = .072 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.0 \text{ acres} \times 3.5 \text{ af/acre/season} = 10.5 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .072 \text{ cfs} \times 245 \text{ days} \times 1.9835 = 34.99 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 10.5 \text{ afa}$$

2. Volume Calculations for Other Uses:

$$4 \text{ homes} \times .75 \text{ acres} = 3.0 \text{ acres (irrigation)}$$

$$4 \text{ homes} \times 1.2 \text{ afa} = 4.8 \text{ afa}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03/15	11/15	.072	10.5
Domestic	01/01	12/31	.072	4.8
Totals:			.072 cfs	15.3 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name DAVE PAGEL Date 8/27/98


Reviewer _____ Date _____

SEAL

MICROFILMED

OCT 28 1998

TES
E INTERIOR
RVEY



MIDWESTERN
DEC 16 1992

⑬ M
74.3

PD.

#1173

95-08775
T52N R4W
Sec 15
Rimble

OCT 28 1909

15	14
22	23

PERMIT # 95-08775

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES



Point
of
diversion

Place
of
use



Place of Use

MICROFILMED

OCT 28 1998



PERMIT # **95-08775**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



PLACE

of



USE

MICROFILMED
OCT 28 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08775 Reviewed by [Signature] Date 3-26-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? dom. Irr.
no Address same as permit?
no Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 95-92-N-0152-000
200.00 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100 Amount Submitted
yes Correct?
yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>2-24-97</u>	<u>8355</u>
Date proof due	<u>1-1-97</u>	<u>1</u>
No. of days late	<u>=</u>	<u>54</u>
Priority Date	<u>9-15-92</u>	<u>+ 258</u>
New Priority Date	<u>11-8-92</u>	<u>312</u>

> 11/8/92

DEFICIENCIES OR ACTION ITEMS

*Reinstate & advance priority to Nov. 8, 1992.
Advise of flow port condition
Proof acceptable.*

DATA ENTRY

New Address 6025 Ledge Crest Dr. Proof Made 2-24-97
De Pere, WI 54115

APPLICATION FOR PERMIT REVIEW

Application #: 95-8775 Date: 11-24-92 Reviewer: Brenda Miller

BMM

SYSTEM COMPLETED:

- No - 26A-P17
- Complete in 1 year - P16
- Yes
- Proof not submitted - P16
- Proof submitted - N/A

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- NMR <fl ch>, A of C NONE
- LT. 0.2 cfs - No measurement required <flow chart>
- Drilling Permit:
- <Approved> w/permit - P99 # 95-92-N-152
- Not included - 046-46A-46B-P23 (after 7/1/87), N/A
- SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No.
- Surface water - R04, R04-01H-P01(LT.2 w/pump)
- R04-01J-P08(GT.2), NMR <flow chart>
- Groundwater - P05
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater)
- Swan Falls Flag - (1, Blank or Other)
- Trust - 051-052-053-P74(Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
- 042(req.), 002-P06(MD), 07A(Spec.),
- 044(Policy 5G)
- Power - Use Power Review
- Mining - 06A, 010, or 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD),
- 18B-P09(Size)
- Rec/Wildlf/Aes - 027(Non-Consumptive)
- Domestic - 021 (Boise River - upstream from L Peak)
- (restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

Beneficial Use Due Date: - 01-02-1995

Other Conditions/Remarks: -

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) LIN RIMPLE
2. Mailing Address P.O. BOX 2561
City & State HAYDEN, ID Zip Code 83835 Telephone 687-3265
772-0456
☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 NW 1/4, or Gov't Lot No. _____
Sec. 15, Twp. 52N, Rge. 4W, County KOOTENAI
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
☒ Non-Domestic: Any beneficial use not included within the definition of domestic.
() Injection
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
() Other _____ (Describe) _____
5. Well construction information:
A. ☒ New well () Deepen () Enlarge () Replace - See Condition 9
B. Proposed Surface Diameter 6" Proposed Maximum Depth _____
C. Anticipated bottom hole temperature:
(☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date 8-10-92
7. Anticipated Well Driller UNITED DRILLING INC.
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Judy C Brown Date 8-10-92
Title SECRETARY (Owner, Firm Representative, Other)

RECEIVED
OCT 22 1992

Department of Water Resources

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is approved

Date 8/10/92 (verbal 8/11/92)

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Robert L. Haynes by Samuel King as Acting Regional Mgr.
Signature of Authorized Department Representative Title

Receipt No. N 5956 N 5806 Received by [Signature] Fee 2/65.00 35.00 Date 9/15/92 8/10/92

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

DEC 16 1992

No. a
4/87-06/92n

IDaho DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # _____

***** INITIAL REVIEW *****

APPLICANT: RIMPLE BY: B DATE: 9/15/92

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
(X) Dam information requested
or not requested
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowlegment)
Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
1 Field report attached
1 Analysis Supp. attached(>5cfs/500af)
1 Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 9/15/92

- X (Include Moratorium Remark)
X Statewide Avertising: (Diversion rate
greater than 10 cfs or 1,000 af).

10/15/92 Advertised in: CD'A Press

County of: KOOTENAI

SEND COPIES TO:

- | | | |
|---------------|---------------|----------------------|
| () USFS CdA | () USFS Oro | () USFS Grangeville |
| () BLM | () W/W Corps | () Albeni Corps |
| () F&G CdA | () F&G Lew | () IDL |
| () H&W CdA | () H&W Lew | () Adj Div |
| (Other) _____ | | |

LETTERS SENT REQUESTING:

- () Dam information () Fish Information
() Power information () Other

INFORMATION RECEIVED

- () Power information () Dam information
() Fish Information () Other

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: DF Date: 9/21/92
Remarks: _____

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
X Well Drilling Application and Fees received
Well Drilling Application approved?
Well Drilling Application Number 95-92-N152

-UP-GRADE

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- Notice of pending void order issued. Final order response date: / /
Further information required from applicant
X Affidavit of publication received
X Application published correctly, If not, record action taken: _____
X Publication dates and paper recorded on application | Sr. Agent initial _____
X Protests received. Final protest date: 10/19/92
X Measuring device required
X Measuring port required
X Special conditions: _____
X Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: RWA

Date: 10/15/92