

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08743

Priority: April 1, 1992

Maximum Diversion Rate:

0.36 CFS

Maximum Diversion Volume:

54.0 AF

This is to certify, that POOR BOYS WATER ASSN

2745 E POLELINE RD

POST FALLS ID 83854

has complied with the terms and conditions

of the permit, issued pursuant to Application for Permit dated April 1, 1992; and has submitted Proof of Beneficial Use on June 21, 1994. An examination indicates that the works have a diversion capacity of 0.450 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.36 CFS	54.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 25, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	05W	25	SWSW	18		18

Total number of acres irrigated: 18


CONDITIONS OF APPROVAL AND REMARKS


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Right 95-08807 is also diverted at the point of diversion described above.

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-08743

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of December, 1996


Acting for KARL J. DREHER, Director



RECEIVED

JUN 24 1994

STATE OF IDAHO Department of Water Resources

For Office Use: Only
Amt. of Fee \$ 100.00
Date 6/21/94
Receipt No. D-7789
Received by [Signature]

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08743 Telephone No. (208) 773-0462
2. Name(s) of Permit Holder(s): POUR Boys Water Assn.
3. Post Office Address: 2745 E. GOLELINE AVE. POST FALLS, ID.
4. Source of Water: 83854

- a. If ground water, well driller's name: United Date drilled: April 1992
b. Pump horsepower: 40 Pressure (psi): 55 Dynamic pumping level (ft.): 260'

5. Extent of Use:

Domestic 0 (No. of households) Irrigation 20 (No. of acres)
Stockwater 0 (No. and type of stock) Other 0

6. Total rate and/or volume for which proof is submitted .4 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐
OR
Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

J.R. LINDGREN 773-5021
Name Telephone No.

2650 N. GREENSPERRY POST FALLS ID 83854
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/21/94 X J.R. Lindgren Pres of Assn
Date Signature (and title if on behalf of a company or organization)

RECEIVED

JUN 23 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08743

Proposed Priority: April 1, 1992 Maximum Diversion Rate: 0.40 CFS

This is to certify, that **POOR BOYS WATER ASSN**
E 2745 POLELINE RD
POST FALLS ID 83854

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.40 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 25, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	05W	25	SWSW	20		20

Total number of acres irrigated: 20

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1994**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

10th day of June, 1992

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

SEP 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8743

To appropriate the public waters of the State of Idaho

1. Name of applicant Poor Boy's Water Association Phone 773-0462
Post office address E. 2745 Poleline Rd. Post Falls, ID 83854
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 25 Township 51N Range 5W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.40^π for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.40^π and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well and pipeline to sprinklers.
 - b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total
reservoir capacity NA acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 350 ft feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

SEP 18 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
51N	5W	25											20						20 ACRES

Total number of acres to be irrigated 20

10. Describe any other water rights used for the same purposes as described above. NONE


11. a. Who owns the property at the point of diversion? Association members
- b. Who owns the land to be irrigated or place of use? Association members
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

SEP 18 1992

95-8743

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Julius Bowers, Pres. *Judy Hayton* sec/
(Applicant) +BOWS.

Received by [Signature] Date 4/1/92 Time 11:06 AM Preliminary check by TDK
Fee \$ 45.00 Receipted by [Signature] # N 5321 Date 4/1/92
Publication prepared by [Signature] Date 4/8/92 Published in Council Bluffs News
Publication approved [Signature] Date 4/24/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECORDED

SEP 18 1992

MEMORANDUM

TO: File 95-08743

FROM: Sharla

DATE: October 30, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 95-08743 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Irrigation	3/15 - 11/15	0.36 cfs	54.0 afa
------------	--------------	----------	----------

The rate of 0.02 cfs for per for the licensing of 18 acres is 0.36 cfs.

Overlapping rights: 95-04618 lists all 40 acres in the SWSW. Section 25, with a point of diversion in the NWSW, S25. Since it is a **claim**, it is not being included in the overlap review. 95-02171 was licensed for 19 acres in the SWSW; the original application identified the acres as in the W½SWSW and NESWSW. These acres overlap what is proposed for licensing in this right. The point of diversion listed on the previous license was a 285' well with 150 hp pump in the NESW. Standard overlap conditions will suffice. Finally, permit 95-08807 is being reviewed for licensing concurrently. That permit is to be licensed for 9 acres in the SWSWSW - the only overlap is in point of diversion; applicable conditions/remarks will be added to both rights.

On this date, I spoke with the examiner, Wayne Baldwin. I questioned the separate measurements made for the two rights from the same well. He indicated that they do use the same well, but they are two separate delivery systems. They weren't operating at the same time, but also operate simultaneously upon demand. The licenses will be issued with their individual measurements as separate systems with a remark indicating the shared well.

Examiner: Wayne Baldwin

Exam date: July 25, 1995

1000-11-11

1000-11-11

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM	
		NE		NW		SW		SE		NE		NW		SW		SE			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
L9508743	T51N R05W S25 GROUNDWATER																		
	:													18				18	
NO MATCHES FOR THIS POU IN AJ-POU																			
9502110	GROUNDWATE :	40	40	40	40	:										40	40	40	40 : 320
9502171	GROUNDWATE :					:			36			37	38	19	09	:			: 139
9504618	GROUNDWATE :					:			40			40	40	40	40	:			: 200
9507135	GROUNDWATE :					:					38					:			: 38
9508477	GROUNDWATE :					:								02	0	:		01	01 : 4
9508743	GROUNDWATE :					:								20		:			: 20
9508807	GROUNDWATE :					:								18		:			: 18
NO MAPPING INFO AVAILABLE																			

permit

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 15 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08743

1. Owner: Pool Boop Water Assn Phone No. (208) 773-0962

Current Address: E. 2745 Poleline Rd. Post Falls Id 83854

2. Accompanied by: J.R. Lindgren EXAM DATE: 7-25-96

Address: 2650 N Greenferry Post Falls Id 83854 Phone No. (208) 773-5041

Relationship to Permit Holder: President of Assn

3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-02171, 95-04618, 95-08477, 95-08807

2. Other water rights with the same point of diversion: 95-08807

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	25	51N	05W	Kootenai	U.S.G.S. 7.5 min Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	05W	25																	

NOTIFIED
AUG 28 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



4. _____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached (required for irrigation of 10+ acres).
 _____ Photo of Diversion and System Attached

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		40		Somerset/4	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

Same pump also supplying 95-08807

WATER IS PUMPED FROM WELL BY 40 H.P.
PUMP. 4" ALUMINUM "MAIN-LINES" AND LATERAL
LINES WITH RAIN BIRD TYPE SPRINKLERS ARE USED
FOR IRRIGATION OF PROPERTIES.

Have conditions of permit approval been met? ☒ yes ☐ no

RECORDED
APR 23 1977

Measured Method:

ached

[illegible]

G. VOLUME CALCULATION

1. Volume Calculations for

2. Volume Calculations for Other Uses:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 18.7 \times 3 = 54$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 40.7 \times 295 \times 1.9835 = 194$$

$$V_{DR} = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 54$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Period of Use
From To

Rate of Diversion

Annual Volume

Totals:

2. Recommended Amendments

— Change P.D. as reflected above

— Change P.U. as reflected above

— Add P.D. as reflected above

— Add P.U. as reflected above

None _____
Other _____

I. AUTHENTICATION

Reviewer

Date _____

Field Examiner's Name /


Date _____

7-26-96

SEAL

2679 IV SE
(HAYDEN)

MICROFILMED
JAN 23 1997



95-08143-050-125
204 pages

26
25
24

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 95-08743



for
fu



for
fu



for
fu

MICROFILMED
JAN 23 1997

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08743

Reviewed by aj

Date 7-5-94

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?

irr.

yes Proof timely received?
If not, complete calculation below.

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 95-92-N-0042

200.00 Amount paid for permit yes Correct?

no Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

100.00 Amount Submitted

yes Correct?

MEASURING DEVICE

 Required?

 Installed?

✓ Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>		<u> </u>
Date proof due	<u> </u>	-	<u> </u>
No. of days late	<u> </u>	=	<u> </u>
Priority Date	<u> </u>	+	<u> </u>
New Priority Date	<u> </u>		<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X

Proof Made 6-24-94

APPLICATION FOR PERMIT REVIEW

Application #: 95-8743
Date: 6-7-92

Reviewer: Brenda Miller

Brenda

SYSTEM COMPLETED:

- No - 26A-P17
- Complete in 1 year - P16
- Yes
- Proof not submitted - P16
- Proof submitted - N/A

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
- LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

- (Approved) w/permit - P99 #95-92-N-42
- Not included - 046-P23 (All GW, even existing wells)

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No. _____
- Surface water - 005, 005-01H-P01 (LT.2 w/pump)
- 005-01J-P08 (GT.2)
- Groundwater - P05
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater)
- Swan Falls Flag - (1, Blank or Other)
- Trust - 051-052-053-P74 (Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
- 042(req.), 002-P06(MD), 07A(Spec.),
- 044(Policy 5G)
- Power - Use Power Review
- Mining - 06A, 010, or 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD),
- 18B-P09(Size)
- Rec/Wildlf/Aes - 027(Non-Consumptive)
- Domestic - 021(restricted areas)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

Beneficial Use Due Date: 07-01-1994

Other Conditions Recommended _____

No. a
4/87-11/91n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

***** INITIAL REVIEW *****

APPLICANT: FOOR Bay BY IDK DATE _____ APPLICATION # 95-8743

REQUIRED INFORMATION

- (1). ☒ Name and Address:
(2). ☒ Source:
(3). ☒ P. D. including county:
(4). ☐ Quantity:
 ☒ Nature of proposed use:
 ☒ Period of use:
(5). ☐ Total Quantity:
(6). ☒ Description of diverting works:
 ☒ Dam information requested
 or not required
(7). ☒ Time required for b/u
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(12). ☐ Map:
 ☒ Signature:
 ☐ Fee: (Amt, recpt, acknowledgment)

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached:
☐ Analysis Supp attached (>5cfs/500af)
☐ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

☒ Proposed Priority 4/1/92
☒ In form for Advertising in the
 Cum d'Almeida 4/16/92
County of KOOTENAI

☒ Statewide advertising: (diversion
greater than (10cfs/1,000af)

SEND COPIES TO:

☐ USFS CdA	☐ USFS Oro	☐ USFS Grangville
☐ BLM	☐ W/W Corps	☐ Albeni Corps
☐ F&G CdA	☐ F&G Lew	☐ IDL
☐ H&W CdA	☐ H&W Lew	☐ Adj Div
(Other) _____		

LETTERS SENT REQUESTING:

☐ Dam information ☐ Fish Information
☐ Power information ☐ Other

INFORMATION RECEIVED

☐ Power information ☐ Dam information
☐ Fish Information ☐ Other

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked By SL

- ☒ Groundwater management area:
☒ Critical ground water area:
☒ Well Drilling Permit required:
☒ Well Drilling Application and Fees received:
☒ Well Drilling Application approved?
Well Drilling Application Number 95-92-N-42

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☐ Notice of pending void order issued: Final date of order response. _____
☐ Further information required from applicant:
☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken: _____
☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 5/4/92
☐ Measuring device required:
☐ Measuring port required: REDA
☐ Special conditions REDA
☐ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: RGA

Date: 5/4/92
RECEIVED
MAY 8 1992

95-08743

POOR BOYS WATER ASSN
E 2745 POLELINE RD
POST FALLS, ID 83854

Source: GROUNDWATER

Diversion Pt: SWSW Sec 25 T 51N R 05W in KOOTENAI County.

Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)

Date Filed: 4/ 1/1992

In: KOOTENAI County
T51N R05W S25 SWSW

20.0 ACRES TOTAL

RECEIVED

SEP 18 1992