

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-08734

Priority: December 20, 1991 Maximum Storage Volume: 1.0 AF

This is to certify, that JOHN HATROCK JR
BEVERLY HATROCK

4900 MULLAN TRAIL RD
COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 20, 1991; and has submitted Proof of Beneficial Use on March 8, 1993. An examination indicates that the works have a storage capacity of 2.000 af of water from:

UNNAMED STREAM tributary to COEUR D ALENE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION STORAGE	01/01 to 12/31		1.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		1.0 AF
FIRE PROTECTION STORAGE	01/01 to 12/31		1.0 AF
	Totals		1.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 21, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION FROM STORAGE

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	03W	21	SWSW	0.6		0.6

Total number of acres irrigated: 0.6

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Water shall not be diverted from storage for fire protection use under this right except to fight or repel an existing fire.

MICROFILMED


APR 25 1993

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 95-08734

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of July, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

AUG 25 1998

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 3-9-93
Receipt No. 0026929
Receipt by gus

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAR 8 1993

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08734 Telephone No. 208-6674900
2. Name(s) of Permit Holder(s): John HATROCK JR BEVERLY HATROCK
3. Mailing Address: 4900 Mullen TRAIL Rd CDA ID 83814
4. Source of Water: UNNAMED STREAM

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 15 (No. of acres) Other FIRE PROTECTION

6. Total rate and/or volume for which proof is submitted _____ cfs OR 1.0 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 0 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

John Hatrock, Jr. 208-6674900
Name Telephone No.

4900 Mullen Trail Rd CDA ID 83814
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-1-93
Date

John Hatrock Jr owner
Signature (and title, if on behalf of a company or organization)

MAY 24 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08734

Proposed Priority: December 20, 1991

Maximum Storage Volume:

1.0 AF

This is to certify, that **JOHN HATROCK JR**
BEVERLY HATROCK
715 E LAKESIDE AVE
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:

UNNAMED STREAM

tributary of **COEUR D ALENE LAKE**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION STORAGE	01/01 to 12/31		1.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		1.0 AF
FIRE PROTECTION STORAGE	01/01 to 12/31		1.0 AF
FIRE PROTECT. FROM STOR	01/01 to 12/31		1.0 AF
Totals			1.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 21, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION STORAGE
TWN RGE SEC ACRES

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	03W	21	SWSW	15	15

Total number of acres irrigated: 15

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION STORAGE use

PLACE OF USE: FIRE PROTECT. FROM STOR, same as IRRIGATION STORAGE use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1994**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.

MICROFILMED

JUN 29 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08734

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

18th day of March, 1992

for J. Keith Higginson
R. Keith Higginson, Director

RECEIVED
JUN 29 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN OR BEVERLY HATROCK, JR. Phone 765-5930
Post office address 715 E. LAKESIDE, COEUR D'ALENE, ID 83814
2. Source of water supply UNNAMED STREAM which is a tributary of COEUR D'ALENE LAKE
3. Location of point of diversion is _____ 1/4 of SW 1/4 of SW 1/4, Govt. Lot _____
Sec. 21 Township 50N Range 3W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1 AF for STORAGE FOR IRR & FIRE purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 1 AF for IRRIGATION FROM STORAGE purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 1 AF for FIRE PROTECTION FROM STORAGE purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2 cubic feet per second and/or (b) 1 acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. EXCAVATE POND IN STREAM

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECEIVED
JUN 29 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. FIRE PROTECTION FOR LAND AROUND HOME

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
SON	3W	21											F	15					15

Total number of acres to be irrigated 15

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? 1

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

JUN 29 1992

95-8734

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R-1 T-50N

⊙ P.D.
↑ & P.U.
R-3W

JUN 29 1992

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John H. Hark Jr.
(Applicant)

Received by Ken Date 12/20/91 Time 8:30 Preliminary check by TDK
Fee \$ 30.00 Receipted by Ken # N-5098 Date 12/20/91
Publication prepared by mm Date 12/24/91 Published in Crowd Bull Press
Publication approved mm Date 1/14/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUN 29 1992

MEMORANDUM

TO: File 95-08734

FROM: Sharla

DATE: June 10, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit No. 95-08734 are as follows:

H. RECOMMENDATIONS

Irrigation Storage	1/1 - 12/31	1.0 afa
Irrigation from Storage	3/15 - 11/15	1.0 afa
Fire Protection Storage	1/1 - 12/31	1.0 afa

Fire protection FROM storage is not required. Water can only be diverted out of storage in the event of a fire; to place a "from storage" use on the right would appear to give authorization to divert every year.

Examiner: David Pagel
Exam Date: May 13, 1998

MICROFILMED
2016 2 5 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08734 DATE 6/10/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

RATE OF DIV

PD & PU amend (P37) Feds - P48

Permitted Rate 1.00 cfs af
 Fee limit 20 cfs \$5000 - 20 af
 Measured 2.0 cfs af
 Theoretical _____ cfs

Recommended Total Div Rate 3.0 cfs af

WATER USES

WATER USES	Change (P46)	
<u>for stor</u>	<u>1.0</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
<u>"fm"</u>	<u>7</u> af	supp. gw (WB7/065/079)
<u>Fire Prot</u>	<u>7</u> af	overlap spec. combined rts (W35)
	<u>7</u> af	<1acre (W31)
	<u>7</u> af	Domestic (W01/WB5/070/071/075)
TOTALS	<u>7</u> af	Power (W42 or W43/025/027/R22 or R23)
	<u>7</u> af	Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate _____ cfs X _____ days X 1.98 = _____ af

REMARKS Fire Prot from storage not incl.

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes ☒ no

SRBA Claim N/A

Adjust Memo
 Amend letters

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 11 1998
Department of Water Resources

A. GENERAL INFORMATION

Permit No. **95-08734**

1. Owner: John & Beverly Hatrock Jr. Phone No. (208)-667-4900

Current Address: 4900 Mullan Trail Rd. Coeur d'Alene, Id. 83814

2. Accompanied by: John Hatrock EXAM DATE: 4-28-98

Address: Same Phone No. 667-4900

Relationship to Permit Holder: Self

3. Source: Unnamed Stream tributary to Coeur d'Alene Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-08170

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	NA		SW	SW	21	50N	03W	Kootenai	U.S.G.S. 7.5' QUAD;

2. Place(s) of Use:


Indicate Method of Determination U.S.G.S. 7.5' QUAD;

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	3W	21											IF						

MICROFILMED

AUG 25 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NA

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket / stopwatch	4 gal.					
Current meter	Rigby			R-1010		

2. Measurements: Bucket measurement = 4 gal in 71 sec. = 3.38 gpm (.0075 cfs)

current meter measurement = .0066 cfs

combined in stream flow = .0141 cfs

MEASURED

200 2 3 08

E. NARRATIVE/REMARKS/COMMENTS

System consists of in stream storage with a total volume of 2.49 acre feet. Water is then diverted from storage to irrigate .6 acres of lawn and garden.

at the time of the exam the total flow was .0141 cfs

(3) catch basins are used above the storage pond to help accumulate bank seepage.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

MAR 23 1998

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

$$\frac{4 \text{ gal}}{x} = \frac{71 \text{ sec.}}{60 \text{ sec.}} = \frac{240}{71} = 3.38 \text{ gpm}$$

$$\frac{1 \text{ cfs}}{x} = \frac{448.83 \text{ gpm}}{3.38 \text{ gpm}} = \frac{3.38}{448.83} = .0075 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .6 \times 3.5 = 2.1$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses: acres irrigated = .6 acre

$$60 \text{ ft} \times 60 \text{ ft} = 3600 \text{ sq. ft.}$$

$$60 \text{ ft} \times 90 \text{ ft.} = 5400 \text{ sq. ft.}$$

$$30 \text{ ft.} \times 212 \text{ ft.} = 6360 \text{ sq. ft.}$$

$$\text{total } 26160 \text{ sq. ft.}$$

$$\frac{26160 \text{ sq. ft.}}{43560 \text{ sq. ft.}} = .6 \text{ acres}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation Storage</u>	<u>01/01</u>	<u>12/31</u>		<u>2.1</u>
<u>Irrigation from Storage</u>	<u>3/15</u>	<u>11/15</u>		
<u>Fire Protection from Storage</u>	<u>01/01</u>	<u>12/31</u>		
<u>Fire Protection Storage</u>	<u>01/01</u>	<u>12/31</u>		
Totals:				<u>2.1</u>

2. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name David A. Ryel Date May 15 1998

Reviewer _____ Date _____

SEAL



Best Hill

FRENCH GULCH

2700

Water Tank

HARRISON

French Ave

Fernan Hill

FERNAN HILL

ROAD

Fernan

Mile 5

PIPELINE

COEUR D'ALENE

Fernan Lake Village

FERNAN

ELEVATION 2125

LAKE

Boat Ramp

Potlatch Hill

Silver Beach

Place of use

Point of diversion

COEUR

Mile 2

D'ALENE

Bennett Bay

SUNNYSIDE

Boat Ramp

95-08734

T 50N R 3W Sec 2

MICROFILMED

AUG 25 1998

Volume Calculations for Irrigation/Fire Protection Storage
Permit # 95-08734

$$100 \text{ ft.} \times 90 \text{ ft.} \times .6 = 5400 \text{ sq. ft.} / 43560 \text{ sq. ft.} = .124 \text{ af} \times 12 \text{ ft.} = 1.49 \text{ af}$$

$$110 \text{ ft.} \times 80 \text{ ft.} \times .6 = 5280 \text{ sq. ft.} / 43560 \text{ sq. ft.} = .121 \text{ af} \times 12 \text{ ft.} = 1.45 \text{ af}$$

$$\text{Total} = 1.49 \text{ af} + 1.45 \text{ af} = 2.94 \text{ af}$$

* .6 = slope factor

MICROFILMED

AUG 25 1998

7/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
OPEN CHANNEL DISCHARGE MEASUREMENT NOTES

GENERAL INFORMATION

CLAIM / WATER RIGHT NUMBER: 95-08734

SOURCE: Unnamed stream
TRIBUTARY TO: Coeur d'Alene Lake COUNTY: _____
DATE: 4-28-98 LOCATION: T. _____ R. _____ SEC. _____, 1/4 1/4 1/4
LOCATION NOTES: _____

PERSON(S) CONDUCTING MEAS.: D. Pagel
ACCOMPANIED BY: _____

MEAS. DEVICE Pygmy I.D. NO. R-1010
SPIN TEST: BEFORE MEAS. 1 min 1.5 sec. AFTER MEAS. 1 min 5 sec.
COMPUTED BY: _____ DATE: _____ CHECKED BY: _____ DATE: _____

RESULTS

WIDTH: 0.9 ft. AREA: .06 ft² VEL.: .11 ft./sec. DISCHARGE: .0066 cfs

MEASUREMENT DATA

CROSS SECTION: _____
FLOW CONDITIONS: _____
DIVERSIONS UPSTREAM: _____
REMARKS: _____

SYSTEM DIAGRAM

UNRECORDED
APR 25 1998

DIST. FROM INITIAL POINT	WIDTH	DEPTH	INSTRUM. DEPTH	REVS.	TIME SEC.	VELOCITY		DISCHARGE	DIST. FROM INITIAL POINT	WIDTH	DEPTH	OBSERV. DEPTH	REVS.	TIME SEC.	VELOCITY		AREA	DISCHARGE
						AT POINT	MEAN IN VERT.								AT POINT	MEAN IN VERT.		
1.2	.05		LEW															
1.3	.10	.10		6	46	.13		.01 .0013										
1.4	.10	.10		6	43	.14		.01 .0014										
1.5	.10	.10		7	42	.17		.01 .0017										
1.6	.10	.10		6	45	.13		.01 .0013										
1.7	.10	.10		1	43	.02		.01 .0002										
1.8	.10	.10		3	46	.07		.01 .0007										
1.9	.15																	
2.1	.10		FEW															
2.9	.90							.06 .0066										

$$V = \frac{Q}{A} = \frac{.0066}{.06} = .11$$



Place

of

use

MICROFILMED
AUG 25 1998



Place of
Use

Storage Pond



1 →

→ # 2

MICROFILMED
AUG 25 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 95-8734

PHOTOGRAPHS



Storage Pond

95-8734



95-8734

98 4 28



95-8734

98 4 28

↑
Catch
← basins

MICROFILMED
AUG 25 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT #

95-8734

PHOTOGRAPHS



Point of
diversion -
to storage



Catch
basin

MICROFILMED
AUG 25 1998

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08734

Reviewed by Klg

Date 2/17/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 15
fire protection
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
Ground water source

NA Drilling permit required?

/ Copy in the file? Drilling Permit No. _____

/ Amount paid for permit _____ Correct?

/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

needs a Dfse

proof acceptable

DATA ENTRY

New Address 4900 Muller Trail Rd 3/9/93

Proof Made 3/8/93
3/12/93 Klg

APPLICATION FOR PERMIT REVIEW

Application #: 95-8734
Date: 3-15-92

Reviewer: Brenda Miller *BM*

✓ SYSTEM COMPLETED:

☒ No - 26A-P17
☐ Yes - P16

Complete in 1 year -
Proof not submitted - P16
Proof submitted - N/A

GROUNDWATER:

GT. 0.2 cfs <flow ch> - 01G-P03, 01C-P03(existing well)
LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

Approved w/permit - P99
Not included - 046-P23(All GW, even existing wells)

✓ SURFACE WATER: not in W/D - 01C-P03 (=GT.2 w/pump), ✓ NMR <flow chart>

LOCATION:

Water Districts - WD No.
Surface water - 005, 005-01H-P01(LT.2 w/pump)
Groundwater - 005-01J-P08(GT.2)
Irrigation Districts - P05
Canal Co. Areas - 023
Drainage Districts - 023
Boise Front (63) - 024
Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - (1, Blank or Other)
Trust - 051-052-053-P74(Consumptive Uses)
Non Trust <1> - 048-049

RIVER BASINS:

(Surface Water) Water District Control Condition &....
Boise (63) - 05A & 11E
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
Power - Use Power Review
Mining - 06A, 010, or 09E-P10 & 054(req.)
Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
Rec/Wildlf/Aes - 027(Non-Consumptive)
Domestic - 021(restricted areas)

OWNERSHIP:

Non land owner - 004

PROTESTED:

Agreement - 020

✓ Beneficial Use Due Date: -
Other Conditions Recommended

04-01-1994

No. a
4/87-11/91n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

***** INITIAL REVIEW *****

APPLICANT: HATROCK By TDK DATE 12/20/91 APPLICATION # 95-8734

REQUIRED INFORMATION

- (1). ☒ Name and Address:
(2). ☒ Source:
(3). ☒ P. D. including county:
(4). ☒ Quantity:
 ☒ Nature of proposed use:
 ☒ Period of use:
(5). ☒ Total Quantity:
(6). ☒ Description of diverting works:
 ☒ Dam information requested
 or not required
(7). ☒ Time required for b/u
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(13). ☒ Map:
 ☒ Signature:
 ☒ Fee: (Amt., recpt. ack. letter)

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached: _____
☒ Analysis Supp attached (>5cfs/500af)
☒ Water delivered by water master?
 Water District # _____

PROCESSING

Yes No

☒ Proposed Priority 12/20/91
☒ In form for Advertising in the
 CD'A Quas 1/29/92
 County of KOOTENAI

☒ Statewide advertising: (diversion
 greater than (10cfs/1,000af)

☒ No further info. required from applicant

SEND COPIES TO:

☐ USFS CdA.	☐ USFS Oro.	☐ USFS Grngvl
☐ BLM	☐ W/W Corps.	☐ Falls Corps.
☐ F&G CdA.	☐ F&G Lew.	☐ IDL
☐ H&W CdA	☐ H&W Lew.	☐ GW Div.
☐ Adj. Div.	☐ (Other)	

LETTERS SENT REQUESTING:

☐ Dam information ☐ Fish Information
☐ Power information

INFORMATION RECEIVED

☐ Power information ☐ Dam information
☐ Fish Information

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken: _____

☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 1/28/92
☒ Notice of pending void order issued: Final date of order response. _____
☒ Groundwater management area: _____
☒ Critical ground water area: _____
☒ Well Drilling Permit required: _____
☒ Well Drilling Application and Fees received: _____
☒ Well Drilling Application Approved? _____
 Well Drilling Application Number _____
☒ Measuring device required: _____
☒ Measuring port required: _____
☒ Special conditions _____
☒ Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: TDK RMA

RECEIVED
FEB 06 1992

Date 1/17/92

Department of Water Resources

95-08734

HATROCK, BEVERLY
HATROCK JR, JOHN
715 E LAKESIDE AVE
COEUR D ALENE, ID 83814

Source: UNNAMED STREAM

Tributary: COEUR D ALENE LAKE

Diversion Pt:

SWSW

Sec 21 T 50N R 03W in KOOTENAI County.

Use: IRRIGATION STORAGE
IRRIGATION FROM STORAGE
FIRE PROTECTION STORAGE
FIRE PROTECT. FROM STOR
Total Diversion:

(1.00 AF)
(1.00 AF)
(1.00 AF)
(1.00 AF)
(1.00 AF)

Date Filed: 12/20/1991

In: KOOTENAI County
T50N R03W S21

SWSW

15.0 ACRES TOTAL

RECORDED

JUN 29 1992