

State of Idaho
Department of Water Resources

AMENDED

WATER RIGHT LICENSE

AMENDED

WATER RIGHT NO. 95-08728

Priority: November 13, 1991

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:

27.0 AF

This is to certify, that STONERIDGE PINES WATER ASSN INC
HCR 2 BOX 104

HARRISON ID 83833

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 13, 1991; and has submitted Proof of Beneficial Use on January 30, 1995. An examination indicates that the works have a diversion capacity of 0.090 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	15.0 AF
DOMESTIC	01/01 to 12/31	0.09 CFS	12.0 AF
	Totals	0.09 CFS	27.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SWNW), Sec. 18, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
49N	03W	18	Lot 3(SWNW)	2.5	Lot 2(SENW)	2.5	5

Total number of acres irrigated: 5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

JAN 28 1997

State of Idaho
Department of Water Resources

AMENDED

WATER RIGHT LICENSE

AMENDED


WATER RIGHT NO. 95-08728

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 20 homes.
7. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
8. Place of use located in Blk. 2, Blk. 4, and Blk. 5, Stoneridge Pines II.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13th
day of November, 1996

[Signature]
for
KARL J. DREHER, Director



RECORDED
NOV 28 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08728

Priority: November 13, 1991

Maximum Diversion Rate:

0.16 CFS

This is to certify, that STONERIDGE PINES WATER ASSN INC
HCR 2 BOX 104

HARRISON ID 83833

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 13, 1991; and has submitted Proof of Beneficial Use on January 30, 1995. An examination indicates that the works have a diversion capacity of 0.160 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.10 CFS	
DOMESTIC	01/01 to 12/31	0.16 CFS	7.2 AF
	Totals	0.16 CFS	

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SWNW), Sec. 18, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	18	Lot 3(SWNW) 2.5	Lot 2(SENW) 2.5		5

Total number of acres irrigated: 5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 15.0 af for the lands above.
5. Domestic use is for 12 homes.
6. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
7. Place of use known as Lots 10, 14, 15, 17, 23, Stoneridge Pines, Lot 2, Blk. 2, Lot 1, Blk. 4, and Lots 6 and 10, Blk. 5, Stoneridge Pines II.

RECORDED


JAN 23 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08728

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17TH
day of OCTOBER, 1996.


Acting for KARL J. DREHER, Director



RECORDED

JUN 23 1996

Amt. of Fee \$: 50.00
Receipt No. 0032073
Receipt By: RT
Date Received: 1-30-95

RECEIVED

JAN 30 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08728 Telephone No. (208) 667-5131
2. Name(s) of Permit Holder(s): STONERIDGE PINES ASSOC., INC.
3. Mailing Address: HC2 BOX 104 HARRISON, IDAHO 83833
4. Source of Water: WELL If GROUNDWATER (well), Date Drilled: mo. 09 / yr. 1991
 - a. Well Driller: UNITED DRILLING Drilling Permit Number: 95-91-N-124
 - b. **OPTIONAL:**
Pump Horsepower: 5 Pressure (psi): OPEN DISCHARGE Dynamic pumping level (ft): 240
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 40 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 5 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .0735 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes ☒	or	No ☐
	Has the measuring device been installed?	Yes ☒	or	No ☐
Flow Measurement Port:	Is a flow measurement port required?	Yes ☐	or	No ☒
	Has the measurement port been installed?	Yes ☐	or	No ☒
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: LAVAR VARNEY Telephone Number: (208) 667-5131
Address: HC02 BOX 103M HARRISON, IDAHO 83833
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.
Signature of permit holder: Lavar Varney Vice Pres. Date: 1-26-95
(include your title, if on behalf of company or organization)

MAR 8 0 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08728

Proposed Priority: November 13, 1991 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **STONERIDGE PINES WATER ASSN INC**

C/O H C HARDING

RT 2 BOX 103

HARRISON ID 83833

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.10 CFS
DOMESTIC	01/01 to 12/31	0.20 CFS
Totals		0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SWNW), Sec. 18, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	18	Lot 2(NENW) 1	Lot 4(SWNW) 2	SENW 2	5
Total number of acres irrigated:						5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1995**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Domestic use is for 40 homes.

APPROVED

FEB 12 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08728

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

16th day of January, 1997

R. Keith Higginson
for R. Keith Higginson, Director

FEB 12 1997

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08728 Reviewed by [Signature] Date 2-3-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

Dom. Irr.
Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file?

Drilling Permit No. 95-91-N 0124-000

200.00 Amount paid for permit

yes Correct?

no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

no Required?

50.00 Amount Submitted

 Installed?

yes Correct?

 Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

 =
 +

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address HCR 2 Box 104
Harrison, 83833

Proof Made 1-30-95

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Stone ridge Pines ^{water} Assn. Inc. Phone 667-7551
Post office address % H.C. Hardy RT 2 Box 103 Harrison ID 83833
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NW 1/4, Govt. Lot 3
Sec. 18 Township 49N Range 3W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
TDI - 0.20 cfs
Amount 0.20 cfs for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.10 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
TDI = 0.20
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well and pump and
20,000 gal Storage tank
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is 300 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

FEB 12 1992

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in KW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; show name of municipality. _____
 - Domestic; show number of households. ~~40 HOMES~~ 40 HOMES (IDK)
 - Other; describe fully. _____

9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
49N	3W	18					1 D		2 D	2 D									5
							6 1/2		6 1/2										


Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. 95-04407 & 95-07914 - THIS FILING IS TO REPLACE SURFACE WATER RIGHTS FOR POTABLE WATER
11. a. Who owns the property at the point of diversion? App'l.
- b. Who owns the land to be irrigated or place of use? App'l.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Pres, Sherry Hardy ~~chuk~~ Buck / B.D. is Sherry Hardy ~~chuk~~; Hal Moore and ~~the~~ Harding
 V.P. Hal Moore
 Sec Linda Van Fleet
 Treas, Hal Moore

MICA BAY QUADRANGLE
IDAHO-KOOTENAI CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)
SE/4 COR. D'ALENE 15' QUADRANGLE

2679 II NW
(FERNAN LAKE)



Received by Date 11/13/91 Time 3:00 PM Preliminary check by TDK
Fee \$ 30.00 Receipted by # N5039 Date 11/13/91
Publication prepared by Date 11/14/91 Published in 11/21-28/91
Publication approved Date 11/27/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. , and said application is hereby .

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before , 19 .

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

FEB 12 1992

MEMORANDUM

DATE: November 8, 1996

TO: File 95-08728

FROM: Shelley W. Keen ^{SWK}

RE: Amended License

On 10/17/96 we issued Water Right License 95-08728 to the Stoneridge Pines Water Assn. for domestic use on 12 lots and for 5 acres of irrigation. On 10/24/96 I received a request from LaVar Varney of Stoneridge Pines Water Assn. for reconsideration of the license. Mr. Varney submitted information about the system and asked that the license be issued for use on up to 20 lots.

Based on the information provided, which includes field survey data from Health District 1, the lines appear to be in place and the system appears capable of serving the domestic needs for 20 homes. The key component of the system is the 20000 gallons of storage, which is more than sufficient to meet the projected peak demand requirements for 20 homes and the simultaneous irrigation of 5 acres.

An amended license appears warranted.

Analysis of System Capacity for Subdivisions

Operator: S. W. Keen

Date: 11/6/96

Right No.: 95-08728

Existing or Proposed System

Storage capacity in gallons	20000 gal	
Pump horsepower	5 hp	
Pumping depth (ft.)	240 ft	
Pump discharge pressure	50 psi	
Theoretical pumping capacity	0.09 cfs	38.9 gpm
Measured pumping capacity	cfs	. gpm

Requirements

Number of homes	20 homes
Gallons per day per home	500 gal
Area irrigated	5 acres
Peak demand period	20 min

Calculations

Peak instantaneous demand	0.30 cfs	135.8 gpm
Suggested pump capacity	0.09 cfs	40.8 gpm
Peak demand volume	3615 gal	
Max potential daily diversion vol	55992 gal	
Total daily volume required	15385.6 gal	0.047 af
Time required to pump daily vol	6.6 hr	396 min
Time required to refill tank	1.5 hr	93 min

Key Questions

Does existing storage capacity exceed peak demand volume?	Yes
Does existing pumping capacity meet or exceed the suggested pumping capacity?	No *
Can the system produce the required daily volume in under 24 hours?	Yes

Notes:

* Theoretical pumping capacity and the suggested pump capacity for a 20-home subdivision are actually very close.

11/23/96

137 2 3 1.07

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



date 5/20/94

signature

[illegible]

MEMORANDUM

TO: File 95-08728

FROM: Sharla

DATE: October 9, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 95-08728 are based on the following:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

Lot 2 (SEnw), S18, T49N, R3W - 2.5 acres

Lot 3 (SWNW), S18, T49N, R3W - 2.5 acres

H. RECOMMENDATIONS

1. Recommended Amounts

Irrigation	3/15 - 11/15	0.10 cfs	
Domestic	1/1 - 12/31	0.16 cfs	7.2 afa

The drilling permit for this well was obtained for domestic use. The irrigation component is for lawn watering with the domestic units. The volume for domestic use has been adjusted for in-house use only.

The place of use identified on the map agrees with the original filing. The NWNW is in the water.

Examiner: Wayne Baldwin
Exam date: June 15, 1995

MEMORANDUM

RECORDED
JAN 13 1997


1st Amend Letter N/A
2nd Amend Letter N/A

MICROFILMED

JAN 23 1997

D'ALFENE

LAKE



Sec. 9.

Sec. 16.

Sec. 21.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 21 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08728

1. Owner: STONE Ridge Pines Water ASSN INC Phone No. (208) 667-5131

Current Address: HCR Box 104 HARRISON ID 83833

2. Accompanied by: La Van Varney EXAM DATE: 6-15-95

Address: SAME AS ABOVE Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	18	49N	03W	Kootenai	6.5 G.S. 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49N	03W	18					0	0											
							2.5	2.5											5

MONITORING

JAN 23 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Submersible	5			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

JAN 23 1997

E. NARRATIVE/REMARKS/COMMENTS

12 Domestic consist of 9 homes
and 3 stubbed in lots

Have conditions of permit approval been met? ☒ yes ☐ no

RECORDED

JAN 13 1987

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:**

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 3 = 15$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .10 \times 245 \times 1.9835 = 48.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 15$$

2. Volume Calculations for Other Uses:**H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	01-01	12-31	.16	14.4
Irrigation	03-15	11-15	0.10	15
Totals:			.16	29.4


2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name Wayne Baldwin Date 11-8-91

Reviewer _____ Date _____

SEAL



20000 gal
STORAGE

PW

1 Stopped in
cat

1 Domestic



measuring
device

MICROFILMED

JAN 23 1997



PW

1 Stubby w/ cat

1 Domestic



6 15 '95



6 15 '95



6 15 '95

measuring
device

MICROFILMED

JAN 23 1997



1 Stuffed in
cat

1 Domestic

6 15 '95



6 15 '95



measuring
device

6 15 '95

MICROFILMED

JAN 23 1997



1 Domestic



measuring
device

MICROFILMED

JAN 23 1997



Measuring
Device


MICROFILMED

JAN 23 1997



Stoneridge Pines Assn.
HCR 2, Box 104
Harrison, ID 83833

- = Homes
- = WATER SERVICE AREA OUTLINED IN Red
- = WATERLINE
- = OUTSIDE WATER RISERS (lines stubbed in)
- = Wellhouse & water storage
- = WELL



MICROFILMED
JAN 23 1997

IDAHO-KOOTENAI CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

SE/4 CR. LALENE 15' QUADRANGLE

2679 H
FERNAN LA




Form 235-1
7/90

Drilling Permit No. 95-96-N-124
Water Right Permit No. _____
Injection Permit No. _____

Upgraded

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT



1. Applicant (please print) STONERIDGE PINES ASSOCIATION
2. Mailing Address MR. HARDING RT2, BOX 103 HARRISON, ID 83833
City & State HARRISON Zip Code ID 83833 Telephone 667-7551
(x) Well Owner () Well Operator () Other, specify _____
3. Proposed well location _____ 1/4 _____ 1/4, or Gov't Lot No. _____
Sec. 18 Twp. 49N Rge. 3W County KOOTENAI
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other _____
(Describe)

5. Well construction information:

A. (x) New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 6" Proposed Maximum Depth 11' 0"

C. Anticipated bottom hole temperature:

- () 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

MAR 30 1995

6. Construction Start Date 8-7-91

7. Anticipated Well Driller United Drilling Inc.
NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's signature Norothy Volking Date 8-6-91

Title Secretary
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is approval Date 8/7/91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. **READ CAREFULLY**

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the well right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for well appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a dra field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Daniel D. Ladd Engineering Geologist
Signature of Authorized Department Representative Title

Receipt No. N 5034 N 4749 Received by [Signature] Fee \$165.00 \$35.00 Date 8/13/91 8/7/91

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

APPLICATION FOR PERMIT REVIEW

Application #: 95-8728
Date: 01-15-92

Reviewer: Pam Skaggs *PS*

Existing:

☒ No

Complete in 1 year - 26A-P17
P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

GT. 0.2 cfs - 01G-P03, 01C-P03 (existing well)

LT. ☒ 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99

☒ Not included - 046-P23 (All GW, even existing wells)

Location:

Water Districts - WD No. _____
Surface water - 005, 005-01H-P01 (LT.2 w/pump)
005-01J-P08 (GT.2)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

☒ Swan Falls Flag - _____ (1, Blank or Other)

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042 (req.), 002-P06 (MD), 07A (Spec.),
044 (Policy 5G)

Power

Mining

Storage

Use Power Review

- 06A, 010, or 09E-P10 & 054 (req.)

- 18A-for multiple measuring devices (In WD),
18B-P09 (Size)

Rec. & Aesthetic - 027 (Non-Consumptive)

Domestic - 021 (restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

☒ Beneficial Use Due Date: - 02-01-1995

Other Conditions Recommended _____

FEB 12 1992

No. a
4/87-11/91n

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

95-8728

INITIAL REVIEW BY: TDK

DATE 11-13-91

APPLICANT: STONERIDGE

REQUIRED INFORMATION

- (1). ☒ Name and Address:
(2). ☒ Source:
(3). ☒ P. D. including county:
(4). ☒ Quantity:
 ☒ Nature of proposed use:
 ☒ Period of use:
(5). ☒ Total Quantity:
(6). ☒ Description of diverting works:
 ☒ Dam app.: Required? Y ~~N~~
 Received? Y ~~N~~
(7). ☒ Time required for beneficial use:
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(13). ☒ Map:
 ☒ Signature:
 ☒ Fee: (Amount, receipt number)
 ☒ Overlap, Attachments? Y ~~N~~
 ☒ Acknowledgment Letter:

ADDITIONAL INFORMATION

- Yes No
Field check: by _____
Field report attached: _____
Diversion greater than 5 cfs/500 af: _____
Supplemental Analysis Sheet Attached: _____
Critical ground water area: _____
Groundwater management area: _____
W. D. permit required: _____
Additional information attached: _____

SEND LETTER FOR:

- ☒ Dam information. ☒ Info. received
☒ Fish information. ☒ Info. received
☒ Power information. ☒ Info. received
 ☒ Affidavit received
☒ WD appl. and fees.
WD appl. # 95-91-16-124
WD appl. Approved? Y ~~N~~

Processing

Yes No

- ☒ In form for advertising: Proposed priority date 11/13/91
☒ Statewide advertising: (10.00 cfs or more, 1,000 afa or more.)

Send Copies to

	Yes	No		Yes	No		Yes	No
Adj. Bureau		☒	Idaho H & W	☒		USFS		
GW Prot. Div	☒		Coeur d'alene		☒	Panhandle N. F.		☒
			Lewiston		☒	Coeur d'alene		☒
Idaho F & G			BLM		☒	Clearwater N. F.		☒
Coeur d'alene		☒				Orofino		☒
Lewiston		☒	US Corps. of Eng.		☒	Nez Perce N. F.		☒
Dept. Lands		☒	Other			Grangeville		☒

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Additional information received:
☒ Notice of pending void order issued: Final date of order response. _____
☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken on supplement
☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 12/9/91
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (supplement attached)

Approval Recommended by: TDK RMA

Date 12/10/91

RECEIVED
DEC 13 1991

Department of Water Resources