

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08716

Priority: September 11, 1991

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

7.5 AF

This is to certify, that CITY OF COEUR D ALENE
PO BOX 489

COEUR D ALENE ID 83814-0489 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 11, 1991; and has submitted Proof of Beneficial Use on December 30, 1991. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

SPOKANE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.03 CFS	7.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7(NENW), Sec. 14, Township 50N, Range 04W
Lot 8(SENW), Sec. 14, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	14	Lot 2(NWNE) 0.1	Lot 7(NWNE) 2.3	Lot 8(SWNE) 0.1	2.5

Total number of acres irrigated: 2.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Single point of diversion located on or near line between Lot 7

SEP 18 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 95-08716

CONDITIONS OF APPROVAL AND REMARKS

(NENW) and Lot 8 (SENW), S14, T50N, R04W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6th
day of September, 1995.

Norman C Young
KARL J. DREHER, Director



SEP 8 1995

RECEIVED
AUG 30 1995

Department of Water Resources

State of Idaho
Department of Water Resources

RECEIVED
AUG 30 1995

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08716

Date of Priority: September 11, 1991 Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 7.5 AF

Comes now CITY OF COEUR D ALENE
PO BOX 489
COEUR D ALENE ID 83814-0489 and represents to the Director of the
Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the
State of Idaho No. 95-08716, and requests that the permit be changed as follows:

Source: SPOKANE RIVER tributary to COLUMBIA RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.03 CFS	7.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7(NENW), Sec. 14, Township 50N, Range 04W
Lot 8(SENW), Sec. 14, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	14	Lot 2(NWNE) 0.1	Lot 7(NWNE) 2.3	Lot 8(SWNE) 0.1	2.5

Total number of acres irrigated: 2.5

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at 710 Mullen Ave., this 24th day of August, 1995.
Coeur d'Alene, Idaho

RECORDED

[Signature]
(signature)

SEP 18 1995

State of Idaho
Department of Water Resources

RECEIVED

AUG 30 1995

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08716

FOR DEPARTMENT USE ONLY


Preliminary check by _____ Fee = 50.00 Received by JW # C033470 Date 8-30-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 95-08716 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Single point of diversion located on or near line between Lot 7 (NENW) and Lot 8 (SENW), S14, T50N, R04W.

Witness my hand this 6TH day of SEPTEMBER, 1995.
Acting for **KARL J. DREHER, Director**

SEP 18 1995

RECEIVED
DEC 30 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 50.00
Date 12/31/91
Receipt No. 0022793
Received by WCB

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08716 Telephone No. (208) 667-9533

2. Name(s) of Permit Holder(s): CITY OF COEUR D' ALENE, IDAHO

3. Post Office Address: P.O. BOX 489

4. Source of Water: Spokane River, tributary of Columbia River

a. If ground water, well driller's name: N/A Date drilled: N/A

b. Pump horsepower: 1/2 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 2.5 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.05 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Mr. David Beadell (208) 667-9533 ext. 281

Name Telephone No.

710 Mullan Ave. Coeur d' Alene City Hall Coeur d' Alene, ID 83814

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

12-16-91

Signature (and title if on behalf of a company or organization)

Kenneth M. Thompson City Administrator

FEB 12 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08716

Proposed Priority: September 11, 1991 Maximum Diversion Rate: 0.05 CFS

This is to certify, that CITY OF COEUR D ALENE

710 MULLAN AVE

COEUR D ALENE ID 83814

has applied for a permit to appropriate water from:

SPOKANE RIVER

tributary of COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 11/01

0.05 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 7(SENW), Sec. 14, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

50N 04W 14

SWNE 2.5

2.5

Total number of acres irrigated:

2.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 2, 1992.
2. Subject to all prior water rights.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of November, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

NOV 21 1991

To appropriate the public waters of the State of Idaho

1. Name of applicant The City of Coeur d' Alene Phone (208) 667-9533
Post office address 710 Mullan Avenue Coeur d' Alene, Idaho 83814 Columbia R., - pms9/24/
2. Source of water supply Spokane River which is a tributary of Lake Coeur d' Alene ⁹¹
TOK FM MAP
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 7
Sec. 14 Township 50N Range 4W B.M. Kootenai County; additional
points of diversion if any: none
4. Water will be used for the following purposes:
Amount .05 cfs for irrigation purposes from April 1 to Oct. 15 (both dates inclusive) ^{11/01 per standard season 08}
(cfs or acre-feet per annum) ^{11-129/}
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .05 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2 ea. 1/2 H.P. submersible
pumps with 1 1/2" galvanized supply to sprinkled irrigation

b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.
c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
N/A 1 years (minimum 1 year). Diversion construction completed before
city acquired ownership. ^{NOV 2 1991}

NOV 21 1997

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. N/A
- e. Other; describe fully. N/A

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
50N	4W	14			2.5														2.5 acres

Total number of acres to be irrigated 2.5 acres

10. Describe any other water rights used for the same purposes as described above. none

11. a. Who owns the property at the point of diversion? _____

b. Who owns the land to be irrigated or place of use? The City of Coeur d' Alene

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: None

NOV 21 1991

RECEIVED

NOV 21 1991

EXISTING MARINA
FENCING ADJACENT
TO DOCKS

25'

18" PERCEPTION SUPPLY LINE CHANNELED


WATERLINE

RIVER
BOTTOM

PUMP UNIT

LOW & HIGH WATER MARKS
ALMOST THE SAME ON
RIVER — 2128 ON LAKE
2132

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEC. 14 TOWNSHIP 50

RANGE 4

NOV 21 1991

[Signature]
Mayor (Applicant)

Received by pm Date 2:45 PM Time 9/11/91 Preliminary check by TX
Fee \$ 30.00 Receipted by pm # N 4880 Date 9/11/91
Publication prepared by pm Date 9/25/91 Published in CD/A Press 10/3+10/91
Publication approved pm Date 10/11/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECORDED

NOV 21 1991

LICENSE REVIEW
Cindy Zimmerman

Permit #: 95-8716 Name: City of Council Bluffs Date: 7/26/95
App Rcd 9/11/91 Priority 9/11/91 Examined 6/8/95 ✓ Lots ✓

NAME Chng OK Or Address Change? PO Box 489

SOURCE — ✓ Clarify source —
Prelim. Order to Void - Source change.

P/D — ✓ Amendment Needed? on near lot between lot 7 & lot 8 -P39, P38
Overlap(s) —

P/U ✓ — Amendment Needed? add 0.1 A or 2 reduce lot 7 to 2.3 A -P41, P38
Overlap(s) add 0.1 A or 8
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)

RATE — ✓ Permit/fee limits: 0.05 / 0.05
Measured Q = None cfs Theoretical Q = 0.03 cfs
2.5 A + 0.03 = 0.03 cfs allowable permitted at 0.05 cfs
(HP) 8.8 x 0.70 x 1 = 6.16
50 + (2.31 x 60) = 188.6 = 0.03 cfs
Recommended capacity 0.03 cfs
Recommended rate 0.03 cfs

VOLUME — ✓ Season of Use: (—) 4/1 - 11/1 = 215 days
Calculations: 2.5 x 3 = 7.5 AF
Flow limit: 0.03 x 215 x 1.9835 = 12.8 AF
Recommended volume 7.5 AF

USES — ✓ Same Nature of Use? — -P46
Amendment Needed? —

REMARKS — ✓ Multiple p/d's in 1/4? —
QW33

CONDITIONS — ✓ Measuring (R01)/Locking (R02) Devices —
— Watermaster Control (R04) - WD # —
R49 Irrigation rate/volume overlap —
— Irrigation water overlap (065) (If gw use sw) —
— Water Quality/Other —

PRIORITY Due 9/2/92 Rc'd 12/30/91 Receipt# 6022743 Fee OK? Yes No
Order to Reinstate Needed? Yes/No Done? —
If Yes, Advanced? Yes/No to: —

COMMENTS: Amend p/a; limited by capacity

USE	CFS	DIV VOL	Adjustment Memo
<u>1rr/2.5 A</u>	<u>0.03</u>	<u>7.5</u>	LICENSE: <u>P49</u>
<u>—</u>	<u>—</u>	<u>—</u>	#1 AMEND LTR: <u>P46 or</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>P39/P41/P37 & P38</u>
<u>TOTAL</u>	<u>0.03</u>	<u>7.5</u>	#2 AMEND LTR: <u>P42/P47</u>

MEMORANDUM

DATE: July 26, 1995
TO: File No. 95-08716
FROM: Cindy Zimmerman
SUBJECT: Adjustments to Beneficial Use Exam

=====

The following adjustments were made on the field exam to the legal description of the point of diversion to reflect the correct $\frac{1}{4}$ of Government Lots within Section 14, T50N, R04W.

1. Point of diversion is located on or near the line between Lot 7 (NENW) and Lot 8 (SENW), S14, T50N, R04W.
2. Place of use for irrigation use is located as follows:
 - T50N, R04W, S14, Lot 2 (NWNE), 0.1 acre
 - T50N, R04W, S14, Lot 7 (NWNE), 2.3 acres
 - T50N, R04W, S14, Lot 8 (SWNE), 0.1 acre
 - Total acres irrigated = 2.5 acres

RECEIVED

SEP 18 1995

23
25 A

R I V E R

1860 A

17-29

7
35 A

3.00	5.00	5.00	5.00
------	------	------	------

14
249A


4
37.44 Å

6
18.00A

1290

28 no	Ad 40 H
5.09'05 E	

95-08716



95-8716
TSDN R04W
COUGAR BAY S14

PROPOSED

SEP 18 1995

latest
government lots
original
government lot lines

- P/U boundaries
per Harborview Plaza Map

⊗ P/D

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 13 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8716

1. Owner: CITY OF COEUR D'ALENE Phone No. 208 769 2246

Current Address: P.O. Box 489 COEUR D'ALENE ID 83814

2. Accompanied by: DAVID BEADELL EXAM DATE: 6/8/95

Address: _____ Phone No. _____

Relationship to Permit Holder: CITY EMPLOYEE

3. Source: SPokane RIVER tributary to Columbia RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: *

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>7</u>				<u>SE NW 14</u>	<u>50N</u>	<u>4W</u>	<u>Kootenai</u>	<u>SITE of 4/565 Topo</u>

*2. Place(s) of Use: Gov't Lots 2, 7, 8

Indicate Method of Determination

Plats and SITE

E. 1/4 Sec 14, T. 50N, R. 4W, S. 14S																									
TWP			RGE			SEC			NE				NW				SW				SE				Totals
									NE		NW		SW		SE		NE		NW		SW		SE		
50N 4W 14															2.5										

SEP 18 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERSIBLE		1/2			

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

E. NARRATIVE/REMARKS/COMMENTS



Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 18 1995

E. NAF

2101010106



60 ppi

Have conditions of permit approval been met? ☒ yes ☐ no


MICROFILMED
SEP 18 1995

E. NAF

901012

901012 11/10/12

60 psi



Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 18 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{2.5}{0.03} \times 3 = \underline{7.5}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{12.5}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{7.5}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-01</u>	<u>11-01</u>	<u>0.03</u>	<u>7.5</u>
Totals:			<u>0.03</u>	<u>7.5</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Charles W. Ramsey Date 6/8/95

Reviewer _____ Date _____

RECORDED
SEP 18 1995
SEAL

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-8716

DATE: 14-JUN-95

COMPLETE BY: CHARLOTTE

HORSEPOWER = 1

PUMP EFFICIENCY = 60%


DYNAMIC LIFT = 50 FEET

SYSTEM PRESSURE = 60 PSI

QUANTITY = 0.03 CFS

RECEIVED
FBI - NEW YORK

SEP 18 1995



95-8716

T.50 N. R.4 W

Sec. 14

RECORDED
SEP 18 1995



95-8716

Waterline
Regrated Area

SEP 8 1982

Gov't.
Lot 2


GOV'T. LOT 7

GOV'T. LOT 8

Spokane River

SEAWALL
PUMP


HENNESSEY, INC.



GOV'T. LOT 2

95-8716

JOINT APPLICATION FOR PERMIT
U.S. ARMY CORPS OF ENGINEERS
AND
STATE OF IDAHO, DEPARTMENT OF WATER RESOURCES
STATE OF IDAHO, DEPARTMENT OF LANDS



The Department of the Army permit program is authorized by Section 10 of the River and Harbor Act of 1899 and Section 404 of the Clean Water Act. These laws require permits authorizing structures and work in or affecting navigable waters of the United States and the discharge of dredged or fill material into waters of the United States, including their adjacent wetlands. State permits are required under the State of Idaho, Stream Channel Protection Act (Title 42, Chapter 38, Idaho Code) and the Idaho Lake Protection Act, Section 58-142 et. seq, Idaho Code. This application will meet the requirements of the above agencies.

The applicant has sent copies of this application to the agencies checked: ID Dept. Water Res. - Boise ☐ ,
Coeur d'Alene ☐ ; ID Dept. Lands ☐ , Corps of Engineers - Walla Walla ☐ .

PLEASE TYPE OR PRINT

1. Corps of Engineers # Date Received	2. State of Idaho # <u>L-95-S-2391A</u> Date Received <u>9/12/91</u> <u>Spokane River</u>
3. NAME OF APPLICANT <u>The City of Coeur d'Alene</u> MAILING ADDRESS <u>710 Mullan Ave.</u> <u>Coeur d'Alene, ID 83814</u> PHONE Work <u>(208) 667-9533</u> Home <u>() N/A</u> Date of Application <u>Sept. , 1991</u>	4. AUTHORIZED AGENT MAILING ADDRESS PHONE Work <u>()</u> Home <u>()</u>

5. Location where proposed activity exists or will occur.

Name of waterway Spokane River Tributary of Lake Coeur d'Alene
Coeur d'Alene Assessor's Desc. (Tax Number or Subdivision, Lot & Block No.)
In or near city or town
Kootenai Idaho 83814 14 50 4
County State Zip Code Section Township Range

6. Describe the proposed activity, including description of the type of structures, if any, to be erected on fills, or pile or float-supported platforms. If additional space is needed, use a separate sheet or Section 15 (Remarks).

Describe the proposed activity in detail: Twin submersible pump package with 1 1/2" supply line is to be suspended below existing marina breakwater to supply sprinkled irrigation system for landscape.

Describe construction methods and equipment: N/A

Length of project along the stream or extension into lake or reservoir: N/A; straight down

Stream gradient: Gradual; slow moving

Will material be placed waterward of ordinary high water mark? N/A

Will material be placed in adjacent wetlands? NO

Type of fill material: N/A (i.e. sand, etc.) Material Source: N/A

Volume of material to be placed N/A (cubic yards)


Will excavation be required? NO Disposal Site Location: N/A

Method of diverting flow, if needed: N/A

Method of controlling turbidity: N/A

NOV 21 1991

7. Preparation of drawings. One set of original or good quality reproducible drawings must be attached to this application. NOTE: DRAWINGS NO LARGER THAN 8½ X 11 INCHES IN SIZE. See the instruction pamphlet for instructions and a checklist for completing the drawings.
8. Purpose and intended use:
Commercial _____ Public X Private _____ Other _____
Describe Use of river water for landscape irrigation purposes
9. Proposed Starting Date now Estimated Duration yearly/seasonal
10. If any portion of the activity is complete indicate month and year of completion Sept. 1984
Indicate the existing work on the drawings.
11. Names, addresses and telephone numbers of adjoining property owners, lessees, etc., whose property also adjoins the waterway.
Idaho Forest Industries/DeArmond Mill

12. LEGAL OWNER
IF OTHER THAN APPLICANT N/A
MAILING ADDRESS N/A City, State, Zip Code N/A
PHONE N/A Work () N/A Home () N/A
13. List other applications, approvals or certifications from other Federal, interstate, state, or local agencies for any structures, constructions, discharges, deposits, or other activities described in this application.
- | Issuing Agency | Type Approval | Identification No. | Date of Application | Date of Approval |
|----------------|---------------|--------------------|---------------------|------------------|
| <u>FBI</u> | <u>Marina</u> | <u>L-95-S-2391</u> | | |
| | | | | |
| | | | | |
14. Has any agency denied approval for the activity described herein or for any activity directly related to the activity described herein? ☐ YES ☒ NO (If "Yes" explain)
15. Remarks or additional information: None
16. Application is hereby made for a permit or permits to authorize the activities described herein. I certify that I am familiar with the information contained in this application, and that to the best of my knowledge and belief such information is true, complete, and accurate. I further certify that I possess the authority to undertake the proposed activities. I hereby grant to the agencies to which this application is made, the right to come upon the above-described location to inspect the proposed or completed work.
- Date _____ Signature of Applicant (Required) 
- The application must be signed by the applicant. If an authorized agent is to be designated, Item 4 and the following information should be completed.
- I hereby designate _____ to act as my agent in matters related to this permit application. I understand that if a Federal permit is issued, I must sign the permit.
- Date _____ Signature of Authorized Agency (if applicable) _____ Signature of Applicant (if applicable) _____
- NOV 21 1991
- 18 U.S.C. Section 1001 provides that: Whoever, in any manner within the jurisdiction of any department or agency of the United States knowingly falsifies, conceals, or covers up by any trick, scheme, or device a material fact or makes any false, fictitious, or fraudulent statements or representations or makes or uses any false writing or document knowing same to contain any false, fictitious, or fraudulent statement or entry, shall be fined not more than \$10,000 or imprisoned not more than five years, or both. Do not send a permit processing fee with this application. The appropriate fee will be assessed when a permit is issued.

DO NOT SEND PROCESSING FEE WITH APPLICATION

EXISTING MARKING
FENCING ADJACENT
TO DOCKS


25'

1 1/2" DIAMETER SUPPLY LINE

WATER LINE

← Piling →

RIVER
BOTTOM →




PUMP UNIT

MICROFILMED

NOV 21 1991

LOW & HIGH WATER MARKS
ALMOST THE SAME ON
RIVER — 2128 ON LAKE
2121



OF SURVEY


ITE OF IDAHO, HEREBY
CTLY REPRESENTS A
MY DIRECTION.



NOV 21 1991

MECKEL ENGINEERING
402 IDAHO AVE
COEUR d'ALENE, ID.

SURVEY OF PORTIONS OF LOTS 7
DONED MILITARY RESERVATION, SEC.



Scale: 2 inches equal 1 mile.

UNRECORDED

NOV 21 1991

SEC. 14 TOWNSHIP 50

RANGE 4