

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08665

Priority: July 16, 1990

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

13.6 AF

This is to certify, that JOHN K PURCELL
NINA H PURCELL

E 6000 INTERSTATE 90
COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 16, 1990; and has submitted Proof of Beneficial Use on October 9, 1990. An examination indicates that the works have a diversion capacity of .060 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 10/15	0.06 CFS	0.9 AF
AESTHETIC	03/15 to 10/15	0.06 CFS	12.7 AF
Totals		0.06 CFS	13.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(SWNENE), Sec. 3, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	3	Lot 1(NENE)	0.3		0.3

Total number of acres irrigated: 0.3

PLACE OF USE: AESTHETIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 95-08665

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than 3.0 afa per acre for the lands above.
6. Place of use is also known as Parcel No. 0225, Tax No. 6786.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29th day of JUNE, 1992.

Acting for


R. Keith Higginson, Director

RECEIVED
SEP 17 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08665

Proposed Priority: July 16, 1990 Maximum Diversion Rate: 0.07 CFS
This is to certify, that JOHN K. PURCELL

NINA H. PURCELL
E. 6000 INTERSTATE 90
COEUR D ALENE, ID 83814

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary of SPOKANE RIVER

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 10/15	0.07 CFS
AESTHETIC	03/15 to 10/15	0.07 CFS
Totals		0.07 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NENE), Sec. 3, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	3	NENE 0.1	NWNE 0.3		0.4

Total number of acres irrigated: 0.4


PLACE OF USE: AESTHETIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1991.
2. Subject to all prior water rights.
3. Point of diversion also known as Parcel No. 0225, Tax No. 6786.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of September, 1990.


for 
R. Keith Higginson, Director

FEB 08 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN K. AND/OR NINA H. PURCELL Phone 667.5650
Post office address EAST 6000 INTERSTATE NINETY COEUR D'ALENE, ID 83814.9405
2. Source of water supply COEUR D'ALENE LAKE which is a tributary of SPOKANE RIVER
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot LOT 1
Sec. 3 Township 49N Range 3W B.M. KOOTENAI County; additional
points of diversion if any: PARCEL # 0225 - TAX # 6786
4. Water will be used for the following purposes:
Amount 0.07 for WATERFALL AS EARLY AS AS LATE AS TOK
Amount 6.25 for LAWN & SHRUBS purposes from MAR. 15 to OCT. 15 (both dates inclusive)
(~~cfs~~ SPRINKLER SYSTEM)
Amount 0.07 for IRRIGATION purposes from 3/15 to 10/15 TOK
(cfs ~~acre-feet per annum~~)
Amount 0.07 for AESTHETICS purposes from 3/15 to 10/15 TOK
(cfs ~~acre-feet per annum~~)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.07 and/or (b) 6.25 TOK
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 1 H.P. PUMP - APPROX. 50' LAKEWARD -
PUMPING THRU 1 1/4" I.D. PIPE @ 33 G.P.M. FOR APPROX. 210 FREQUENCIES
OF 30 MIN. DURATIONS / WATERFALL IS AERATED & RETURNED TO THE LAKE
VIA SCREENED PIPE (PERHAPS A MINUTE LOSS TO EVAPORATION PROCESS)
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
THIS YEAR TOK years (minimum 1 year).



8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. REF. ITEM 6. WATERING FREQUENCIES FOR APR. & SEP.
(EVERY (2) DAYS = 30 FREQUENCIES); MAY & JUN (DAILY = 60; JUL. & AUG. TWICE
DAILY = 120) 210 FREQUENCIES @ 30 MIN. DURATIONS = 105 HRS. OF PUMPING
WATER @ 33 GPM = 207,900 GAL. ANNUALLY - (1 A.F. = 326,850 GAL.) - APPROX.
5/8 A.F.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
49N	210	3	5 1/3	1 1/3															1/3 TDR
49N	3W	3	J	J															.4

Total number of acres to be irrigated .4

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? JOHN K. & NINA H. PURCELL

b. Who owns the land to be irrigated or place of use? JOHN K. & NINA H. PURCELL

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED


FEB 08 1991

LESS R/W & TAX NO.'S

Sec. 3 Twp. 49N R 3W

STATE

90



MICROFILMED

FEB 08 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T-49N

3

P.D.

P.U.

R-3W

RECEIVED
FEB 08 1991

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John R. Purcell
(Applicant)

Received by Ken Date 7/16/90 Time 2:30p Preliminary check by TDK
Fee \$ 30.00 Receipted by Ken # 3924 Date 7/25/90
Publication prepared by [Signature] Date 7/25/90 Published in 8/2 & 9/90
Publication approved [Signature] Date 8/10/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED

FEB 08 1991

LICENSE REVIEW CHECKLIST

Permit # 95-8665

Date 05-08-92 03

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>.06 cfs (IRR)</u> <u>.06 cfs (AES)</u>
	☒	☒	Disagree with Theoretical?
	☒	☐	Limited by Capacity? <u>.06 cfs</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>3-15 to 10-15 (Permit)</u> Season Recommended
			Disagree with Examiner's Calculations?
			<u>.3 x 3.0 = .9 AFA (IRR)</u> <u>12.7 AFA (AES)</u>
		☒	Limited by Flow? <u>.06 x 214 x 1.9835 = 25.47.9</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☐	☒	Special Overlap Condition
	☒	☐	Other <u>P/U</u>
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R24</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Volume for Aesthetics (see memo)</u>		
	<u>Reduced Rate due to capacity</u>		
License	☐	☒	10-Day ☒ 15-Day ☐ Special Correspondence ☐

ok 

Audit: 05/11/92 SKAGGS

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 95-08665

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Government Lot ?
Method of determination
✓ 6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature

Tom D. King
Tom D. King Sr. Water Resource Agent

Date 1-23-92

WR5809NP
No. E95-08665

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/07/92
PAGE: 28

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOHN K. PURCELL	07/16/1990	IRRIGATION	03-15 10-15	0.06 CFS	1.1 AFA
C	NINA H. PURCELL		AESTHETIC	03-15 10-15	0.06 CFS	1.1 AFA
	E. 6000 INTERSTATE 90					
	COEUR D ALENE ID 83814					
	(208) 667-5650					
				TOTAL DIVERSION:	0.06 CFS	1.1 AFA

Water Source: COEUR D ALENE LAKE

Tributary to: SPOKANE RIVER

Stage: PERMIT

Point(s) of Diversion Capacity: 0.06 CFS

Point(s) of Diversion: T49N R03W S03 Lot 1(SW NE NE)

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE					
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	: SUM
49N	03W	3	:		.3						:						:								: 0.3
																							TOTAL ACRES	0.3	

Place of use location for AESTHETIC is the same location as described for: IRRIGATION

Pou County: KOOTENAI

Remarks: Point of diversion also known as Parcel No. 0225, Tax No. 6786.

Dates: App. Received: 07/16/1990 Priority Date: 07/16/1990
Proof Due Date: 10/01/1991 Proof Made Date: 10/09/1990
Exam Made Date: 07/05/1991 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08665

1. Owner: John K. (Ken) & Nina H. Purcell Phone No. 667-5650

Current Address: E 6000 Interstate 90, Coeur d'Alene ID 83814

2. Accompanied by: SAME EXAM. DATE: 7/5/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Coeur d'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with same place of use: Well for Domestic Use

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

SEP 17 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1 hp submersible pump pumps water through a 1 1/4 inch pvc pipe to 20 Toro lawn sprinklers; 13 @ 2.1 gpm, 5 @ 1.1 gpm and 2 @ 3.3 gpm and then to a water fall with a 4 inch out flow that returns water to the lake. Water fall & sprinklers do not operate at the same time.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		1			26 - 32 gpm

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1	SW	NE	NE	3	49N	3W	Kootenai	Map

6. **Place(s) of Use:**

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
49N	3W	3	.3																.3

Do not use this space

NOT FILMED

SEP 17 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot Gage						

2. Measurements:

25 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 13 sprinklers @ 2.1 gpm = 27.3 gpm
 5 sprinklers @ 1.1 gpm = 5.5 gpm
 2 sprinklers @ 3.3 gpm = 6.6 gpm

2. Alternate Method for Checking Purposes:

$$\frac{(1)(8.8) 70\%}{(2.31)(25) + 45} = \frac{6.16}{102.75} = 0.06 \text{ cfs system Capacity}$$

0.06 cfs
 system Capacity is
 limiting factor.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \times 0.06 \times 3.5 = 1.1$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.06 \times 214 \times 1.9835 = 25.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.1$$

2. Volume Calculations for Other Uses:

REPRODUCED

SEP 17 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	10-15	0.06	1.1
Aesthetics	3-15	10-15	0.06	1.1
Totals:			0.06 cfs	1.1 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Theresa J. Bright
Signature Theresa J. Bright
Certification Date 4/10/91
Field Report Preparation Date 7/26/91



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

UNRECORDED

SEP 17 1992




LESS R/W & TAX NO.'s

Sec. 3 Twp. 49N R 3W

STATE

90



MICROFILMED

SEP 17 1992

Range No 3 West of The Boise Meridian


E

Sec 32 D

Sec 33 C

Sec 34 B

Sec 35 A



PERMIT # 95-8665

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



Water Fall



OutFlow &
Intake



Area of Irrigation

(This is the only area irrigated)

MICROFILMED

SEP 17 1992

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 15-8665

Date 1-3-91

GENERAL CONSIDERATIONS

4 Name same as permit?
4 Address same as permit? If no, prepare data entry form.
4 Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

4 Surface water source
4 Ground water source
4 Drill permit req'd?
4 Copy in file? Drill permit no. _____
4 Well log in file?
4 Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

4 Required?
50 Amount submitted?
4 Correct amount?

MEASURING DEVICE

NA Measuring device or access port required?
NA Installed?
NA Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received SB _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

RECEIVED
OCT 9 1990

Bunda
For Office Use Only
Amt. of Fee \$ 50.00
Date 10/9/90
Receipt No. 0018545
Received by C. Wong

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-08665 Telephone No. (208) 667-5650

Name(s) of Permit Holder(s): JOHN K. & NINA H. PURCELL

Post Office Address: E. 6000 INTERSTATE 90, COEUR D'ALENE, ID 83814-9405

Source of Water: COEUR D'ALENE LAKE

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) AESTHETIC (SAME AS) _____
Irrigation 0.4 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .07 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: JULY 3, 1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

JOHN KENNETH PURCELL (208) 667-5650
Name Telephone No.

EAST 6000 INTERSTATE NINETY, COEUR D'ALENE, ID 83814-9405
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

microFILMED

FEB 18 1991

10.5.90
Date

John K. Purcell
Signature (and title if on behalf of a company or organization)

APPLICANT: *PERCELL*

- (1). (✓) Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- (2). (✓) Source: (See USGS Quad for names of water sources)
- (3). (✓) Point of Diversion including county: (spring/10 ac., Subd. lot & block)
- (4). (✓) Quantity: (flow and/or volume)
- (✓) Nature of proposed use: (Include description of use)
- (✓) Period of use:
- (5). (✓) Total Quantity: (flow and/or volume)
- (6). (✓) Description of diverting works:
- (7). (✓) Time required for beneficial use of water:
- (8). (✓) Proposed uses:
- (9). (✓) Place of use or acres irrigated:
- (10). (✓) Other Water Rights:
- (11). (✓) Ownership:
- (13). (✓) Map:
 - (✓) Signature: (signator title required for corp., partnership, etc
 - (✓) Fee: (Amount, receipt number and date recorded on application)
 - (✓) Acknowledgement Letter:
 - (✓) Overlap Review: Attachment? (Y) (N) Remarks? (Y) (N)

☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send fish farm requirement letter:
☒ Send power requirement letter:
☒ Send Power residency affidavit:
☒ Send Power efficiency form:
☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet):
☒ Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached:
☒ Well drilling permit required:

✓ In form for advertising:
✓ Statewide advertising: (10.00 or more cfs.)

- ☒ I.D. Health and Welfare
- ☒ I.D. Fish and Game
- ☒ I.D. Lands
- ☒ Adjudication Bureau

☒ U.S. BLM
☒ U.S. Forest Svc.
☒ Water District # _____
☒ Other _____

RECEIVED
AUG 28 1990

AUG 28 1990

Department of Water Resources

Application Number 95-08665

FINAL REGIONAL PROCESSING REVIEW

YES NO

✓ Additional information received:

 Notice of pending void order issued: Final date of order response.

Affidavit of publication received:

✓ Application published correctly: If not, record action taken.

✓ Publication dates and paper recorded on application:

Protests received, Final date for protest

☒ Recommendations attached:

✓ ~~Measuring~~ device required:

Measuring port required:

☒ Water delivered by water master? District #

Special conditions of approval or cover letter: (see additional info. below)

Recomended Date of Priority 7-16-90

Recomended by:

Date 8/22/90

STATE OFFICE REVIEW

See remarks for additional information. By

Date **9-21-90**

REMARKS