

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08653

Priority: May 21, 1990

Maximum Diversion Rate: 0.15 CFS
Maximum Diversion Volume: 96.6 AF

This is to certify, that JULIE RADOBENKO
WILLIAM RADOBENKO

N 7500 MULHOLLAND

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 21, 1990; and has submitted Proof of Beneficial Use on October 19, 1993. An examination indicates that the works have a diversion capacity of 0.220 cfs of water from:

TOTTENS POND

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.15 CFS	54.6 AF
IRRIGATION STORAGE	01/01 to 12/31		42.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		42.0 AF
WILDLIFE STORAGE	01/01 to 12/31		42.0 AF
RECREATION STORAGE	01/01 to 12/31		42.0 AF
Totals		0.15 CFS	96.6 AF

LOCATION OF POINT(S) OF DIVERSION: SENW, Sec. 30, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	03W	30	SWNE 10.7	SENW 7.5		18.2

Total number of acres irrigated: 18.2

PLACE OF USE:

IRRIGATION FROM STORAGE, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency. MICROFILMED
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-08653

CONDITIONS OF APPROVAL AND REMARKS

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. This right authorizes an annual volume of water to fill the pond and the amount required to replace losses through evaporation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of AUGUST, 1996.

Acting for

KARL J. DREHER, Director

MICROFILMED

MAY 6 1997

RECEIVED

AUG 16 1996

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 95-08653

Date of Priority: May 21, 1990

Maximum Diversion Rate: 0.15 CFS

Maximum Diversion Volume: 96.6 AF

Comes now

JULIE RADOBENKO
WILLIAM RADOBENKO

N 7500 MULHOLLAND
COEUR D ALENE ID 83814

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-08653, and requests that the permit be changed as follows:

Source: TOTTEMS POND

tributary to SINKS

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.15 CFS	54.6 AF
IRRIGATION STORAGE	01/01 to 12/31		42.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		42.0 AF
WILDLIFE STORAGE	01/01 to 12/31		42.0 AF
RECREATION STORAGE	01/01 to 12/31		42.0 AF
	Totals	0.15 CFS	96.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 30, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	03W	30	SWNE 10.7	SENW 7.5		18.2

Total number of acres irrigated: 18.2

PLACE OF USE:

IRRIGATION FROM STORAGE, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 10:00 AM, this 11th day of August, 1996.

MICROFILMED

NOV 8 8 1996

(Signature)

State of Idaho
Department of Water Resources

RECEIVED

AUG 16 1996

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08653

FOR DEPARTMENT USE ONLY

Preliminary check by Ret Fee =\$50.00 Received by Ret # C036344 Date 8.16.96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 95-08653 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. This right authorizes an annual volume of water to fill the pond and the amount required to replace losses through evaporation.

Witness my hand this 22ND day of August, 1996.


KARL J. DREHER, Director

MICROFILMED

NOV 0 3 1996

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 10-19-93
Receipt No. 0028809
Receipt by J. N. N. N.

RECEIVED

OCT 19 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08653 Telephone No. 208-772-9246
2. Name(s) of Permit Holder(s): JULIE & WILLIAM RADOBENKO
3. Mailing Address: 7500 MOUNTAIN, COA ID 83814
4. Source of Water: TOTTEN'S POND, KAPPA SPRING

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 10 Pressure (psi): 80 Dynamic pumping level (ft.): N/A

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 15 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.15 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes ____ No Installed? ____ Yes ____ No

OR

Flow Measurement Port: Required? ____ Yes ____ No Installed? ____ Yes ____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

BILL RADOBENKO 208-772-9246
Name Telephone No.
7500 MOUNTAIN COA, ID 83814
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10/13
Date

[Signature]
Signature (and title, if on behalf of a company or organization)

OCT 23 1993

\$50.00

RECEIVED

JUL 30 1993

Department of Water Resources

For Office Use Only
\$15 Fee Received by Guyatt
Date 8/2/93
Receipt No. 008260

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 95-08653
Name(s) of Permit Holder: William & Julie Radobenko
Mailing Address: N. 7500 MULHOLLAND DR. CDA, ID 83814
Date Proof is Due AUG 1, 1993 Telephone No. 208-772-9246

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

MAIN DIKE HAS BEEN REPAIRED & A CONCRETE SPILLWAY WITH
ADJUSTIBLE WEIR HAS BEEN INSTALLED. SECONDARY STORAGE AREA
HAS BEEN EXCAVATED AND IS PRACTICALLY COMPLETE.

Costing \$ 40,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

UNUSUAL WET SUMMER HAS PREVENTED COMPLETION OF THE
SECONDARY POND & SPILLWAY. WE RECEIVED OVER SIX INCHES
OF RAIN IN JULY ALONE.

Permit holder(s) request an extension to

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
and the time within which to submit proof of beneficial use is
extended to November 1, 1993.

OCT 28 1993

Signed this 4th day August, 19 93

J. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08653

Proposed Priority: May 21, 1990 Maximum Diversion Rate: 0.15 CFS

This is to certify, that JULIE RADOBENKO
WILLIAM RADOBENKO
N. 7500 MULHOLLAND
COEUR D'ALENE, ID 83814

has applied for a permit to appropriate water from:

TOTTENS POND tributary of SINKS
SPRINGS tributary of TOTTENS POND

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.15 CFS	
IRRIGATION STORAGE	01/01 to 12/31		42.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		42.0 AF
WILDLIFE STORAGE	01/01 to 12/31		42.0 AF
RECREATION STORAGE	01/01 to 12/31		42.0 AF
Totals		0.15 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NESENE Sec. 30, Township 51N, Range 03W
SWNE Sec. 30, Township 51N, Range 03W
NWSENE Sec. 30, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	03W	30	NWNE 3	NENW 3	SENE 14	20
Total number of acres irrigated:						20

PLACE OF USE: IRRIGATION STORAGE, same as IRRIGATION use

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

PLACE OF USE: WILDLIFE STORAGE, same as IRRIGATION use

PLACE OF USE: RECREATION STORAGE, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1993**.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

JUL 30 1990

State of Idaho
Department of Water Resources**Permit To Appropriate Water**


NO. 95-08653

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of July, 1990

for


R. Keith Higginson, Director

MICROFILMED

JUL 20 1990

Ident. No. 95-08653

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JULIE RADOBENKO 208-772-9246
Address: N. 7500 MULHOLLAND
COEUR DALENE, ID 83814
AND/OR
Name: WILLIAM RADOBENKO 208-772-9246
Address: N. 7500 MULHOLLAND
COEUR DALENE, ID 83814

2. Source: TOTTENS POND Trib. to: SINKS
UNNAMED SPRINGS TOTTENS POND

3. Location of Point of Diversion: NESENE Sec. 30, Township 51N, Range 03W
SWNE Sec. 30, Township 51N, Range 03W
NWSENE Sec. 30, Township 51N, Range 03W
KOOTENAI County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.150		
IRRIGATION STORAGE	01/01	12/31			42.00
IRRIGATION FROM STORAGE	03/15	11/15			42.00
WILDLIFE STORAGE	01/01	12/31			42.00
RECREATION STORAGE	01/01	12/31			42.00

5. Total quantity appropriated is:
0.150 CFS (and/or) 42.00 AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
DEVELOPED SPRINGS AND PUMP & PIPELINE
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 years.
8. Description of proposed uses:

MICROFILMED
JUL 30 1990

Ident. No. 95-08653
Page 2

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
51N 03W 30	NWNE 3	NENW 3	SENE 14	20
Total number of acres irrigated:				20

Place of Use: IRRIGATION STORAGE, same as IRRIGATION use
Place of Use: IRRIGATION FROM STORAGE, same as IRRIGATION use
Place of Use: WILDLIFE STORAGE, same as IRRIGATION use
Place of Use: RECREATION STORAGE, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark K. Kibler
Applicant

Received by RYA Date 5/21/90 Time 4:30 Preliminary check by gdk


Fee \$ 45.00 Receipted by RYA # N 3772 Date 5/21/90

Publication prepared by pm Date 5/30/90 Published in 6/7-14/90

Publication approved pm Date 6/21/90

JUL 30 1990

T5N R3W Sec 30



MEMORANDUM

TO: File 95-08653

FROM: Sharla

DATE: August 2, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 95-08653 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Irrigation	3/15 - 11/15	.15 cfs	54.6 af
Irrigation Storage	1/1 - 12/31		42.0 af
Irrigation from Storage	3/15 - 11/15		42.0 af
Wildlife Storage	1/1 - 12/31		42.0 af
Recreation Storage	1/1 - 12/31		42.0 af

TOTAL ANNUAL VOLUME - 96.6 AF

The standard annual volume per acre for this area is 3.0 af. $18.2 \text{ acres} \times 3.0 \text{ af/acre} = 54.6 \text{ af}$. The application/permit allowed 42.0 af for storage. This limit will be used for all storage uses. A new application, No. 95-08943 was filed to pick up the additional rate of diversion and storage volume above and beyond what the right being licensed can allow.

Examiner: Jon M. Kunz
Exam date: August 3, 1994

MICROFILMED
NOV 08 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08653

DATE 8/2/96

REVIEWER: S H A R L A

NAME Change — OK ✓

Address Change ✓

SOURCE Change — OK ✓

Is change clarification of originally intended source? —
If not, prepare Notice of Intent to Void —

POINT OF DIV Change ✓ OK ✓

Amendment required yes

PLACE OF USE Change ✓ OK —

Amendment required yes

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate .15 cfs

Fee limit .20 cfs \$5000

Measured .22 cfs

Theoretical — cfs

$$61.6 / 112.4 = .55$$

$$10 \times 8.8 \times .7 / 20 + (2.31 \times 40)$$

Recommended Total Div Rate .15 cfs

ANNUAL VOLUME/ NATURE OF USES

— ✓

Use	Volume Calculation
<u>Use</u>	<u>18.243.0 = 54.6</u> af
<u>Storage for Stor.</u>	<u>42.0</u> af
<u>Wild Storage for Stor.</u>	<u>42.0</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>96.6</u> af

Flow rate .15 cfs X 245 days X 1.983 = 72.8 af

Total volume recommended 96.6 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W07

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

P29 — Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA

Adjustment Memo —

1st Amend Letter P37, P38

2nd Amend Letter P47

✓ 9/2/96 ph

RECEIVED
Form 219
6/92
DEC 14 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 22 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08653

1. Owner: William Radobenko Phone No. (208) 772-9246

Current Address: 7500 Mulholland Coeur D'Alene, ID. 83814

2. Accompanied by: Mr. Radobenko EXAM DATE: 8-3-94

Address: same Phone No. same

Relationship to Permit Holder: Owner

3. Source: Spring Tottens Pond tributary to sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-00466, 95-00466B, 95-00466A, 95-00466C

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	30	51N	3W	Kootenai	U.S.G.S. Topo.

2. Place(s) of Use:

Indicate Method of Determination U.S.G.S. Topo.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	3W	30			10.7					7.5									18.2

MICROFILMED

NOV 1 1994

SEE: Survey Plan.

☒ Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Century	10	BDS	Goulds	2" into 3" main

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements: Bucket Method

SACBCE FILMED

NOV 0 8 1940

E. NARRATIVE/REMARKS/COMMENTS

Mr. Radobenko is diverting water from Totten's Pond for irrigation only. The pond is naturally fed by underground springs and Kapaul Creek. I couldn't take a measurement from Kapaul Creek during my exam because of the low water level.

* Mr. Radobenko's filing of .15 cfs is less than the amount measured during the exam. Mr. Radobenko has been sent the proper paper work to re-file for the remaining amount not covered by this filing.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 10 1987

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

None

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.5 \times 18.2 \text{ ac.} = 63.7$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .22 \text{ cfs} \times 245 \times 1.9835 = 106.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 63.7$$

2. Volume Calculations for Other Uses: 3 rotating sprinkler heads with a 3/8" nozzle

1 - 4 gal. / 7 sec

2 - 4 gal. / 7.5 sec

3. 4 gal. / 7.0 sec.

$$\frac{x}{60 \text{ sec}} = \frac{4 \text{ gal}}{7 \text{ sec}} = \textcircled{1} 34.28 \text{ gpm}$$

$$\textcircled{2} 32.00 \text{ gpm}$$

$$\textcircled{3} 34.28 \text{ gpm}$$

$$100 \text{ gpm} = .22 \text{ cfs}$$

$$100.56 \text{ gpm}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	.15	63.7
Irrigation storage	01-01	12-31		54.6
Irrigation from storage	03-15	11-15		54.6
Wildlife storage	01-01	12-31		54.6
Recreation storage	01-01	12-31		54.6
Totals:			.15	118.3

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name Don M. Kunz Date 9/6/94

Reviewer _____ Date _____


SEAL

MICROFILMED

NOV 08 1996



MICROFILMED
NOV 08 1996



AIRIE

Dalton Gardens

Dalton Gardens

MICROFILMED
NOV 08 1996

NOV 08 1996

#95-08653

P. U. Irrigation



P. U. Irrigation



MICROFILMED
NOV 08 1996



95-08653

Mr. Radobenko

P. D from
Storage



Mr. Radobenko
10 h.p. pump




Totten's Pond



MICROFILMED
NOV 08 1996

8 3'94



Sec. 8.

Sec. 9.

Sec. 17.

Sec. 16.

Sec. 20.

Sec. 21.

Sec. 29.

Sec. 28.

MICROFILMED
NOV 18 1996

Sec. 32.

Sec. 33.

51 3w 30
95-08653