

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08534

Priority: November 13, 1986

Maximum Diversion Rate:

0.36 CFS

Maximum Diversion Volume:

9.3 AF

This is to certify, that LARRY W GILMAN
PO BOX 129

COEUR D ALENE ID 838140000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 13, 1986; and has submitted Proof of Beneficial Use on October 26, 1987. An examination indicates that the works have a diversion capacity of .360 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 10/31	0.36 CFS	9.3 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 35, Township 51N, Range 05W
KOOTENAI County

<u>PLACE OF USE: IRRIGATION</u>						
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
37N	02E	30	SENW			
51N	05W	35	SWSW	3.1		3.1

Total number of acres irrigated: 3.1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 3.0 afa per acre for the lands above.
6. Place of use is also known as Tract 57, Block 35, Post Falls Irrigated Tracts.

MICROFILMED

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08534

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of AUGUST, 1992.

Acting for Ronan Young
R. Keith Higginson, Director

SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant LARRY W. GILMAN Phone 208-773-0689
Post office address PO Box 129 COEUR D'ALENE, ID 83814
2. Source of water supply groundwater* ~~Random Wells~~ which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 35 Township 51N Range 5W B.M. KOOTENAI County; additional
points of diversion if any: AKA TR 57 BLK 35 POST FALLS IRRIGATED TRACTS
4. Water will be used for the following purposes:
Amount .36 for IRRIGATION purposes from MARCH 15 to OCT 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .36 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 8" WELL, 15 HP SUBMERSIBLE PUMP, 4" PIPE LINE, 2" PIPELINE, AND 1" PIPELINE TO 3/4" HYDRANTS
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 250 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year).

RECORDED
MAY 13 1987

*EW 4/15/87

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
51N	5W	35										6							6

Total number of acres to be irrigated 6

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT


b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WATER TO BE USED FOR IRRIGATION FOR 44 HOMES. PUMP TO BE ON 7AM TO 7PM MONDAY, WED. FRIDAY AND SATURDAY. WATER DELIVERED TO ~ 60 HYDRANTS. ALL ACREAGE IS WATERED AT THE SAME TIME. PUMP IS SHUT DOWN ON ALTERNATE DAYS.

JUL 13 1981

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Spring W. Gilman
(Applicant)

Proposed Priority 11/13/86
Received by R Date 11/13/86 Time 3:15 P. Preliminary check by R
Fee \$ 4500 Received by R # 38162 Date 11/13/86
Publication prepared by pm Date 11/26/86 Published in Coos & Allen News
Publication approved pm Date 12/15/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8534, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 89.

c. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 15th day of April, 1987.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED
MAY 13 1987

LICENSE REVIEW CHECKLIST

Permit # 95-8534

Date 8-11-90

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
			<u>.36cfs (IRR)</u>
	☐	☒	Disagree with Theoretical? _____
	☐	☒	Limited by Capacity? <u>.36cfs</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>3-15 to 10-31 Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
			<u>3.1 x 3.0 = 9.3 afa (IRR)</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device _____
	☐	☒	W/Master Control _____
	<u>R24</u>	☐	Overlap _____
	☐	☒	Water Quality _____
			DATES/MISC
		☐	Water Dist. _____
		☒	App Rec'd _____
		☒	Exam Made _____

COMMENTS/MEMOS NEEDED: Reduced Acres
Higher rate/acre justified by system originally per
Joint memo 4-14-87 + FE/Volume limited to Acres

License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence _____

DATE: 08/11/92
PAGE: 1

Audit: 08/11/92 SKAGGS

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 9508534

JK ✓ **A. GENERAL INFORMATION**

1. Name and address are most current available. (Check BU statement)
2. Exam Date
3. Source (Check Permit)

✓ **B. OVERLAP REVIEW**

1. & 2. (Rule 5,1,4)

✓ **C. SYSTEM DESCRIPTION**

1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
3. Word Picture (Rule 5,1,3 / 5,1,4)
4. Diversion (Rule 5,1,3)
5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
6. Irrigation (Rule 5,1,8)

✓ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

✓ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

✓ **F. OPTIONAL**

JK ✓ **G. VOLUME CALCULATIONS**

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ **H. REMARKS AND OVERLAP ANALYSES**

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

JK ✓ **I. RECOMMENDATIONS**

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

✓ **J. AUTHENTICATION**

- Name, Signature, Certification Date, Exam Date.

#JK ✓ **WELL INSPECTION REPORT**

- Check with permit and well log for discrepancies

RECEIVED

JUN 27 1990

Department of Water Resources

RECEIVED

JAN - 9 1991

NORTHERN REGION
IDWR

Signature [Signature]

Date 7/13/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No
(☒) () B/U Acknowledgement Letter Sent 12/8/87 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() () Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

PERMIT 95-8534

EXAM COMPLETED BY Zach Dubrovsky DATE 8/88
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW RMA PSR DATE 6/89
ENTERED ON COMPUTER BY _____ DATE _____
PRELIMINARY OVERLAP REVIEW BY King DATE 1-88
(☒) NO OVERLAP FOUND

95-7258 } ROSS POINT
95-8477 } WATER - DOES NOT PROVIDE IRRIGATION WATER.

NO WELL LOG FOUND - AVG. SURROUNDING STATIC WATER LEVEL $\pm$ 200'
CALLED 7/12/88 got answering machine.



Well
and
meter

UNFILMED

SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECORDED
JUN 27 1990
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8534

1. Owner: Larry W. Gilman Phone No. (208) 773-0689
Current Address: PO Box 129, Coeur d'Alene, ID. 83814
2. Accompanied by: Larry Gilman EXAM. DATE: 7/13/88
Address: SAME Phone No. SAME
Relationship to Permit Holder: SAME


3. Source: ground water tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: SEE SUPPLEMENT SEE - "H" ☐ Copies Attached
2. Other water rights with same point of diversion: — ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECORDED
SEP 17 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A well with 15 hp motor supplies ~~2~~ ^{3.1 acres} through a 4" buried main and 2" spur lines. Then each individual household waters as they see fit. This system supplies yard and garden irrigation for 49 homes.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Submersible	15hp			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	16	SW	SW	SW	35	S1N	SW	Kootenai	MAP

6. Place(s) of Use:

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
S1N	SW	35											3.1	JK					3.1 JK

RECORDED

SEP 17 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Meter	gpm	McCrometer				

2. Measurements:

165 gpm or .37 cfs
Acreage calculations 500' x 800' = 400,000 ft²
9.18 acres - 1/3 of this is trailers
1/2 is roads and driveways and 1/3 is irrigated lawns.
3.1 acres irrigated

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

289

2. Alternate Method for Checking Purposes:

$h_p = 15$ $\epsilon = .75$ $p = 41 \text{ psi}$ $h = 190$
 $Q = \frac{8.8(h_p)\epsilon}{2.31(p) + H} = .39 \text{ cfs} \rightarrow$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{3.1}{.36} \times 9.3 \text{ afa} = 28.25 \text{ afa}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{245}{175} \times 22.5 \times 1.9835 = 22.05 \text{ afa}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9.3 \text{ afa}$

2. Volume Calculations for Other Uses:

SEP 17 1982

H. REMARKS AND OVERLAP REVIEW ANALYSIS

~~ADAM~~ ROSS POINT WATER (95-07258 & 95-08477) DOES NOT PROVIDE IRRIGATION WATER

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	0.36 cfs	93.3 afa
Totals:			0.36 cfs	9.3 afa


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name LOUIS SUKORATY
Signature [Signature]
Certification Date 2/17/89
Field Report Preparation Date 6/14/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

12/11/90
SC

RECEIVED

SEP 17 1992

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.


1. Legal Description of well location. Twp. 51 N, Rge. SW,
Sec. 35, Qtr./Qtr. SW SW or Lot _____
2. Owner Larry Gilman
Address Box 129, City Coeur d'Alene, State Id
3. Approx. date of well construction 1987
Well Driller ?
4. Casing: Diameter 8" Condition good
5. Casing length above land surface 2'
6. Well depth (ft) 250' Flowing _____ Temp. _____
Access port yes
7. Condition of piping and valving good
8. Evidence of well seal yes
9. Shut in pressure or static water level 190'
10. Evidence of leakage around the casing no
11. Does well need repair No
12. Comments NONE

(OVER)

SEP 17 1988

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Louis Suhovad

Date 7/17/78

PHOTOFILMED

SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit No. 95-8534

Name/Address change? ok ☒

Priority date Advance? yes no
Memo to advance
Order to reinstate needed? yes no

Total cfs Limited by fee OK
Limited by capacity

Total volume Limited by flow
Chart checked for AF rate/ac ✓ 3.5

Capacity Actual measurement checked ✓
Theoretical checked ✓
If greater than permit, check for other rts

Source Changed? yes no ✓
If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓
More than one per 1/4? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart 4/1-11/1

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses
Special overlap condition

Conditions -	Dates/Misc. -
Measuring device <u> </u>	Water Dist <u> </u>
W.Master control <u> </u>	App Rec'd <u>✓</u>
Overlap <u>R50</u>	Proof Rec'd <u>✓</u>
Water quality <u> </u>	
Other <u> </u>	

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed - ✓
Not needed ✓

Comments/Changes to Examiner's Recommendations:

License 10-day ✓ 30-day

Back of field report signed? ✓
Reviewer S. Curtis Date 12/11/90 Review time 8 min.

RECEIVED

OCT 29 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

Department of Water Resources
Northern District Office

For Office Use Only
Fee Received 400.00
Date 10/26/87
Receipt # 41813
Receipt by RA
Reviewed by RA
Sent to region 43-89

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8534

Name(s) of Permit Holder: LARRY W GILMAN

Post Office Address: PO Box 129 COEUR D'ALENE, ID 83814

Telephone No. 208 773 0689

Source of Water: GROUND WATER

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 6 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .36 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: APRIL 24 1987

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☒ Yes ☐ No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

LARRY W GILMAN

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10.26.87

Date

Larry W Gilman
Signature of Permit Holder (and title, if appropriate)

MAR 19 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: pk

APPLICATION NUMBER: 95-8534

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

See remarks for justification of excess diversion rate

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: 12/22/86

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 12/2/86

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

☒ 11/13/86 Date of priority recommended.

Special conditions of approval or cover letter. _____

MICROFILMED
MAY 13 1987

excessive water pk due to irrigation practice used - see memo of 4/14/87

2 yrs. is reasonable for B/U development -

By: pk Date: 1/22/87
STATE OFFICE REVIEW: 6/17 26 RECEIVED
JAN 27 1987

☐ See attached sheet for more information.

By: kw Date: 4/15/88 Department of Water Resources

95-8534

GILMAN, LARRY W.

P.O. BOX 129, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: SWSNW Sec 35 T 51N R 05W

Use: IRRIGATION (0.360 CFS)

Date Filed: 11/13/1986

In: SWSW Sec 35 T 51N R 05W FOR 6 ACRES

MICROFILMED

MAY 13 1987