

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08510

Priority: May 30, 1986

Maximum Diversion Rate: 0.50 CFS
Maximum Diversion Volume:¹ 13.1 AF

This is to certify, that CURTIS CONSTRUCTION CO.

E. 5825 RAILROAD AVE.

SPOKANE, WA 992120933

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 30, 1986; and has submitted Proof of Beneficial Use on June 28, 1989. An examination indicates that the works have a diversion capacity of .500 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	03/01 to 12/30	0.50 CFS	13.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 1, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: INDUSTRIAL
TWN RGE SEC

51N 04W 1 SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a subsurface system must be authorized by a separate injection well permit.
6. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
7. Industrial use is for washing sand and gravel.

RECORDED

AUG 09 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08510

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18TH
day of July, 1991.

Acting for


R. Keith Higginson, Director

ALC 09 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO


IN THE MATTER OF REMOVING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 95-8510) ORDER
IN THE NAME OF CURTIS CONSTRUCTION CO.)

WHEREAS, Permit No. 95-8510 was issued with a condition requiring the installation of a measuring device approved by the Department and,

WHEREAS, the Department of Water Resources has determined that a measuring device is not required at this time for a determination of the quantity of water appropriated under this permit;

NOW THEREFORE, the condition of approval on Permit No. 95-8510 requiring that a measuring device be installed is hereby REMOVED.

Dated this 36th day of June, 1991.



L. GLEN SAXTON
Chief, Water Allocations Bureau

RECEIVED

AUG 09 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Curtis Construction Co. Phone (509) 535-2428

Post office address E. 5825 Railroad Ave., Spokane, WA. 99212-0933

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 51N

Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1 for Washing Gravel purposes from March 1 to Dec. 30 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 3 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.3 for IRR purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 4 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, Pump & Pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 425 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: $W\frac{1}{2}$ & $NE\frac{1}{4}$ & $N\frac{1}{2}$ of $SE\frac{1}{4}$
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 1 Township 51N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 600 *

(5) If water is to be used for other purposes describe: Washing Sand & Gravel & Domestic

* per T/C w/ MR LUTIS - R 6/10/86

NOT FILMED

b. If water is for irrigation, indicate acreage in each sub-division in the tabulation below:

[illegible]

Per T/C w/MR CURTIS 6/10/86-JE

Total number of acres to be irrigated

$$\begin{array}{r} 134 \\ 150 \\ \hline \end{array}$$

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Curtis Construction Co.


b. Who owns the land to be irrigated or place of use M. G. Curtis & Curtis Construction Co.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks

MICROFILMED

11. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Curtis Construction Co
(Applicant)
M L Curtis Pres.

MICROFILMED

Proposed Priority 5/30/86
Received by [Signature] Date 5/30/86 Time 3:30 PM Preliminary check by [Signature]
Fee \$ 105.00 Received by [Signature] # 32111 Date 5/30/86
Publication prepared by [Signature] Date 6/5/86 Published in Crem. & Abn. Q. J.
Publication approved [Signature] Date 6/30/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8510, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

Witness my hand this 24th day of July, 1986.

[Signature]
Chief, Operations Bureau

MICROFILMED

LICENSE REVIEW CHECKLIST

Permit No. 95-8510

Name/Address change? ok ☒

Priority date Advance? yes no

Memo to advance

Order to reinstate needed? yes no

Total cfs Limited by fee ☒

Limited by capacity ☒

Total volume Limited by flow

Chart checked for AF rate/ac

Capacity Actual measurement checked

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per ? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap

Remarks More than one p/d in

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device

W.Master control

Overlap

Water quality 208, 207

Other

Dates/Misc. -

Water Dist

App Rec'd ☒

Proof Rec'd ☒

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed

RECEIVED

Comments/Changes to Examiner's Recommendations:

AUG 09 1991

License 10-day ☒

30-day

Back of field report signed?

Reviewer Date 6/5/91 Review time min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 95-08510

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8) method of determination

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

RECEIVED
JUN 27 1990

Department of Water Resources

Signature John King Date 10/25/89

Photographs



INTERIOR

WELL HOUSE



SWALE →

← GM DIESEL
& PUMP

POND →

95-08510

UNRECORDED

AUG 09 1991

95-08510

RECEIVED
JUN 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08510


1. Owner: CURTIS CONSTRUCTION CO. Phone No. _____
Current Address: E. 5825 RAILROAD AVE. SPOKANE, WA. 99212-0933
2. Accompanied by: W.C. WARRENHOVER EXAM. DATE: 10/16/89
Address: 13650 GOV. WAY COEURD'ALENE, ID. 83814 Phone No. 724-4107
Relationship to Permit Holder: EMPLOYEE
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

AUG 09 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6"X420' WELL WITH SULL @ 285', SUBMERSIBLE 325 GPM PUMP,
APPROX 3000' FEET OF BURIED 4" MAIN TO 75X35X8' EXCAVATED HOLDING
POND. THE WATER IS REMOVED FROM THE POND WITH A GM DIESEL ENGINE
PUMP 4" TO 6" MAIN AND DELIVERED TO THE GRAVEL
WASH B 4" INCREASED TO 6" PIPE

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 SUBMERSIBLE				RATED @ 225 GPM	4"
#2	GM	125	746533	FAIRBANKS MORRIS	1"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	1	51N	4W	KOOTENAI	MAP

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
51N	4W	1								1									



MICROFILMED
AUG 09 1991

95-08510

Do not use this space


D. FLOW MEASUREMENTS *NONE*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{225 \text{ GPM}}{448.8} = 0.50 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$8 \text{ HRS/DAY}, 5 \text{ days/wk}, 8 \text{ WKS/YEAR} = \frac{320 \text{ HRS}}{24 \text{ HRS}} = 13.3 (24 \text{ hr}) \text{ days}$$

$$(13.3 \text{ days})(1.9835)(5 \text{ cfs}) = 26.4 \text{ AF } 13.19 \text{ ADK}$$

UNRECORDED

AUG 09 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No Domestic or Irrigation uses
Industrial use is washing Gravel
DUE TO ~~THE~~ RATED CAPACITY OF PUMP & SIZE OF
MAIN, RECOMMEND REMOVAL OF MD REQUIREMENT

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Industrial	3-1	12-30	0.50	13.19
Totals:			0.5	13.19

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom D. King
Signature Tom D. King
Certification Date _____
Field Report Preparation Date 10/25/89



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

AUG 09 1991

Form 238-I
09/89

State of Idaho
Department Of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be attached to the beneficial use field report. If well construction standards do not appear to be met, a copy of this form should be forwarded to Groundwater Protection Section.

Water Right Permit No. 95 08510

1. Legal Description of Well Location:

Twp. 51 N, Rge. 4W Sec. 1, SW $\frac{1}{4}$ SW $\frac{1}{4}$ Gov. Lot

2. Owner: CURTIS CONST. CO.

Address: E 5825 RAILROAD AVE, City SPOKANE, State WA

3. Approximate date of well construction 1986

99212-0933

Well driller: UNITED

4. Casing: Diameter 6" Condition GOOD

5. Casing length above land surface 2' (1' ABOVE CONC. SLAB)

6. Well depth (ft) 430 Flowing Temperature Access Port Y

7. Condition of piping and valving GOOD

8. Evidence of well seal YES

9. Shut in pressure or static water level 285

10. Evidence of leakage around the casing NO

11. Does well need repair NO

12.


Comments

RECEIVED
AUG 29 1991

over

SCHEMATIC

Provide a schematic Diagram showing the location of the well in the ¼/¼ with respect to houses, roads, other wells or readily identifiable features.



Inspected by J. D. King

Date 10/25/89

MICROFILMED

AUG 09 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Curtis Construction</u> Address <u>E. 5825 RAILROAD AVE.</u> Owner's Permit No. <u>SPokane WA. 99212</u>		7. WATER LEVEL Static water level <u>285'</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>48</u> °F. Quality <u>Good</u> Describe artesian or temperature zones below																																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>300</u></td><td><u>400</u></td><td><u>30 hrs</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>300</u>	<u>400</u>	<u>30 hrs</u>																																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																				
<u>300</u>	<u>400</u>	<u>30 hrs</u>																																																																				
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☒ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>8"</td><td>0</td><td>130</td><td>Boulders, Gravel Sand</td><td>X</td></tr><tr><td></td><td>130</td><td>138</td><td>Brown Clay</td><td>X</td></tr><tr><td></td><td>138</td><td>185</td><td>Boulder Gravel Sand</td><td>X</td></tr><tr><td></td><td>185</td><td>190</td><td>Boulder Gravel</td><td>X</td></tr><tr><td></td><td>190</td><td>215</td><td>Hard Gravel</td><td>X</td></tr><tr><td></td><td>215</td><td>217</td><td>White Clay</td><td>X</td></tr><tr><td></td><td>217</td><td>222</td><td>Brown Clay</td><td>X</td></tr><tr><td></td><td>222</td><td>300</td><td>Gravel Sand</td><td>X</td></tr><tr><td></td><td>300</td><td>340</td><td>Red Clay</td><td>X</td></tr><tr><td></td><td>340</td><td>370</td><td>Hard Gravel</td><td>X</td></tr><tr><td>6"</td><td>370</td><td>420</td><td>Large Boulders Gravel</td><td>X</td></tr><tr><td></td><td>420</td><td>430</td><td>Hard Gravel</td><td>X</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	8"	0	130	Boulders, Gravel Sand	X		130	138	Brown Clay	X		138	185	Boulder Gravel Sand	X		185	190	Boulder Gravel	X		190	215	Hard Gravel	X		215	217	White Clay	X		217	222	Brown Clay	X		222	300	Gravel Sand	X		300	340	Red Clay	X		340	370	Hard Gravel	X	6"	370	420	Large Boulders Gravel	X		420	430	Hard Gravel	X
Bore Diam.	Depth		Material		Water Yes No																																																																	
	From	To																																																																				
8"	0	130	Boulders, Gravel Sand	X																																																																		
	130	138	Brown Clay	X																																																																		
	138	185	Boulder Gravel Sand	X																																																																		
	185	190	Boulder Gravel	X																																																																		
	190	215	Hard Gravel	X																																																																		
	215	217	White Clay	X																																																																		
	217	222	Brown Clay	X																																																																		
	222	300	Gravel Sand	X																																																																		
	300	340	Red Clay	X																																																																		
	340	370	Hard Gravel	X																																																																		
6"	370	420	Large Boulders Gravel	X																																																																		
	420	430	Hard Gravel	X																																																																		
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other <u>MUD</u>		RECEIVED MAY 30 1986 Department of Water Resources Northern District Office AUG 09 1991																																																																				
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>6</u> inches</td><td><u>3 1/2</u> feet</td><td><u>420</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>420</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>3 1/2</u> feet	<u>420</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																			
Thickness	Diameter	From	To																																																																			
<u>250</u> inches	<u>6</u> inches	<u>3 1/2</u> feet	<u>420</u> feet																																																																			
_____ inches	_____ inches	_____ feet	_____ feet																																																																			
_____ inches	_____ inches	_____ feet	_____ feet																																																																			
_____ inches	_____ inches	_____ feet	_____ feet																																																																			
Number	From	To																																																																				
_____ perforations	_____ feet	_____ feet																																																																				
_____ perforations	_____ feet	_____ feet																																																																				
_____ perforations	_____ feet	_____ feet																																																																				
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td></tr><tr><td>W</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td></tr></table> County <u>Spokane</u> Subdivision Name _____ Lot No. _____ Block No. _____ Section <u>36</u> T. <u>51</u> N/S, R. <u>4</u> E/W.		N			W		E							S			10. Work started <u>11-3-86</u> finished <u>1-1-86</u>																																																					
N																																																																						
W		E																																																																				
S																																																																						
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>United Resource Firm No. 4114</u> Address <u>P.O. Box 2499</u> Date <u>5-3-86</u> Address <u>Spokane WA</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Edwin R. White</u>																																																																						

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8510

Date: 7/30/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change If yes, prepare a data entry
Y Proof received timely
N Reinstated

Source of Water:

N Surface water
Y Groundwater
Y 1. well log in file
N 2. drilling permit
N A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N Is a measuring device or access port required?
N Has one been installed?
A Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUN 28 1989

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received 100.00
Date 6/29/89
Receipt # CN 7915
Receipt by R. Young
Reviewed by _____
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8510

Name(s) of Permit Holder: Curtis Construction Co.

Post Office Address: E. 5825 Railroad Ave., Spokane, WA 99212-0933

Telephone No. (509) 535-2428

Source of Water: well

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark Washing Gravel/Batchplant

Total rate and/or volume for which proof is submitted .5 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: August 1986

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ \$100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

W. C. (Willie) Warmenhoven

(208) 774-4107

(Name)

(Telephone Number)

13650 N. Government Way, Hayden Lake, Idaho 83835

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED


6-22-89

Date

M. L. Curtis
Signature of Permit Holder (and title, if appropriate)

SEP 25 1989
President

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Curtis Construction</u> Address <u>E. 5825 RAILROAD AVE.</u> Owner's Permit No. <u>SPokane WA. 99212</u>		7. WATER LEVEL Static water level <u>285</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>48</u> °F. Quality <u>Good</u> . Describe erosion or temperature zones below.																																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Sailer ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>300</u></td><td><u>400</u></td><td><u>30 HRS</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>300</u>	<u>400</u>	<u>30 HRS</u>																																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																				
<u>300</u>	<u>400</u>	<u>30 HRS</u>																																																																				
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☒ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>8"</td><td>0</td><td>130</td><td>Gravelly Sand</td><td>X</td></tr><tr><td></td><td>130</td><td>138</td><td>Gravel</td><td>X</td></tr><tr><td></td><td>138</td><td>185</td><td>Gravelly Sand</td><td>X</td></tr><tr><td></td><td>185</td><td>190</td><td>Gravel</td><td>X</td></tr><tr><td></td><td>190</td><td>215</td><td>Gravel</td><td>X</td></tr><tr><td></td><td>215</td><td>217</td><td>White Clay</td><td>X</td></tr><tr><td></td><td>217</td><td>222</td><td>Gravel</td><td>X</td></tr><tr><td></td><td>222</td><td>300</td><td>Gravel</td><td>X</td></tr><tr><td></td><td>300</td><td>340</td><td>Red Clay</td><td>X</td></tr><tr><td></td><td>340</td><td>370</td><td>Gravel</td><td>X</td></tr><tr><td></td><td>370</td><td>420</td><td>Gravelly Sand</td><td>X</td></tr><tr><td></td><td>420</td><td>430</td><td>Gravel</td><td>X</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	8"	0	130	Gravelly Sand	X		130	138	Gravel	X		138	185	Gravelly Sand	X		185	190	Gravel	X		190	215	Gravel	X		215	217	White Clay	X		217	222	Gravel	X		222	300	Gravel	X		300	340	Red Clay	X		340	370	Gravel	X		370	420	Gravelly Sand	X		420	430	Gravel	X
Bore Diam.	Depth		Material		Water Yes No																																																																	
	From	To																																																																				
8"	0	130	Gravelly Sand	X																																																																		
	130	138	Gravel	X																																																																		
	138	185	Gravelly Sand	X																																																																		
	185	190	Gravel	X																																																																		
	190	215	Gravel	X																																																																		
	215	217	White Clay	X																																																																		
	217	222	Gravel	X																																																																		
	222	300	Gravel	X																																																																		
	300	340	Red Clay	X																																																																		
	340	370	Gravel	X																																																																		
	370	420	Gravelly Sand	X																																																																		
	420	430	Gravel	X																																																																		
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other <u>MUD</u>																																																																						
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ Inches _____ Inches _____ feet _____ feet _____ Inches _____ Inches _____ feet _____ feet _____ Inches _____ Inches _____ feet _____ feet _____ Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ perforations _____ feet _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>420</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____																																																																						
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision No. _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> SW 1/4 SW 1/4 Sec. 1, T. 51 N., R. 4 W.		10. Work started <u>4-3-86</u> finished <u>4-7-86</u>																																																																				
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were applied with at the time the rig was removed. Firm Name <u>UNITED DRILLING CO.</u> Address <u>P.O. Box 2499</u> Date <u>5-3-86</u> Signed by (Firm Official) <u>Edmund R. Volz</u> and (Operator) <u>Edmund R. Volz</u>																																																																						

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: k

APPLICATION NUMBER: 95-8510

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other.

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. 7/7/86
☐ Yes ☒ No Final date for protests. _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/30/86
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district?
☒ 5/30/86 Date of priority recommended.
☒ Special conditions of approval or cover letter.

allow 3 years for B/U development-

By: RMA

Date: 7/10/86

STATE OFFICE REVIEW: 103, L17

 016 26 09C

MICROFILMED

RECEIVED

- ☐ See attached sheet for more information.

By: kw

Date: 7/22/86

JUL 14 1986