

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08508

Priority: May 29, 1986

Maximum Diversion Rate: 0.32 CFS
Maximum Diversion Volume: 36.7 AF

This is to certify, that CARL NAGEL
HERBERT NAGEL

PO BOX 65

RATHDRUM ID 838580000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 29, 1986; and has submitted Proof of Beneficial Use on July 8, 1991. An examination indicates that the works have a diversion capacity of .410 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 09/30	0.20 CFS	30.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.11 CFS	6.0 AF
	Totals	0.32 CFS	36.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 1, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	05W	36	NESW 5	SWSW 5		10
Total number of acres irrigated:						10

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>
51N	05W	1	NWNW	SWNW
52N	05W	36	NESW	SWSW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

RECORDED

DEC 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08508

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 5 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26TH day of OCTOBER, 1992.

Acting for R. Keith Higginson, Director

DEC 15 1992

RECEIVED
JUL 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by J. Saxon
Date 7/17/90
Receipt # 6017688

REQUEST FOR EXTENSION OF TIME

Department of Water Resources

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 95-8508

Name(s) of Permit Holder: Carl Nagel + Herbert Nagel

Post Office Address: P.O. Box 65 Rathdrum ID 83858

Telephone No. 208-687-0262

Date Proof is Due: August 1, 1990

Describe what work has been completed toward the development of this water right: Drilled 12" well -
(This must be filled out! If no work has been completed, show "none".)

installed 15 Hp + 5 Hp pumps-pressure system - 2 miles
distribution system - 5 Homes - using Domestic + For
animals - 10 acres irrigated - laterals all
purchased Costing \$100,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Because of a severe Noxious Weed (Leafy Spurge)
problem we have been unable to improve &/or
irrigate approximately 25 acres. We have been
(see attached)

Permit holder(s) request an extension to Aug. 1, 1991. Carl Nagel Herbert Nagel
(1 yr. minimum) (Signature)

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to August 1, 1991.

Signed this 24th day of July, 19 90.

J. Shw Saxon
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

JUL 22 1988

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

RECEIVED

JUL 25 1988

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 95-8508

Name(s) of Permit Holder: Carl Nagel + Herbert Nagel

Post Office Address: P.O. Box 65 - Rathdrum, Idaho 83858

Telephone No. 208-687-0262

Date Proof is Due: August 1, 1988

Describe what work has been completed toward the development of this water right: 12" well has been
(This must be filled out! If no work has been completed, show "none".)

Drilled - one 15 HP + one 5 HP pump has
been installed - the distribution system is
installed - 5 homes are using domestic water -
irrigation + other 3 homes not completed Costing \$75,000. -

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Time has not permitted completion of irrigation
system + Hookup of 3 remaining homes
since completion of well + pumping system

Permit holder(s) request an extension to August 1, 1990. Carl Nagel
(1 yr. minimum) (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to August 1, 1990.

JAN 10 1989

Signed this 12th day of October, 19 88.

A. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CARL NAGEL and HERBERT NAGEL Phone (208) 667-9597 office
687-0262

Post office address P.O. Box 65, Rathdrum, Idaho 83858

2. Source of water supply ground which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 1 Township 51 N.

Range 5 W.B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Allow 0.13 cfs per correspondence of 6/2/1986*
Amount 0.7 CFS for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.5 CFS for irrigation purposes from May to Sept. (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for STOCK purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

Allow 0.65 cfs*
*kw 7/7/1986

a-1.2-- cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 12" well - pump & distribution system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12" inches; proposed depth of well is 240' feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: SEE ITEM 8.6.

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 50 - horses & cows

(4) Name of municipality to be served NONE, or number of families to be supplied with domestic water 8 possible.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
51N	5W	1						S	S										
51N	5W	1						D	D										
52N	5W	36									D		D	D					
52N	5W	36									S		S	S					
52N	5W	36									12		15	3					30

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Carl Nagel

b. Who owns the land to be irrigated or place of use Herbert Nagel and Carl Nagel

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Herbert Nagel, one of applicants, has permanent easement to drill well and draw water

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carl Nagel *Carl Nagel*
(Applicant)

MICROFILMED

Proposed Priority 5/29/86

MICROFILMED

Received by RHA Date 5/29/86 Time 3:00

Preliminary check by RHA Fee \$ 5.00

Receipted by RHA Date 5/29/86 # 32097

Publication prepared by [signature] Date 6/5/86

Published in Evening Star Press

Publication dates 6/12 + 19/86

Publication approved [signature] Date 6/23/86

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8508, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The maximum rate of diversion for domestic purposes under this permit shall not exceed 0.13 cfs.

Witness my hand this 9th day of July, 1986.

J. Glen Sayton
Chief, Operations Bureau

LICENSE REVIEW CHECKLIST

Permit # 95-68508

Date 9-11-92

28

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>Yes</u>	<u>No</u>	Disagree with Actual Measurement?
	<u>Yes</u>	<u>No</u>	<u>.11 cfs (DOM) 10 x .02 = .20 cfs (IRR) 50 x .00022 = .01 cfs (stock)</u>
	<u>Yes</u>	<u>No</u>	Disagree with Theoretical? <u>20 x 3.8 x .7 = .411</u>
	<u>Yes</u>	<u>No</u>	Limited by Capacity? <u>.41 cfs 207' + (2.31 x 40)</u>
TOTAL VOLUME	<u>Yes</u>	<u>No</u>	Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
	<u>Yes</u>	<u>No</u>	<u>3-15 to 11-15</u> Standard Irr. Season
	<u>Yes</u>	<u>No</u>	<u>5-01 to 09-30</u> Per Permit Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations? <u>.7 afa (stock)</u>
	<u>Yes</u>	<u>No</u>	<u>10 x 3.0 = 30 afa (IRR) 5 x 1.2 = 6.0 afa (DOM) 50 x .0134 = .67</u>
	<u>Yes</u>	<u>No</u>	Limited by Flow? <u>.2 x 152 x 1.9835 = 60.3 > 30</u>
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed? <u>Drop SESW</u>
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses <u>DOM/5 Homes</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
	<u>Yes</u>	<u>No</u>	DATES/MISC
	<u>Yes</u>	<u>No</u>	Water Dist.
	<u>Yes</u>	<u>No</u>	App Rec'd
	<u>Yes</u>	<u>No</u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate, agrees
197' static level / Used 207' min. dynamic level
DOM volume includes lawn per FE/IRR picture

License 10-Day 15-Day Special Correspondence

OWNER CODE NAME & ADDRESS
C CARL NAGEL
C HERBERT NAGEL
PO BOX 65
RATHDRUM ID 838580000
(208) 687-0262

PRIORITY DATE 05/29/1986
WATER USE IRRIGATION
STOCKWATER
DOMESTIC

USE PERIOD FROM TO
05-01 09-30
01-01 12-31
01-01 12-31

DIVERSION RATE
0.20 CFS
0.01 CFS
0.11 CFS

DIVERSION VOLUME
30.0 AFA
0.7 AFA
6.0 AFA

TOTAL DIVERSION: 0.32 CFS 36.7 AFA

Water Source: GROUNDWATER

Tributary to:

Point(s) of Diversion Capacity: 0.41 CFS

Point(s) of Diversion: T51N R05W S01 SE NW

Place of use Legal Description for: IRRIGATION

NE		NW		SW		SE		SUM		
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
52N	05W	36	:	:	:	:	:	:	:	:
NESE		NWSE		SWSE		SESE		SUM		
: 0.20 CFS		: 0.01 CFS		: 0.11 CFS		: 0.32 CFS		: 36.7 AFA		

Place of use Legal Description for: STOCKWATER

NE		NW		SW		SE		SUM		
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
51N	05W	1	:	:	:	:	:	:	:	:
52N	05W	36	:	:	:	:	:	:	:	:
NESE		NWSE		SWSE		SESE		SUM		
: 0.20 CFS		: 0.01 CFS		: 0.11 CFS		: 0.32 CFS		: 36.7 AFA		

Place of use location for DOMESTIC is the same location as described for: STOCKWATER

Pou County: KOOTENAI

Other Water Rights Listing Overlapping Place(s) of use:

95-07779 95-07908 95-08508 E95-08508

Conditions of Approval:

R29 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

Remarks: Domestic use is for 5 homes.

Dates: App. Received: 05/29/1986 Priority Date: 05/29/1986
Proof Due Date: 08/01/1991 Proof Made Date: 07/08/1991
Exam Made Date: 10/25/1991 Exam Sent to S.O.: 07/22/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-8508

1. Owner: Carl Nagel

Phone No. 687-0262

Current Address: PO Box 65, Rattostrum, Id.

2. Accompanied by: _____

EXAM. DATE: 10-25-1991

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

DEC 15 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 12" x 240' WELL W/ SWL @ 197' EQUIPPED WITH A 5 HP & 15 HP SUBMERSIBLE PUMPS WHICH DELIVER WATER THROUGH TWO 2" PIPE LINES TO 2 PRESSURE SYSTEMS CONSISTING OF 14 BLADDER PRESSURE TANK. TWO 4" MAIN LINES DELIVER WATER TO 3 HOMES & ^{LAWN & GARDEN} IRRIGATION; A 6" MAIN WHICH THEN DELIVERS WATER TO TWO HOMES & IRRIGATION (LAWN, PASTURE SEEDLINGS)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBM		5	SP8-15		2"
LC		15	64B6		2"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	NW	1	51N	5W	KOOTENAI	MAP

6. Place(s) of Use:

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
51N	5W	1						D	D	D									
52N	5W	36									DS		DS						

Do not use this space

DEC 16 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

EST.
10AC @ .02 = .2 cfs
50 H2O stock = .02 cfs
5 Homes = 0.11 cfs

2. Alternate Method for Checking Purposes:
Per App. IV W & HB (10WR)

$$\frac{8.8(5) 70\%}{2.3(40) + 197} = 0.11 \text{ cfs}$$

$$\frac{8.8(5) 70\%}{2.3(40) + 197} = 0.31$$

$$= 0.42 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{10}{3.5} = 35$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 35$

2. Volume Calculations for Other Uses:

~~5 H2O~~ 5 HOMES (1.2) = 6.0 AF

50 stock = 0.7 AF

DEC 15 1992

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page.

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3-15	11-15	0.20	35.0
STOCK (SO)	1-1	12-31	0.02	.7
Dam (S)	1-1	12-31	0.11	60.0
Totals:			0.33	95.7

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above


☒ None☐ Other _____

Field Examiner's Name Tam D. King
Signature Tam D. King
Certification Date 4/10/91
Field Report Preparation Date 10/25/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEC 15 1992



95-8508
T.51N.R.5W.
Sec 1

MICROFILMED

DEC 15 1992

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

RECEIVED
JUL 27 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # _____

PHOTOGRAPHS



← FROM WELL



MINOR MED

DEC 15 1992

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-8508

Date 8-12-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☒ Ground water source
NA Drill permit req'd?
1986 Copy in file? Drill permit no. _____
Amt paid for drilling permit? _____ Correct?
Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
100.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
Installed?
Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptance

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

LB

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08508 Telephone No. 687-0262 H
667-9597 W

2. Name(s) of Permit Holder(s): Carl Nagel and Herbert Nagel

3. Post Office Address: P.O. Box 65 Rathdrum, Idaho 83858

4. Source of Water: Ground

a. If ground water, well driller's name: Bronson Water Wells Date drilled: June 7, 1986

b. Pump horsepower: 5HP Pressure (psi): 40-60
15HP Dynamic pumping level (ft.): 197'

5. Extent of Use:

Domestic 5 (No. of households) Irrigation 10 (No. of acres)

Stockwater 50 H&C (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.37 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Herbert Nagel 208-667-9597
Name Telephone No.

Box 65 Rathdrum, Idaho 83858
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-6-91 Carl Nagel Herbert Nagel AUG 23 1991
Date Signature (and title if on behalf of a company or organization)

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 95-8508Reviewed by [Signature]Date 7-30-90

BASIC INFORMATION

Y Date stamp received
Y Extension received timely (not too early not too late)
Y Fee received and receipted
Y Name and signature same as permit
N Address change

BASIS FOR EXTENSION REQUEST

_____ Has adequate work been completed to demonstrate due diligence?
_____ Has the cost incurred been adequate to demonstrate an intent to complete the project?
_____ Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay
Date litigation completed _____
Date litigation began _____
Total period of delay = _____
Present proof due date + _____
NEW PROOF DUE DATE = _____
_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN

- Recommend approval for one year

Y Reinstate Date extension received _____ = _____
Proof due date _____ = -
No. of days late _____ = _____
Priority date _____ = +
ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

✓ Change proof due date _____ Address change _____
_____ Priority date change _____

Law Office Of
HERBERT NAGEL
305 JOHNSTON BUILDING
111 NORTH SECOND STREET
COEUR D'ALENE, IDAHO 83814

ATTACHMENT TO REQUEST FOR EXTENSION

Working with the office Kootenai County Extension to rid the land of this Noxious weed. This requires annual applications of Tordon to eradicate the weed. We have applied this for two consecutive years at a cost of \$130.00 per acre each. We have been unable to improve or irrigate this land during this time as it would not be compatible to applying spray and controlling this weed.

It is mandatory to control the weed as it has been declared a "Noxious Weed". If we do not, we would be subject to a fine and the Weed Board would use means to control and charge us.

We believe we now have this controlled and will be able to again improve and irrigate commencing with the spring of 1991 and should be able to complete by August 1, 1991. Nothing can be done in 1990 or it will interfere with the recent application of the spray. I have discussed this with Tom D. King of the Coeur d'Alene office. When receiving the extension in 1988 we were not aware of the Noxious Weed problem or we would have requested a longer extension.

RECEIVED

AUG 23 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 95-8508

Reviewed by [Signature]

Date 10-12-1988

BASIC INFORMATION

- 4 Date stamp received
9 Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
4 Fee received and receipted
9 Name and signature same as permit
 Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

- 9 Has adequate work been completed to demonstrate due diligence?
9 Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN - Recommend approval based on due diligence for 2 years

Special conditions or remarks:

N/A Reinstatement Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____ = _____
 Priority date _____ = + _____
 ADJUSTED PRIORITY DATE _____ = _____

- Prepare coding sheet
— Change rolodex cardf

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: *z*

APPLICATION NUMBER: *95-8508*

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

 30 DAY LETTER FOR REDUCTION OF DOMESTIC TO
 0.13 cfs

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: *6/30/86*
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: *6/23/86*
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
 5-29-1986 Date of priority recommended.
Special conditions of approval or cover letter.

 Reduce domestic quantities per letters

 allow 2 years for B/U development

By: *RYA*

Date: *6/30/86*

MICROFILMED

STATE OFFICE REVIEW:

 L17

 26 28 (domestic, 0.13 cfs)

- ☐ See attached sheet for more information.

By: *KW*

Date: *7/7/86*

RECEIVED

JUL 08 1986