

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08477

Priority: May 1, 1985

Maximum Diversion Rate: 2.51 CFS

Maximum Diversion Volume: 925.0 AF

This is to certify, that ROSS POINT WATER DISTRICT
PO BOX 70

POST FALLS ID 83854 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 28, 1985; and has submitted Proof of Beneficial Use on April 13, 1992. An examination indicates that the works have a diversion capacity of 2.510 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.51 CFS	642.0 AF
STOCKWATER	01/01 to 12/31	0.07 CFS	4.0 AF
COMMERCIAL	01/01 to 12/31	1.00 CFS	207.0 AF
DOMESTIC	01/01 to 12/31	1.50 CFS	72.0 AF
Totals		2.51 CFS	925.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 31, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	6	NWNW 2.2			2.2
	05W	1	NENE 3	NWNE 0.7	SENE 1	
			NWNW 0.5			5.2
		2	NENW 1	NWNW 0.5		1.5
51N	04W	30	SWSW 2	SWSE 0.2	SESE 0.7	2.9
		31	SWNE 4	SENE 2	NENW 1.5	
			NWNW 1.5	SWNW 1.2	SENE 6	
			NESW 7	NWSW 14.4	SWSW 1.2	
			SESW 0.5	NESE 4	NWSE 4	47.3
		32	NENW 2.2	NWNW 0.7	SWNW 0.2	
			SENE 1.7			4.8
	05W	25	SWSW 2	SESW 0.7	SWSE 1.5	
			SESE 1			5.2
		35	NENE 5.5	NWNE 8.5	SWNE 1	
			SENE 8.5	NENW 1.2	NESW 7.5	
			NWSW 2.7	SWSW 13	SESW 2	
			NESE 3	NWSE 8.8	SWSE 9.4	
			SESE 8.7			79.8
		36	NENE 0.2	NWNE 15.5	SWNE 8.2	
			SENE 0.7	SWNW 1	SENE 2	
			NESW 2.5	NWSW 13	SENE 1	
			SESW 1.5	NESE 2	NWSE 5.5	
			SWSE 5.2	SESE 16		64.3

JAN 21 1994

Total number of acres irrigated: 213.2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08477

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

COMMERCIAL, same as IRRIGATION use


PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.
7. Stockwater use is for 300 mixed head of stock.
8. Domestic use is for 1200 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of JANUARY, 1994.

Acting for  R. Keith Higginson, Director

JAN 11 1994

RECEIVED
APR 13 1992

OFFICE USE ONLY

Amt. of Fee \$ 250.00Date 4-13-92Receipt No. 007-2703Receipt by webSTATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES**PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08477 Telephone No. (208) 773-5272
2. Name(s) of Permit Holder(s): Ross Point Water District
3. Mailing Address: P.O. Box 70 Post Falls Id. 83854
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: E.A. Hollman Date Drilled: 3-4-86

OPTIONAL:

Pump horsepower: 125 Pressure (psi): 70 Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic ¹²⁰⁰~~1250~~ (No. of households) Stockwater 300 Beef Horses (No. and type of stock)
Irrigation ³²⁴~~500~~ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 7.0 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes ☒ No Installed? ☒ Yes ____ No

OR

Flow Measurement Port: Required? ☒ Yes ____ No Installed? ☒ Yes ____ No

8. Fee Enclosed: \$ 250.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Dan Selden (208) 773-5272
Name Telephone No.

E 4300 Poleline Post Falls, Id.
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-9-92
Date

Dan B. Selden
Signature (and title, if on behalf of a company or organization)

MINUTEMED
MAY 22 1992

RECEIVED
JUL 5 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

Department of Water Resources To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 95-08477

Name(s) of Permit Holder: ROSS POINT WATER DISTRICT

Post Office Address: P.O. Box 70 - Post Falls, ID. 83854

Telephone No. 208-773-1120

Date Proof is Due: _____

Describe what work has been completed toward the development of this water right: _____
(This must be filled out! If no work has been completed, show "none".)

Drilled 18" well & installed 125 HP pump
Supplying 1,150 gallons per minute.

Costing \$ #75,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Due to possible increase of demand, we
MAY increase size of pump

Permit holder(s) request an extension to July, 19 93.
(1 yr. minimum)

Loretta Wood
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

MICROFILMED

ACTION OF THE DEPARTMENT OF WATER RESOURCES

SEP 24 1990

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1992.

IT IS FURTHER ORDERED that the permit be REINSTATED and the priority advanced to May 1, 1985, pursuant to Section 42-218a, Idaho Code.

Signed this 13 day of September, 19 90.

A. New Saylor
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant ROSS POINT Water District Phone 773-5272
Post office address E4300 Polcline, POST FALLS, ID 83854
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 31 Township 51N
Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 6.0 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 1.50 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 1.00 for COMMERCIAL purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 1.00 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 7.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 16 inches; proposed depth of well is 275 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation: SEE ITEM 8
- (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered 2 DAIRIES & 300 HEAD OF HORSES & BEEF
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1200.
- (5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the table below.

MICROFILMED

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
50N	4W	6						4	4										8
50N	5W	1	4	4	4	4	4	4	4	4									32
		2					4	4	4	4									16
51N	4W	30										4	4			4	4		16
		31	4	4	4	4	4	4	4	4	4	4	4	4	4	4			56
		32					4	4	4	4	4	4	4		4				36
51N	5W	25										4	4			4	4		16
		26										4	4			4	4		16
		35	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	64
		36	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	64

Total number of acres to be irrigated 324

c. Describe any other water rights used for the same purposes as described above. _____

95-4088 & 95-7258


9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use WATER USERS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

E. A. Schaff Pro.
(Applicant)

MICROFILMED

Proposed Priority 3/28/85

MICROFILMED

Received by KK Date 3/28/85 Time 3:00p
Preliminary check by JK Fee \$ 165.00
Receipted by KK Date 3/28/85 # 31742
Publication prepared by pm Date 4/4/85
Published in Coleman d'Almeida Press
Publication dates 4/11-18/85
Publication approved pm Date 4/29/85
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by pyd kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8477, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 13th day of June, 1985.

L. Glen Saylor
Chief, Operations Bureau

WR0749NP
No. L95-08477

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 12/30/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROSS POINT WATER DISTRICT PO BOX 70 POST FALLS ID 83854 (208) 773-5272	05/01/1985	IRRIGATION STOCKWATER COMMERCIAL DOMESTIC	03-15 11-15 01-01 12-31 01-01 12-31 01-01 12-31	2.51 CFS 0.07 CFS 1.00 CFS 1.50 CFS	642.0 AFA 4.0 AFA 207.0 AFA 72.0 AFA
TOTAL DIVERSION:					2.51 CFS	925.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.51 CFS

Point(s) of Diversion: T51N R04W S31 NWNW KOOTENAI County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		
50N	04W	6	:					:			02		:					:					:	2.2
50N	05W	1	:	03		.7		:			.5		:					:					:	5.2
50N	05W	2	:					:	01		.5		:					:					:	1.5
51N	04W	30	:					:					:			02		:			.2	.7	:	2.9
51N	04W	31	:				04	:	01	01	01	06	:	07	14	01	.5	:	04	04			:	47.3
51N	04W	32	:					:	02		.7	.2	:					:					:	4.8
51N	05W	25	:					:					:			02	.7	:			01	01	:	5.2
51N	05W	35	:	05	08	01	08	:	01				:	07	02	13	02	:	03	08	09	08	:	79.8
51N	05W	36	:	.2	15	08	.7	:			01	02	:	02	03	01	01	:	02	05	05	16	:	64.3
TOTAL ACRES																							213.2	

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use location for COMMERCIAL is the same location as described for: IRRIGATION

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: KOOTENAI

Other Rights: 95-4088 AND 95-7258.

Other Water Rights with Same Point(s) of Diversion and Source:
95-08477

Other Water Rights Listing Overlapping Place(s) of use:

95-02110	95-02171	95-04618	95-07082	95-07130	95-07409	95-08477	95-08534	95-08574	95-08636
95-08663	95-08664	95-08674	95-08678	95-08689	95-08700	95-08704	95-08714	95-08723	95-08739
95-08743	95-08745	95-08750	95-08757	95-08765	95-08772	95-08784	95-08807		

Conditions of Approval:

- R29 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 3.0 afa per acre for the
- lands above.

WR0749NP
No. L95-08477

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 12/30/93
PAGE: 2

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks: Stockwater use is for 300 mixed head of stock.
Domestic use is for 1200 homes.

Dates: App. Received: 03/28/1985 Priority Date: 05/01/1985
Proof Due Date: 06/01/1992 Proof Made Date: 04/13/1992
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 04/13/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 05/11/93 CHAPMAN 12/30/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 95-8477 Date 12-30-93 Brenda Chapman

NAME Yes No Or Address Change?

PRIORITY DATE Advance? Advanced to:
 Order to Reinstate Needed?
 Incorrect Fee for rate recommended?

SOURCE Changes? Clarification of Originally
 Intended source
 Notice of Intent to Void - Source change.

P/D Amendment Needed?
 Overlap(s)

P/U Amendment Needed?
 Overlap(s) 95-7258/4088
 (FLOW METER ON WELL)

TOTAL CFS Measurement NO Theoretical only
 Domestic = 1.5 Irrigation = 2.5/
 Commercial = 1.00 Stockwater = .07

FLOW METER
 @ 1125 gpm = 2.51 CFS
 214 acres = 4.28

Allowable Amount: CAPACITY

Capacity of System: 2.51

TOTAL VOLUME Season of Use: D/3.0 3-15 to 11-15

INCORRECT ON EXAM:

① SEASON VOL RATE - should be 344
 ② DOW AF (NOT 720) - IS 72 AF
 ③ COM VOL RATE SHOULD BE CALCULATED
 ON 1.0 CFS RATE OF FLOW - NOT 2.51

USES Calculations: 214 X 3 = 642
 1200 HOMES @ .016 = 72 Stock = 4.0
 Commercial @ 251 DAYS = 520.4
 Flow limit: 251 x 365 x 1.9835 = 1817
 (10 HRS/DAY) 1.0 x 251 x 1.9835 = 207.4
 Change(s) in Nature of Use?
 Amendment Needed?

REMARKS Multiple P/Ds in 1/4 1/4?
 Special Overlap

CONDITIONS Measuring/Locking Devices
 W/Master Control
 Irrigation Overlap 3-28-85 Water Dist
 Water Quality 6-15-92 App Rec'd
 Other 004 Exam Made

COMMENTS: REDUCE RATE TO CAPACITY; REDUCE ACRES

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Irrigation</u>	<u>2.51</u>	<u>642</u>	<u> </u>
<u>Domestic</u>	<u>1.5</u>	<u>72</u>	<u> </u>
<u>Commercial</u>	<u>1.0</u>	<u>207</u>	<u> </u>
<u>STOCKWATER</u>	<u>.07</u>	<u>4.0</u>	<u> </u>
<u>Totals</u>	<u>2.51</u>	<u>925</u>	<u> </u>

1ST AMEND LETTER
 2ND AMEND LETTER

RECEIVED

MAY 11 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08477
1. Owner: Ross Point Water District Phone No. 773-5272
Current Address: PO Box 70, Post Falls, ID 83854
2. Accompanied by: Dan Selden EXAM. DATE: 6/15/93
Address: E. 4300 Poleline, Post Falls Phone No. 773-5272
Relationship to Permit Holder: on water board
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 95-07258, 95-04088

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached Blue line

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
Irrigation is for Lawn + Garden for Domestic

RECEIVED
JAN 21 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well pumps water into same system of
95-07258 and 95-04088. see blue line
for piping diagram.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US electrical	125	R2138443	Berkeley	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NW	NW	31	51N	04W	Kootenai	Map

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
50N	04W	6						2.25											2.25
50N	05W	1			0.75			0.5											5.25
50N	05W	2						1.5											1.5
51N	04W	30										2					.25	.75	3.0
51N	04W	31			4	2	15	1.5	1.25	6	7	14.4	1.25	0.5	4	4			39.4 47.4
51N	04W	25										2	.75				1.5	1/2	5.25
51N	04W	32						2.25	.75	.25	1.75								5.0
51N	05W	35	5.5	8.5	1	8.5	1.25				2.5	2.75	1.25	2	3	8.75	9.4	8.75	79.65
51N	05W	36	1.25	15.5	2.25	.75				1	2	2.5	3	1	1.5	2	5.5	5.25	64.5

Domestic same location as irrigation
stockwater same location as irrigation

205.8
213.8

Do not use this space

JAN 21 1994



None

[illegible]

A large, dark, handwritten checkmark is drawn on a piece of white paper with horizontal blue lines. The checkmark is positioned in the lower-left quadrant of the page. It consists of a long, slightly curved vertical stroke that ends in a small hook, and a shorter, slightly curved horizontal stroke that meets the vertical one at its base. The lines are evenly spaced and extend across the width of the page.

☐

Flow meter on well: $1125 \text{ GPM} = \underline{2.51 \text{ cfs}}$

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Total Head: (1) + (2) = _____ (3) ; **Flow rate:** _____ cfs (4)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

very

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (205.8)(3.5) = 720.3 \text{ AF}$$
$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{10cm}}$$
$$V = \text{Smaller of } V_{BR} \text{ and } V_{DB} = 720.3 \text{ AF}$$

$1200 \text{ domestic total} / 1.44 \text{ AF} = 833.33 \text{ AF}$
 $82 = \frac{720 \text{ AF}}{8.9} = 80.9 \text{ AF}$
 $\text{stockwater (300)} = 4.1 \text{ AF}$
 $86 \text{ gal} \times 2.5 \text{ cfs} \left(\frac{60 \text{ s}}{\text{min}} \right) \left(\frac{60 \text{ min}}{\text{hr}} \right) (10 \text{ hrs/day}) (2.5 \text{ days/yr}) = 520.6 \text{ AF} - \text{Commercial!}$
 $65 \text{ days/wk} - 2 \text{ holidays} = 207$

JAN 21 1994

207

H. REMARKS AND OVERLAP REVIEW ANALYSIS

License 95-07258 is for domestic use for 400 homes and commercial use for 30 businesses.
Claim 95-04088 has same place of use

Total consumptive use of License 95-07258 and claim 95-04088 ~~may not exceed~~ and this water right not to exceed 1200 domestic, 30 businesses, 205.8 acres of irrigation and 300 stock.

214

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs) (per permit)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	2.51 1.5	~~480~~ 720 ^{should be 72}
Irrigation	3/15	11/15	2.51	720.3
~~Commercial~~	1/1	12/31	2.51 1.00	520.6 207.4
Stockwater			.07	4.1
Totals:			2.51 cfs	~~1204.4 AF~~ 1965 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


J. AUTHENTICATION

Field Examiner's Name Robert Knoblock
Signature Robert Knoblock
Certification Date _____
Field Report Preparation Date 7/20/92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JAN 21 1994

































100% POLYURETHANE
EASY TO CLEAN
MADE IN USA





PERMIT # 95-08477

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S


PD



100,000
gallon
reservoir



Flow
meter



RECEIVED

JAN 21 1994

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08477

Reviewed by Klg

Date 4/14/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate-324 300 stock
1200-~~the~~ domestic
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source

NA Drilling permit required?
3-4-86 / Copy in the file? Drilling Permit No.
/ Amount paid for permit Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
250 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address P.O. Box 70

4/14/92 Klg

Proof Made 4/13/92

4/17/92 Klg

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 95-8477

Reviewed by [Signature]

Date 9-12-90

BASIC INFORMATION

- 4 Date stamp received
- 3 Extension received timely (not too early not too late)
- 5 Fee received and receipted
- 4 Name and signature same as permit
- 5 Address change

BASIS FOR EXTENSION REQUEST

- 9 Has adequate work been completed to demonstrate due diligence?
- 9 Has the cost incurred been adequate to demonstrate an intent to complete the project?
- N/A Has the permit been involved in litigation?
 - a. Swan Falls _____ Dismissed from Swan Falls _____
 - Other _____ Identify _____
 - b. Is supporting documentation needed to complete the file? _____
 - Requested _____
 - c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- N/A Is delay by a government agency?
- Is supporting documentation needed to complete the file? _____
- Requested? _____

ACTION TAKEN

Recommend approval based on due diligence for 2 years

<u>2</u> Reinstate	Date extension received	<u>July 5</u>	=	<u>186</u>
	Proof due date	<u>June 1</u>	=	<u>-152</u>
	No. of days late		=	<u>34</u>
	Priority date	<u>Mar. 28, '85</u>	=	<u>+87</u>
	ADJUSTED PRIORITY DATE	<u>May 1, '85</u>	=	<u>121</u>

DATE ENTRY

- ✓ Change proof due date
- ✓ Priority date change
- _____ Address change