

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08435

Priority: March 7, 1984

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

64.8 AF

This is to certify, that KIDD ISLAND BAY WATER USERS COOP ASSN

C/O MAGNUSON MCHUGH

1121 MULLAN

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 7, 1984; and has submitted Proof of Beneficial Use on March 23, 1989. An examination indicates that the works have a diversion capacity of .320 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.20 CFS	64.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 35, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 04W 35 Lot 2(NWNE)
NESW

SWNE
NWSW

Lot 3(SENW)
SWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 54 homes.


PAGE 2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08435

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of July, 1992.


Acting for R. Keith Higginson, Director

RECEIVED
JUN 18 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08435

APPROVED

Department of Water Resources

Date of Priority: March 7, 1984

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 64.8 AF

Comes now
C/O MAGNUSON MCHUGH
1121 MULLAN
COEUR D ALENE ID 83814

KIDD ISLAND BAY WATER USERS COOP ASSN

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-08435, and requests that the permit be changed as follows:

Source: COEUR D ALENE LAKE tributary to SPOKANE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.20 CFS	64.8 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 35, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

50N 04W 35	Lot 2(NWNE) NESW	SWNE NWSW	Lot 3(SENW) SWSW
------------	---------------------	--------------	---------------------

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Coeur d'Alene, ID, this 16th day of June, 1992.


(Signature)

FRED M. MILLER
CHAIRMAN

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08435

FOR DEPARTMENT USE ONLY

Preliminary check by CR Fee = \$20.00

Receipted by [Signature] Date 6-18-92 #0024600

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 95-08435 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Domestic use is for 54 homes.

Witness my hand this 14TH day of July, 1992.

[Signature]
Acting for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Kidd Island Bay Water Users Coopers, Inc Phone _____
Post office address 6 Magnuson-McHugh 1121 Mullan Coeur d'Alene, Id. 83814
2. Source of water supply Coeur d'Alene Lake which is a tributary of Spokane River
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 35 Township 50N
Range 4W B.M. Kodjeari County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.20 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Submersible pump, with pipeline
to reservoir & gravity feed to homes
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ N $\frac{1}{2}$ SW, SWSW of Section 35 Township 50N
Range 4W B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 115.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. 95-4000


9. a. Who owns the property at the point of diversion State of Idaho Dept of Lands

b. Who owns the land to be irrigated or place of use MEMBERS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing will apply for encroachment permit.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

REPRODUCTION

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Joseph A. McCay
(Applicant)
Board Member

Proposed Priority 3/7/84

Received by pm Date 3/7/84 Time 8:55 AM

Preliminary check by pm Fee \$ 30.00

Received by pm Date 3/7/84 (-31466)

Publication prepared by pm Date 3/7/84

Published in Coeur d'Alene Press

Publication dates 3/15 & 22/84

Publication approved pm Date 3/27/84

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by pm kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8435, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 11th day of April, 1984.

J. Glen Saxon
Chief, Operations Bureau

State of Idaho
Department of Water Resources

RECEIVED

AUG 03 1992

Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08435

Priority: March 7, 1984

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

64.8 AF

This is to certify, that KIDD ISLAND BAY WATER USERS COOP ASSN

~~C/O MAGNUSON-MCHUGH~~ P.O. Box 2265

~~1121 MULLAN~~

COEUR D ALENE ID 83814-83816-2265

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 7, 1984; and has submitted Proof of Beneficial Use on March 23, 1989. An examination indicates that the works have a diversion capacity of .320 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

DOMESTIC	01/01 to 12/31	0.20 CFS	64.8 AF
----------	----------------	----------	---------

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 35, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 04W 35 Lot 2(NWNE)
NESW

SWNE
NWSW

Lot 3(SENW)
SWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 54 homes.

*Please update your files regarding
our mailing address.*

*Thank you,
Joan*

8/5/92 - Database updated to reflect current address. C3

MEMORANDUM

TO: FILE 95-08435

FROM: PAM SKAGGS *PS*

RE: AMENDMENT SIGNATURE *OK*

DATE: 19-JUN-1992

=====

Per telecon with Dee Proser, the watermaster for Kidd Island Bay Water Users Coop Assn, Fred M. Miller is the current chairman of the assn. J.U.B. Engineers have also been hired to assist the assn with their water system.

Amendment is acceptable as submitted and processing should continue.

LICENSE REVIEW CHECKLIST

Date 04-22-92

Permit # 95-08435
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	☐	Disagree with Actual Measurement? _____
	☐	☒	Disagree with Theoretical? <u>.20 cfs (Dom)</u>
	☐	☒	Limited by Capacity? <u>.32 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			Standard Irr. Season <u> </u>
			Season Recommended <u> </u>
	☒	☐	Disagree with Examiner's Calculations? _____
		☒	Limited by Flow? <u>54 x 1.2 = 64.8 AFA (DOM)</u>
			<u>64.8 < .20 x 365 x 1.9835 = 144.8</u>
SOURCE	☐	☒	Changes? Clarification of Originally Intended source _____
	☐	☒	Notice of Intent to Void. _____
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U	☒	☐	Verify with Map
	☐	☒	Amendment Needed? <u>Add NWNE + SWNE</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Changes required to be compatible with Maps, Data Entry Standards, etc? _____
	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irrigation Uses <u>DOM / 54 Homes</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED: <u>Not required to split out / m / < 5 Acres - 54 Homes</u>			
License <u> </u> 10-Day <u> </u> 15-Day ☒ Special Correspondence _____			

WR0749NP
No. L95-08435

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 04/22/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	KIDD ISLAND BAY WATER USERS COOP ASSN C/O MAGNUSON MCHUGH 1121 MULLAN COEUR D ALENE ID 83814	03/07/1984	DOMESTIC	01-01 12-31	0.20 CFS	64.8 AFA
TOTAL DIVERSION:					0.20 CFS	64.8 AFA

Water Source: COEUR D ALENE LAKE

Tributary to: SPOKANE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.32 CFS

Point(s) of Diversion: T50N R04W S35 NE NW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
50N	04W	35	:			02-D		D				03-D		D		D				:

Pou County: KOOTENAI

Other Water Rights Listing Overlapping Place(s) of use:
95-08194 95-08447 95-08625

Conditions of Approval:


004 - The issuance of this right in no way grants any right-of-way or
- easement across the land of another.

Remarks: Domestic use is for 54 homes.

Dates: App. Received: 03/07/1984 Priority Date: 03/07/1984
Proof Due Date: 04/01/1989 Proof Made Date: 03/23/1989
Exam Made Date: 05/25/1990 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 04/22/92 SKAGGS



Count of Surveys	When Surveyed	Mean Declination
Ch ^s Lk ^s		
2 12 57		

The above Map of Township 1.350 North,
Boise Meridian. Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION


Permit No. 8508435 Department of Water Resources
1. Owner: Kidd Island Bay User Coop Assoc. Phone No. 664-2900
Current Address: c/o Magnuson-McHugh 1121 Multan Coeur d'Alene ID 83814
2. Accompanied by: — EXAM. DATE: 5/25/90
Address: — Phone No. —
Relationship to Permit Holder: —
3. Source: Coeur d'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The collection system in the lake ~~was~~ delivered through a 6" PVC pipe to a 30,000 gallon reservoir by a ~~50 hp~~ two 10 hp submersible pumps. The water is then gravity fed to the homes from the reservoir to the homes.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		(2)-10hp pumps		unaccessible	

*Code to correspond with No. on map and aerial photo


5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
-	-	NE	NE	NE	35	50N	4W	Kootenai	Map


6. Place(s) of Use:

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
50N	4W	35		D ²	D					8	0 ³	0	0	0					540 total
											1	1	1	1					4
				5	5					2	1	1	1	1					~5
				.5	.5					1.5	1.5	.5	.5						25



SCALE 1:24 000



CONTOUR INTERVAL 20 FEET
SUPPLEMENTARY CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

Primary high
hard surface
Secondary h
hard surface
Inter

1 MAGNETIC NORTH
CENTER OF SHEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

QUADRANGLE LOCATION

9508435

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$HP = \frac{Q \times H}{(2.31)(E)} \Rightarrow 20 = \frac{(Q)(380)}{(2.31)(E)} \Rightarrow .32 \text{ cfs}$$

2. Alternate Method for Checking Purposes: *System Capacity*

54 homes; Ave Lot size = $\frac{(50 \times 150)}{43560 \text{ ft}^2/\text{acre}} = .17 \text{ acre ave}$

+ 17 acre Ave (54) = 4.64 acres in use

5 AC RES

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (4.64)(3.0) = 14$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (1.16)(245)(1.9835) = 77.8$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 14$$

2. Volume Calculations for Other Uses:

54 homes

H. REMARKS AND OVERLAP REVIEW ANALYSIS

CLAIM 95-04000 OVERLAP. IF CLAIMED WR EXISTS - TDK

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (54)	1-1	12-31	.20	32.4
Irrigation	3-15	11-15	.16	14.0
Totals:			1.70 cfs	56.4 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name Robert Knoblock
Signature Robert Knoblock
Certification Date 4/16/90
Field Report Preparation Date 5/25/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MEMORANDUM

TO: FILE

VIA: Robert Haynes - Manager, Northern Regional office.

FM: Tom King - Sr. Water Resource Agent, Northern Region

Date: 8/22, 1990

SUBJECT: 95-08435

=====

Due to the new definition of domestic use in IC 42-111, the irrigation of lawns and gardens under this permit is listed separately as irrigation. This is not a change in the nature of use, just a change in definitions.

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8435

Date: 4.6.89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:


N Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



RECEIVED
MAR 29 1989

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 150.00
Date 3/23/89
Receipt # 112111
Receipt by RWT
Reviewed by JS
Sent to region JS

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8435

Name(s) of Permit Holder: Kidd Island Bay Water User Coop Assoc. Inc.

Post Office Address: P.O. Box 2265, Coeur d'Alene, Idaho 83814

Telephone No. 664 2900

Source of Water: (Lake Coeur d'Alene) Coeur d'Alene Lake

Extent of Use:

Domestic x 96 (number of households) Stockwater _____ (number and type of stock)
Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 20 cfs 150 acre-feet

Show the date water was first diverted and beneficially used under this permit: (Dec. 1, 1984)

Measuring Device: Required? Yes X No
Installed? X Yes — No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? — Yes — No

Person to contact to accompany the Department representative during the field examination:

Dee Proser
(Name)

664 2900
(Telephone Number)

850 Kidd Is. Rd., Coeur d'Alene Idaho 83814
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

March 23, 1989

Date

Dee Proser

(Water manager) 5 1989

Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: DM APPLICATION NUMBER: 95-8435

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☐ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: 3/8/84

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 4/2/84
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/26/84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 3/7/84 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DM Date: 4/5/84

STATE OFFICE REVIEW:

117 26 04

- ☐ See attached sheet for more information.

By: EW Date: 4/10/84

RECEIVED
APR 10 1984

Department of Water Resources

MICROFILMED

SHARLA:
Send copy of approved
permit to Jim Wrigley
for his info.

95-8435

KIDD ISLAND BAY WATER USERS C. A. INC.

C/O MAGNUSON-MC HUGH, 1121 MULLAN, COEUR D ALENE, ID 83814

Source: COEUR D ALENE LAKE trib. to SPOKANE RIVER

Date Filed: 03/07/1984

Diversion Pt: NENW Sec 35 T 50N R 04W

Use: DOMESTIC (0.20 CFS)

In: SENW NESW NWSW SWSW Sec 35 T 50N R 04W

MICROFILMED