

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08424

Priority: November 22, 1983

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:¹

7.2 AF

This is to certify, that KAUPPI SILFVAST LAKE ACCOUNT
C/O DALE FURNISH, AGENT
S. 2510 WILBUR
SPOKANE, WA 99206

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 22, 1983; and
has submitted Proof of Beneficial Use on December 20, 1988. An examination indicates
that the works have a diversion capacity of .080 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.08 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SWNW), Sec. 4, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

49N 03W 4 LOT 4(SWNW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 6 cabins.


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08424

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of OCTOBER, 1990.

Acting for


R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho
KAUPPI-SILFVAST ET AL LAKE ACCOUNT, Oliver W. Silfvast, Partner & Agent.

Partners: Daniel and Irene Davidoff; Gerald and Svea Furnish; Elmer and

1. Name of applicant Mildred Kauppi; Katheryn Piippo (widow); Phone Kellogg, Idaho (208)
Oliver and Martha Silfvast. Oliver W. Silfvast - 784-6333
Post office address Box 605, Smelterville, Idaho 83868 Daniel Davidoff - 784-6475

2. Source of water supply Coeur d' Alene Lake which is a tributary of Spokane River
Lot 4

3. Location of point of diversion is Gov't 1/4 of 1/4 of Section 4 Township 49N
Sunset Cove

Range 3W B.M. Sub-division Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .12 for domestic purposes from May 15 to October 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1-1/2 H.P. Submersible Pump, 220 Volt
at outer corner of dock, with 2" plastic pipe water line running about 500 feet to
a 2,000 gallon steel tank on the hill above the cabins, and 1/2" galvanized pipe to cabins.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is five (5) years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: Government Lot 4,

(1) Give the place of use of water: SW 1/4 of NE 1/4 of Section 4 Township 49
Per App - 11/22/83-JK

Range 3 B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served REDACTED, or number of families to be
supplied with domestic water none (9) - 8 per App - 11/22/83-JK

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MICROFILMED

Total number of acres to be irrigated _____

→ b. Who owns the land to be irrigated or place of use “ _____ ”

Martha E. Silfvast same

[illegible]

TOWNSHIP 49 N., RANGE 3 W. B.
KOOTENAI COUNTY, IDAHO



Oliver W. Silfvast, Partner and Agent

MICROFILMED

~~PROCESSED~~ 11/22/83

MICROFILMED

Received by JK Date 11/22/83 Time 2:00 PM
Preliminary check by JK Fee \$ 30.00
Receipted by JK Date 11/22/83 (31401)
Publication prepared by JK Date 11/23/83
Published in Coeur d'Alene Press
Publication dates 12/1 - 8/83
Publication approved JK Date 12/12/83
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JK KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8424, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 3rd day of January, 1984.

J. Glen Saxton
Chief, Operations Bureau

Lot 1 Block 1
ON R3W and Sec
T49N R3W

MICROFILMED

SUNSET COVE SUBDIVISION

KOOTENAI COUNTY

LAKE COEUR D'ALENE, IDAHO

LOT 4 (portion)
SEC. 4 T49 NR 3 WBM

SCALE: 1 inch = 60 feet



- o... iron pin cor's set
- ... cor's set by prior surv.

2" DOMESTIC WATER LINE -----
FROM PUMP AT DOCK TO TANK 500' APPROX.



OWNERS OF LOTS 10, 11, 12, and 16:

- Daniel and Irene Davidoff
- Gerald and Svea Furnish
- Katheryn E. Piippo
- Elmer and Mildred Kauppi
- Oliver and Martha Silfvast

Note: Edge of Public Access established 20' from E. of existing Road

COUNTY TREASURER
hereby certify that all taxes which have been

SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 95-08424

A. GENERAL INFORMATION

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ☒ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8) *METHOD*

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS


1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature 

Date 11/8/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

(✓) B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(✓) Field Report (✓) Quad Sheet (✓) Gov. Lot Plat () Rules Check list
() Aerial Photo (✓) Photo PD/PU () Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) PLAT (PART)

Contacts:

Remarks:



Exam Completed By _____

Sr. Agent Review _____

Regional Manager Review PELA

Date _____

Date 6/11/80

PERMIT NUMBER

95-08424

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

P H O T O G R A P H S



Permit # _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

PHOTOGRAPHS



TRIBUTARY: ^SPOKANE RTV

RECEIVED
JUN 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Kampsi-Silvest Et Al Permit No. 95-08424
Current Address: 2510 Wilbur Avenue Tula 99206 Phone No. 784-6333
2. Accompanied by: _____ EXAM. DATE: June 13 1989
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Clear Fork tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

*1 1/2 hp. submersible pump w/ 2" plastic pipe
to a 2,000 gal. tank and 1/2" galvanized
pipe to cabins.*

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>Submersible</i>		<i>1 1/2</i>			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:


Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<i>4</i>		<i>SW</i>	<i>SW</i>	<i>4</i>	<i>49N</i>	<i>3W</i>	<i>Kootenai</i>	<i>Map</i>

6. Place(s) of Use:

Indicate Method of Determination *MHS* *TDK*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>49N</i>	<i>3W</i>								<i>D</i>										

Do not use this space



KAUPPI-SILFVAST
 PD: T49N, R3W, SEC.4,
 PU:
 SOURCE: COEURDALENE LAKE

QUAD: F-55
 SWNW

PERMIT #95-08424
 GL: ^ 4
 ACRES: ^
 TRIBUTARY: ^SPOKANE RIVER

Do not use this space

D. FLOW MEASUREMENTS


NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{8.8 \times 1.5 \times 80\%}{2.3 (20) + 85} = .08 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$1.2 \text{ AF PER HOME} = 7.2 \text{ V}$$

1.2 x 6 = 7.2

[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1-1</i>	<i>12-31</i>	<i>.08</i>	<i>7.2</i>
		Totals:	<i>.08</i>	<i>7.2</i>

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above


☐ Add P.U. as reflected above☐ Other

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SC 8/9/90

LAKE COEUR D'ALENE, IDAHO


LOT 4 (portion)
SEC. 4 T49 NR 3 WBM

SCALE: 1 inch = 60 feet



- ... cov's set by prior surv.

2" DOMESTIC WATER LINE-----
FROM PUMP AT DOCK TO TANK 500' AP



OWNERS OF LOTS 10, 11, 12, and 16:

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 75-8424

Date: 1.11.89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
_____ Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____



No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86




For Office Use Only
Fee Received \$ 50
Receipt # N002189
Received by JK
Reviewed by JK
Sent to Region By JK

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE



The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for Department of Water Resources described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit # 95-08424

Name of Permit Holder: KAUPPI-SILFVAST ET AL LAKE ACCOUNT

Post Office Address: S.2510 WILBUR SPOKANE

SPOKANE WA. 99206 Telephone No: 509-924-9559

Source of water: COEUR D ALENE LAKE

Extent of use:

Domestic (number of homes) 6 Stock (number and type of stock)
Irrigation (number of acres) Other/Remarks

Total Rate and/or volume for which proof is submitted 0.10 cfs/ 7/78 acre-feet
Show the date water was first diverted and beneficially used under this permit:

Measuring Device: Required ? Yes X No Fee Enclosed \$ 50.00
Installed ? Yes X No (See License Examination Fee Sched)
Flow Measurement Port: Required ? Yes X No
Installed ? Yes X No

Person to contact to accompany the Department representative during the field examination:

DALE FURNISH 509-924-9559
(Name) (Telephone Number)

S. 2510 WILBUR SPOKANE, WA. 99206
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12/21/88
Date

Dale Furnish Agent Kauppi-Silfvast et al Lake Account
Signature of permit holder (and title, if appropriate)

MICROFILMED

FEB 10 1989

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: SP

APPLICATION NUMBER: 75-8424

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 12/19/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12/12/83
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 11/22/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: SP Date: 12/21/83

STATE OFFICE REVIEW:

L17 26 04

- ☐ See attached sheet for more information.

By: Kay Date: 12-29-83

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

95-8424

KAUPPI-SILFVAST ET AL LAKE ACCOUNT

C/O OLIVER W. SILFVAST, P.O. BOX 605, SMELTERVILLE, ID 83868

Source: COEUR D ALENE LAKE trib. to SPOKANE RIVER

Date Filed: 11/22/1983

Diversion Pt: LOT 04 Sec 04 T 49N R 03W

Use: DOMESTIC (0.12 CFS)

In: LOT 04 Sec 04 T 49N R 03W

NOTED