

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08422

Priority: August 2, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.09 CFS
1.8 AF

This is to certify, that U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
COEUR D ALENE DISTRICT
1808 N. 3RD ST.

COEUR D ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 2, 1983; and has submitted Proof of Beneficial Use on February 5, 1985. An examination indicates that the works have a diversion capacity of .090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	1.8 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 10(SWSW), Sec. 1, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	1	LOT 10(SWSW)	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

AUG 23 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08422

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 20TH
day of AUGUST, 1991.

Acting for


R. Keith Higginson, Director

AUG 28 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8422 IN THE)
NAME OF BUREAU OF LAND MANAGEMENT) ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before February 1, 1985; and,

WHEREAS, Sec. 42-218a, Idaho Code provides that the Department notify permit holders sixty days prior to the proof due date; and,

WHEREAS, the Department timely sent notice to the permit holder by certified mail that proof was due with instructions as to the steps to be taken to make said proof; and,

WHEREAS, timely receipt of the certified notice by the permit holder was delayed by the postal service; and,

WHEREAS, on February 1, 1985, the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Sec. 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use;

UNRECORDED

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8422 be REINSTATED
with no advance in priority.

Dated this 19th day of February, 1985.

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
990

APPROVED

To appropriate the public waters of the State of Idaho

AUG 2 1983

Department of Water Resources

1. Name of applicant USDI, Bureau of Land Management Phone (208) 765-7356

Post office address Coeur d'Alene District, 1808 N. 3rd St., Coeur d'Alene, ID 83814

2. Source of water supply Groundwater #2 which is a tributary of _____

3. Location of point of diversion is *Government Lot 10
(SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 49N.

Range 3W. B.M. Kootenai County, additional points of diversion if any: _____

*kw 1/6/1984

4. Water will be used for the following purposes:

Amount 0.09 for irrigation purposes from 5/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.5 for irrigation purposes from 5/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: Acre ft limit to be determined at time of License Exam
JK-10/28/83

a. 0.09 cubic feet per second and/or b. 1.5 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. This dug well is a slotted 5 inch pipe in a gravel pack. The pump discharges through a 2 1/4 inch o.d. line that supplies the solid set lawn sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. ~~Proposed~~ well diameter is 5 inches; ~~proposed~~ depth of well is 10 to 20 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is (Completed) 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
49N	3W	1											*GL 10 1/2						1/2
MICROTILED																			

Total number of acres to be irrigated 1/2

c. Describe any other water rights used for the same purposes as described above. Another nearby deepwell provides drinking water for the picnic area.

9. a. Who owns the property at the point of diversion U.S.

b. Who owns the land to be irrigated or place of use U.S.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks This system waters the lawn area (over 20,000 ft.²) in the Mineral Ridge picnic area.

The system use level of 0.09 cfs is based on number of sprinklers ran by the system and it appears to need 35-40 gpm to run properly.

The system was probably installed the summer of 1977.

42°30'

23

2679 II NW
(FERNAN LAKE)

SPOKANE, WASH. 40 MI
COEUR D'ALENE (U.S. 95) 8 MI

40'

R 3 W R 2 W

24

COEUR D'ALENE

ELEVATION 2125

LAKE

WOLF

LODGE

BAY + Mile 6

Boat Ramp

Mine

Picnic Area

Rosea irrigator

NATIONAL FOREST

Minera

Beauty Bay Picnic Area

Beauty Creek Campground

Caribou Mine

Gray Wolf Mine

Mount Coeur d'Alene
Lookout Tower


COEUR

D'ALENE

3575



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne Jones
 Dist. Manager (Applicant)

Proposed Priority 8/2/83

Received by SRC Date 8/2/83 Time 10:35
Preliminary check by JK Fee \$ 30.00 ID-910-BP3-0003
Receipted by JK Date 12-27-83 # 33664
Publication prepared by mm Date 11/3/83
Published in Coeur d'Alene Press
Publication dates 11/10-17/83
Publication approved mm Date 11/21/83
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JS kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8422, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 12th day of January, 1984.

L. Glen Saxton
Chief, Operations Bureau

of The Boise Meridian

Seq. 33

Sec 34

Sec 35

Well-
(Not embraced in this Contract)



WOLF

LODGE

BAY

Sec. 10.

Sec. 12.

Sec. 15.

Sec. 14.

Sec. 13.

Sec. 14.

$T = 50\text{ N}$
is the

Meander

Postcard

6

LICENSE REVIEW CHECKLIST

Permit No. 95-8422

Name/Address change? ☒ ok ☐

Priority date Advance? yes ☐ no ☒

Memo to advance
Order to reinstate needed? yes ☐ no ☒

Total cfs Limited by fee OK

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac 3.5

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes ☐ no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart 3/15 - 11/15

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed

Not needed

Comments/Changes to Examiner's Recommendations:

License 10-day 30-day

Back of field report signed?

Reviewer Q. Curtis Date 8/12/91 Review time 6 min.

AUG 23 1991

Range No 3 West of The Boise Meridian


Sec 35

Sec 34

Sec 33

Sec 32

Not embraced in this Contract



Sec. 12.

Sec. 10.

Sec. 9.

Sec. 13.

Sec. 14.

Sec. 15.

Sec. 16.

AUG 23 1991

RED

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

RECEIVED
JUN 28 1991

Department of Water Resources
Permit 75-08422

✓ **A. GENERAL INFORMATION**

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ **B. OVERLAP REVIEW**

- ✓ 1. & 2. (Rule 5,1,4)

✓ **C. SYSTEM DESCRIPTION**

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
✓ Method of determination
✓ 6. Irrigation (Rule 5,1,8), Method of determination,
✓ Compare USGS/Land Survey? Aerial Photos/Permit.

✓ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

✓ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

✓ **F. OPTIONAL**

✓ **G. VOLUME CALCULATIONS**

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ **H. REMARKS AND OVERLAP ANALYSES**

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ **I. RECOMMENDATIONS**

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ **J. AUTHENTICATION**

✓ Name, Signature, Certification Date, Exam Date.

✓ **WELL INSPECTION REPORT**


✓ Check with permit and well log for discrepancies

Signature

John K. Long

Date

11/12/90



MICROFILMED

AUG 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: U.S.D., Bureau of Land Management Permit No. 95-08422
Current Address: Coeur d'Alene District, 1808 N. 3rd St., Coeur d'Alene ID 83814 Phone No. 765-1514
2. Accompanied by: David Fortier EXAM. DATE: 8/31/90
Address: 1808 No. 3rd, CdA 83814 Phone No. 765-1511
Relationship to Permit Holder: Hydrologist for BLM
3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 95-8423 for domestic
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached- NA
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with barried line to well house. ~~at~~ From well house there are four sprinkler lines. Each line has 4 pop up lawn sprinklers (only one line has only 3 sprinklers) at 45 psi. 1/2 acre at picnic area is irrigated.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		2HP		Sta Rite	CP 4602-B

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	10		SW	SW	1	49N	3W	Kootenai	Map

6. **Place(s) of Use:**

Indicate Method of Determination *Map*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
49N	3W	1											1/2						1/2

AUG 23 1991

Do not use this space

D'ALENE
ELEVATION 2125

2679 ft NW
(FERVAN LAKE)

SPOKANE, WASH. 40 MI
COEUR D'ALENE (U.S. 95) 8 MI

LAKE WOLF

LODGE


R3W R2W

MT. COEUR D'ALENE
IDAHO-K
7.5 MINUTE SER

SW 4 LANE

280 000 FEET

WOLF



Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{(24p)(8.8)(60\%)}{(231)(45)+20} = \frac{10.56}{123.95} = 0.09 \text{ cfs}$ system capacity
2. Alternate Method for Checking Purposes: Max of $0.03/\text{ac} (LSac) = 0.03$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .5 \times 3.5 = 17.5 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.09 \text{ cfs})(153)(1.9835) = 27.3 \text{ AF}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 17.5 \text{ AFA}$

2. Volume Calculations for Other Uses:

AUG 23 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	5-1	10-31	~~0.03~~ cfs 0.09	~~17.5 AFA~~ 9.1 AFA
			0.09	
			~~0.03~~ cfs	~~17.5 AFA~~
Totals:			0.09	9.1 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature


Theresa J. Bright

Certification Date

4/16/90

Field Report Preparation Date

8/31/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

AUG 23 1991

4/86

RECEIVED

ID-910-BP8-0010

RECEIVED

JUL 06 1987

1987 JUN 15 AM 7:45 DEPT OF WATER RESOURCES

BLM-1800 DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received \$50.

Date 8-30-88

Receipt # C002389

Receipt by hg

Sent to S.O.

EXAMINATION FEE INFORMATION

1. Permit No. 95-8422

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: USDI, Bureau of Land Management

3. Post Office Address: 1808 N. Third Street, Coeur d'Alene, Idaho 83814

Telephone No. (208) 765-7356

4. Source of Water: Groundwater #2

5. Extent of Use:

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation 1/2 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 0.09 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

summer 1977 (permit application 1983)

8. Person to contact to accompany the department representative during the field examination:

David Fortier, Hydrologist

AUG 23 1991

(Name)

USDI, BLM 1808 N. Third Street, Coeur d'Alene, Idaho 83814

(208) 765-7356

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

June 12, 1987

Date

Trif H. Rennebaum

District Manager

Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: *JS*

APPLICATION NUMBER: 95-8422

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: 11/28/83

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 11/18/83

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

☒ 8/2/83 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: *JS*

Date: 11/30/83

STATE OFFICE REVIEW:

 2/6

☐ See attached sheet for more information.

By: *EW*

Date: 1/6/84



United States Department of the Interior

IN REPLY REFER TO
7250 (931)

BUREAU OF LAND MANAGEMENT

Idaho State Office
3380 Americana Terrace
Boise, Idaho 83706

August 1, 1983

CERTIFIED--RETURN RECEIPT REQUESTED

Water Allocation Division
Department of Water Resources
Statehouse
Boise, ID 83720

Gentlemen:

Enclosed are 21 applications for processing. Billing is to be made through order number ID-910-PH3-0003.

Please return approved applicaitons to the following address:

State Hydrologist
Bureau of Land Management
3380 Americana Terrace
Boise, ID 83706

Thank you for your cooperation.

Sincerely yours,

Karl Gebhardt
Hydrologist

Enclosures as stated.

MICROFILMED

11 apps to Northern
10 apps to Western

RECEIVED

OCT 28 1983

Department of Water Resources
Northern District Office