

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08333

Priority: June 21, 1983

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that SIDNEY RAY SWEHOSKY

W 1400 TWIN LAKES RD

RATHDRUM ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 26, 1983; and has submitted Proof of Beneficial Use on November 27, 1989. An examination indicates that the works have a diversion capacity of .060 cfs of water from:

TWIN LAKES

tributary to RATHDRUM CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 36, Township 53N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

53N 05W 36 Lot 4(NWSW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95C.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.
7. Domestic use is for watering of lawn and garden.

JUN 29 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08333

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of JUNE, 1992.

Acting for *R. Keith Higginson*, Director

JUN 29 1992

State of Idaho
Department of Water Resources

RECEIVED
MAR 18 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08333

Department of Water Resources
APPROVED
0.02 CFS
0.6 AF

Date of Priority: June 21, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:

Comes now
W 1400 TWIN LAKES RD
RATHDRUM ID 83858

SIDNEY RAY SWEHOSKY

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-08333, and requests that the permit be changed as follows:

Source: TWIN LAKES

tributary to RATHDRUM CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 36, Township 53N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

53N 05W 36

NWSW

RECEIVED

JUN 29 1992

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Idaho, this 15 day of March, 19 92

Sidney R. Swehosky
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08333

FOR DEPARTMENT USE ONLY

#C023436

Preliminary check by SC Fee = \$20.00 Received by dbilbao Date 3/5/92


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 95-08333 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95C.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for watering of lawn and garden.

Witness my hand this 22nd day of JUNE, 1992.


Acting for R. Keith Higginson, Director

JUN 29 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8333 IN THE

NAME OF SIDNEY RAY SWEHOSKY

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before November 1, 1989; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on November 27, 1989;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8333 be REINSTATED and the priority advanced to June 21, 1983.

Dated this 15th day of February, 1990.

MICROFILMED

MAR 23 1990


L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Sidney Ray Soehosky Phone 687-0027
Post office address W1400 Twin Lakes Rd Rathdrum Idaho 83858
2. Source of water supply Fish Creek which is a tributary of Legal Description
GL4 36 From Twin Lakes adj. Maps
3. Location of point of diversion is Lot 1 1/2 of Block B 1/2 of Section 53N Township 53N Range 5W B.M. 100 Tena County, additional points of diversion if any: First Addition to Lake Park
Book C of Plats, page 103 GL4-36-53-5W

4. Water will be used for the following purposes:

Amount 00.9 for irrigation purposes from April 1 to November 1 (both dates inclusive)
(cfs or acre-feet per annum) good watering domestic October 15
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. 300 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. none pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:
(1) Give the place of use of water: _____ 1/4 of GL4 1/4 of Section 36 Township 53N

Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered leave the right to have
livestock to be watered - none at this time -

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

WILSON, JAMES

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion *State & Idaho*


b. Who owns the land to be irrigated or place of use Good

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Mrs. Sidney R. Suehsch
(Applicant)

RECORDED

Proposed Priority 5/26/83

Received by RSA Date 5/26/83 Time NOON

Preliminary check by RSA Fee \$ 30.00

Receipted by RSA Date 6/8/83 (27/52)

Publication prepared by pm Date 6/9/83

Published in Cocum di Alar

Publication dates 6/16 & 23/83

Publication approved pm Date 7/12/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RSA kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8333, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

The maximum rate of diversion for domestic purposes under this permit shall not exceed 0.02 cfs.

Use of water under this permit is subject to control by the watermaster of Twin Lakes.

Witness my hand this 19th day of November, 1984.

J. Glen Saxton
Chief, Operations Bureau

**NOTICE OF PROPOSED
AMENDMENT OF WATER PERMIT**

NOTICE is hereby given that Application for Permit No. 95-8333 in the name of Sidney Ray Swehosky was filed for the diversion of 0.02 cfs of water from Fish Creek tributary to Twin Lakes with the point of diversion within Government Lot 4, Sec. 36, T. 53N, R. 5W, B.M., Kootenai County; to be used from April 1 to October 15 for lawn irrigation within Government Lot 4, Sec. 36, T. 53N, R. 5W.

The permit holder now proposes to amend Permit No. 95-8333, changing the source of water to Twin Lakes to be diverted within the same legal description listed above for the same use as listed above.

Any protest to the proposed amendment of the permit must be filed with the Idaho Department of Water Resources, 1301 N. Orchard, Boise, Idaho, 83706, on or before May 22, 1992.

R. KEITH HIGGINSON
Director

RECEIVED
JUN 23 1992

Vol
Sec. 27.


Sec. 26.

Sec. 25.

Sec. 34.

Sec. 33.

Sec. 36.



45
D. Location
56 PL.

The above Map, of Township N. 25.5 North of Range N. 2.5 West of the Boise Meridian, Idaho, is strictly conformable to the field notes of the survey thereof on file in this Office, which have been examined and approved

Surveyor General's Office.
Boise City, Idaho

Joseph C. Stranghan
Sur. Gen. Idaho

May 11th 1891

RECORDED

JUN 29 1892

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Sidney Ray Swehosky Permit No. 95-08333
Current Address: W. 1400 Twin Lakes Rd Rathdrum ID 83858 Phone No. 687-0027
2. Accompanied by: Mrs. Swehosky EXAM. DATE: 10/4/90
Address: Same Phone No. _____
Relationship to Permit Holder: Wife
3. Source: Fish Creek/Twin Lakes tributary to Sinks RATHDRUM CR. IDK

B. OVERLAP REVIEW

1. Other water rights with same place of use: Public water system for Domestic Use inside ☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED


Scale: 1" = NTS

JUN 29 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).



SCALE 1:24 000



CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

ROAD CLASSIFICATION
Heavy-duty ———— Light-duty ————
Unimproved dirt - - - - -
State Route ○



QUADRANGLE LOCATION

SPIRIT LAKE W
NW 1/4 SPIRIT LAKE 15
N4752.5—W111

1961

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
U.S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.
DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1 1/2" pvc intake in lake to pump under deck
with barried line to 2 hose bibs. Yard is watered
with 1/2" vinyl hose & lawn sprinklers. Pressure
Gage at pump is at 40 psi.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<u>Berkley</u>	<u>1</u>	<u>7089</u>		

*Code to correspond with No. on map and aerial photo


5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>4</u>		<u>SW</u>	<u>SW</u>	<u>36</u>	<u>53N</u>	<u>5W</u>	<u>Kootenai</u>	<u>Map</u>


6. **Place(s) of Use:**

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>53N</u>	<u>5W</u>	<u>36</u>										<u>1/2</u>	<u>1/2</u>						<u>1/2</u>
													<u>TDK</u>						



SCALE 1:24 000




CONTOUR INTERVAL 40 FEET
 DOTTED LINES REPRESENT 20-FOOT CONTOURS
 DATUM IS MEAN SEA LEVEL

ROAD CLASSIFICATION

Heavy-duty ——— Light-duty ———

Unimproved dirt =====

○ State Route



QUADRANGLE LOCATION

SPIRIT LAKE W

NW 1/4 SPIRIT LAKE 15

N4752.5—W110

1961

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 U.S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.
 DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{(8.8)(1)(70\%)}{(2.31)(40)+10} = \frac{6.16}{102.4} = 0.06 \text{ system capacity}$$

2. Alternate Method for Checking Purposes:

0.02 cfs from permit

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{1}{2} \times 3.5 = 1.8 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.02 \text{ cfs} \times 183 \times 1.9835 = 7.3 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.8 \text{ afa}$$

2. Volume Calculations for Other Uses:

JUN 20 1992

[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>4-1</u>	<u>10-15</u>	<u>0.02 cfs</u>	<u>1.8 afa</u>
		Totals:	<u>0.02 cfs</u>	<u>1.8 afa</u>

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


J. AUTHENTICATION

Field Examiner's Name Theresa J. Bright

Signature Meresa J. Bright

Certification Date 4/16/90

Field Report Preparation Date 10/4/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Microfilm

JUN 29 1992

1/00

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8333

Date: 2-12-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device: Lockport

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

Priority Calculation:

Date proof received	<u>Nov 27, 1989</u>	<u>331</u>
Date proof due	<u>Nov 1, 1989</u>	<u>- 305</u>
No. of days late		<u>= 26</u>
Priority date	<u>May 24, 1983</u>	<u>+ 146</u>
NEW PRIORITY DATE	<u>June 21, 1983</u>	<u>= 172</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

NOV 27 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

no fee encl.
Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by *DS-212-90*

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8333 Telephone No. 208-687-0027

Name(s) of Permit Holder(s): Sidney Ray Suehosky

Post Office Address: W. 1400 Twin Lakes Rd. Potholes Idaho 83858

Source of Water: Fish Creek ← Twin Lakes are one in the
same

If ground water, well driller's name: NO Date drilled: _____

Extent of Use:
Domestic One (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .02 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 6/83

One of the following may be a condition of approval of your permit:

Lockable
Measuring device: Required? ☒ Yes ☒ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Fee Enclosed: \$ none (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Sidney R. Suehosky 208-687-0027
Name Telephone No.
W. 1400 Twin Lakes Rd. Potholes Idaho 83858
Address

RECORDED & INDEXED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 23 1990

11/20/89 Sidney R. Suehosky
Date Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RJA

APPLICATION NUMBER: 95-8333

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

RJA

6/14/83

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 7/5/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/24/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 5/26/84 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

use cover letter condition L04

MICROFILMED

By: RJA

Date: 10/25/84

STATE OFFICE REVIEW:

L04, L01, L17

010 05 (no number - Twin Lakes)
26 04 28 (domestic, 0080/4)

Twin Lakes area ☐ See attached sheet for more information.
By: KW

Date: 11-7-84

OCT 30 1984

Department of Water Resources

95-8333_

SWEHOSKY, SIDNEY RAY

W. 1400 TWIN LAKES RD., RATHDRUM, ID 83838

Source: FISH CREEK trib. to TWIN LAKES

Date Filed: 05/26/1983

Diversion Pt: LOT 04 Sec 36 T 53N R 05W

Use: DOMESTIC (0.02 CFS)

In: LOT 04 Sec 36 T 53N R 05W

RECEIVED
MAY 27 1983