

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08246

Priority: December 16, 1982

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume:¹ 13.2 AF

This is to certify, that IDAHO ASPHALT SUPPLY INC.

W. 4325 PRAIRIE AVE.

POST FALLS, ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 16, 1982; and has submitted Proof of Beneficial Use on December 10, 1987. An examination indicates that the works have a diversion capacity of .200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	04/01 to 11/01	0.20 CFS	12.6 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.20 CFS	13.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 19, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: INDUSTRIAL
TWN RGE SEC

51N 05W 19 SWSE SESE

PLACE OF USE: DOMESTIC
TWN RGE SEC

51N 05W 19 SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

OCT 07 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 95-08246

CONDITIONS/REMARKS:

5. Domestic use is for an office.
6. Industrial use is for the production of asphalt emulsion and cleaning of equipment.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 1st
day of OCTOBER, 1991.

Acting for


R. Keith Higginson, Director

OCT 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant IDAHO ASPHALT SUPPLY, INC. Phone 773-0563
Post office address W. 4325 PRAIRE AVE. POST FALLS, ID 83854
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 19 Township 51N
Range 5W B.M. KOOTENAI County, additional points of diversion if any: _____
SW SE SEC 19 T51N R5W

4. Water will be used for the following purposes:

Amount 0.20 for INDUSTRIAL purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 250 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: SE SE
(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 19 Township 51N
Range 5W B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: USE WILL BE IN THE ~~FIELD~~
PRODUCTION OF ASPHALT EMULSION AND CLEANING
EQUIPMENT, ALSO REST ROOM FACILITIES.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. WATER IS

BEING TAKEN FROM A WELL OWNED BY HAUSER
LUMBER PLANT

9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED


(Applicant)
President

Proposed priority 12/16/1982

Received by LB Date 12/6/82 Time 3:50 PM
Preliminary check by JK Fee \$ 30.00
Receipted by pm Date 12/16/82 (25766)
Publication prepared by pm Date 12/23/82
Published in Coeur d'Alene Press
Publication dates 12/30/82 & 1/6/83
Publication approved pm Date 1/10/83
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8246, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 16th day of February, 1983.

A. Glen Sayton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

POWER OF ATTORNEY

The undersigned holder(s) of Permit/Application No. 95-8246 of the
Department of Water Resources of the State of Idaho hereby nominates _____
Dan Murphy, whose address is W.4325 Prairie Ave., Post Falls, Id.
as attorney-in-fact, with full authority to act for and on behalf of the undersigned in all
matters pertaining to the above numbered permit or application. Such acts shall include,
but not be limited to, the filing of application, receiving of all notices, the signing and
filing of applications for extension of time and for amendments of said permits, and the
submission of proofs of completion of works and beneficial use of water.

Dated this 13 day of December, 19 82.

Idaho Asphalt Supply, Inc.

by: John B. Stone

John B. Stone, President

STATE OF IDAHO)
) ss.
County of Bonneville)

On this 13th day of December, 19 82, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Roxane Stone
Notary Public

Residing at Idaho Falls, Idaho

My Commission expires:
4-83

Tax #11,592 Kelly Realty Letter Order #76956 4-4-79

That portion of the Southeast quarter of Section 19, Township 51 North, Range 5 W.B.M., Kootenai County, State of Idaho, more particularly described as follows:

Commencing at the Southwest corner of said Southeast quarter; thence South $88^{\circ}28'27''$ East along the South line of the Southeast quarter, 1240.38 feet to the point of beginning; thence North $1^{\circ}31'33''$ East, 538.60 feet to a point on the B.N.R.R. Company, right of way; thence South $54^{\circ}48'48''$ East along the B.N.R.R. Company right of way line, 971.71 feet to a point on the South line of the Southeast quarter; thence North $88^{\circ}28'27''$ West along the South line of the Southeast quarter 808.79 feet to the point of beginning.

Tax Code No. (60-5)

and
(Operator) LELV
(If different than the Drilling Supervisor)

LICENSE REVIEW CHECKLIST

Permit No. 95-8246

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance n/a
Order to reinstate needed? yes no ✓

Total cfs Limited by fee
Limited by capacity

Total volume Limited by flow

Capacity Chart checked for AF rate/ac n/a
Actual measurement checked n/a
Theoretical checked ✓
If greater than permit, check for other rts n/a

Source Changed? yes no ✓
If so, is memo needed to clarify? n/a

P/D Verify with map ✓ permit ✓
More than one per 1/4? Remember remark n/a
Check p/d overlap

Uses Check irrigation period of use w/ chart ✓

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap n/a

Remarks More than one p/d in 1/4 n/a
Description of non-irrig uses
Special overlap condition

Conditions -
Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -
Water Dist n/a
App Rec'd ✓
Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

Comments/Changes to Examiner's Recommendations:

RECEIVED

OCT 07 1991

License ✓ 10-day 30-day

Back of field report signed?
Reviewer Date 6/5/91 Review time min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

Department of Water Resources

Yes No

- (☒) () B/U Acknowledgement Letter Sent pm 2/3/88 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() (☒) Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

PERMIT 95-8246

EXAM COMPLETED BY Louis Dubovatz

DATE 2/13/88

SR AGENT REVIEW

DATE 8/8/88

REGIONAL MANAGER REVIEW

DATE 6/89

ENTERED ON COMPUTER BY


DATE 6/13/89

PRELIMINARY OVERLAP REVIEW BY J King

DATE 2-88

(☒) NO OVERLAP FOUND

Point
of
Diversion



NOT FILMED

OT 07 1991

95-8246

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 95-8246
1. Owner: Idaho Asphalt Supply, Inc. Phone No. 773-0563
Current Address: W. 4325 Prairie Ave. Post Falls, Id 83854
2. Accompanied by: Dan Murphy EXAM. DATE: 7/13/88
Address: SAME Phone No. 773-0563
Relationship to Permit Holder: Plant Manager
3. Source: ground water tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: none IK ☐ Copies Attached
2. Other water rights with same point of diversion: none IK ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" =

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with 7.5 Hp pump supplies office and boiler and emulsion tanks. Office is supplied by a 1" buried line. Boiler and emulsion are supplied by 4" buried line.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		7.5			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	19	51N	5W	Kootenai	MAP


6. **Place(s) of Use:**

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
51N	5W	19																	D
51N	5W	19																	I
																	I		

Do not use this space

OCT 07 1991



LEGEND

*** Fence



Above ground storage tank

MICROFILMED

OCT 07 1991

ecology & environment, Inc.


Job: T10-8707-008

Waste Site: ID0117

Drawn by: D. P.

Date: Oct. 12, 1987

FIGURE 1
SITE MAP
IDAHO ASPHALT SUPPLY, INC.
Hauser, ID



PERMIT HOLDER IDaho ASPHALT SUPPLY INC PERMIT # 96-8246

P D TWP S19RGE SW SEC 19 SESE, SWSE

P/U TWP RGE SEC SESE

SOURCE GROUNDWATER

TRIBUTARY TO

MAP PLOT 27 IRR. ACRES

USGS QUAD 6-52

SCALE 7 1/2

F-2

RECEIVED
OCT 07 1991

Volume calculations

Volume (boilers)
consumption

Boiler season
April 2 to October 30
= 213 days

$$10,000 \text{ gal/day} = 1337 \text{ ct/day}$$

$$\frac{213 \text{ days}}{\text{yr}} \times \frac{1337 \text{ ct}}{\text{day}} = 284,781 \text{ ct/yr}$$
$$= 6.54 \text{ ata}$$

Volume Emulsion Process

Emulsion Season

* Emulsion only on working
days.

June 1 to August 31
= 92 days

$$* 92 \text{ days} \times \frac{\text{wk}}{7 \text{ days}}$$
$$= 13.14 \text{ wk}$$

Consumption

30,000 gal/day

$$5 (13.14 \text{ wk}) = 66 \text{ days}$$

or 4011 ct/day

$$\frac{4011 \text{ ct}}{\text{day}} \times \frac{66 \text{ day}}{\text{yr}} = 264,726 \text{ ct/yr}$$
$$= 6.08 \text{ ata}$$

Total volume used for industrial purposes

$$\begin{array}{r} 6.54 \text{ ata} \\ 6.08 \text{ ata} \\ \hline 12.62 \text{ ata} \end{array}$$

MICROFILMED

OCT 07 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements:

$$P = 40 \text{ psi}$$

$$H = 140 \text{ ft}$$

$$H_p = 7.5$$

$$\epsilon = \pm 7\%$$



E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$Q = \frac{8.8(H_p)\epsilon}{2.31(P) + H} = .198 \text{ cfs or } .2 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ SEE ATTACHED SHEET

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

1 Domestic = .02 cfs or .6 a ft

OCT 07 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Industrial	4/1	11/1	.2 cfs	12.6 afa
Domestic	4/1	12/31	.02 cfs	.6 afa
Totals:			.20 cfs	13.2 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name LOUIS SUKOVATY

Signature [Signature]

Certification Date _____

Field Report Preparation Date 7/12/88




CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

OCT 07 1991

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Teri's Subroad

Date 7/13/88

MICROFILMED
OCT 07 1991

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 51N, Rge. 5W,
Sec. 19, Qtr./Qtr. SESE or Lot _____
2. Owner Idaho Asphalt Supply Inc.
Address W. 4325 Prairie Ave., City Post Falls, State Id
3. Approx. date of well construction 1983
Well Driller Panderosal drilling
4. Casing: Diameter 8" on surface Condition good
6" at 834'
5. Casing length above land surface 2'
6. Well depth (ft) 192 Flowing _____ Temp. _____
Access port _____
7. Condition of piping and valving good
8. Evidence of well seal no
9. Shut in pressure or static water level 140
10. Evidence of leakage around the casing no
11. Does well need repair no
12. Comments NONE

RECEIVED
OCT 07 1991

(OVER)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Idaho Asphalt Supply, Inc.
Address W. 4325 Prairie Ave., Post Falls ID 83854
Owner's Permit No. 95-8246

7. WATER LEVEL

Static water level 140 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality good

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
80+ ESTIMATED AIRLIFT		

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☒ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0	83	Boulders, cobble, gravel		XX
6"	83	160	Cobble, gravel, coarse		XX
6"	160	182	Gravel, coarse, some fine silt		X
6"	182	192	Gravel, coarse		X

4. METHOD DRILLED

☐ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	8 inches	+ 1 feet	59 feet
.250 inches	6 inches	1 1/2 feet	192 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 59 Material used in seal: ☐ Cement grout☒ Puddling claySealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

NO PVC Liner Installed

1 ea. 8" Drive shoe installed

1 ea. 6" Drive shoe installed

RECEIVED


MAR 30 1983

Department of Water Resources
Northern District Office

MICROFILMED

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Kootenai

1/4 SE 1/4 Sec. 19, T. 51N N/S. R. 5W E/W.

10.

Work started 3/18/83 finished 3/22/83

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name PONDEROSA DRILLING Firm No. 228E. 6010 Broadway
Address Spokane, WA 99206 Date 3/22/83Signed by (Firm Official) W. Scott Barratt

and

(Operator) Keith Vermillion

Keith Vermillion

RECEIVED
DEC 17 1987

For Office Use Only
Fee Received 50.00
Date 12/20/87
Receipt # 41863
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 14-88

RECEIVED
DEC 10 1987
Department of Water Resources
Northern District Office
Department of Water Resources
Northern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8246

Name(s) of Permit Holder: IDAHO ASPHALT SUPPLY, INC. ✓

Post Office Address: W.4325 Prairie Ave., Post Falls, ID 83854 ✓

Telephone No. (208) 773-0563/0564 ✓

Source of Water: Ground water ✓

Extent of Use:

Domestic one office ✓ (number of households) Stockwater N/A (number and type of stock)

Irrigation N/A (acres) Other/Remark Industrial ✓

Total rate and/or volume for which proof is submitted 0.20 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 28 March 1983

Measuring Device: Required? Yes ✓ No
Installed? Yes ✓ No
Fee enclosed \$50.00 ✓
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ✓ No
Installed? Yes ✓ No

Person to contact to accompany the Department representative during the field examination:

Daniel P. Murphy, Jr., Plant Manager, Idaho Asphalt Supply, Inc. (208) 773-0563/0564
(Name) (Telephone Number)

W.4325 Prairie Ave., Post Falls, ID 83854
(Address)

RECEIVED
MAR 04 1988

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12-2-87 Rafine Stone President, Idaho Asphalt Supply, Inc.
Date Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8246

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☒ Fee.

☒ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

☐ Yes ☒ No Final date for protests: 1/17/83 ✓

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 1/83 ✓

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

✓ 12-16-82 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: _____ Date: _____

STATE OFFICE REVIEW:

SW/L17 26

☒ See attached sheet for more information.

By: [Signature] Date: 2/15/83

RECEIVED
FEB 11 1983

Department of Water Resources

95-8246-

IDAHO ASPHALT SUPPLY INC.

W. 4325 PRAIRIE AVE., POST FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 12/16/1982

Amount: 0.20 CFS

Diversion Point: SESE SWSE Sec 19 T 51N R 05W. KOOTENAI Co.

Use: INDUSTRIAL	(0.20 CFS)	from 01/01 to 12/31
DOMESTIC	(0.02 CFS)	from 01/01 to 12/31

Place of Use: SESE SWSE Sec 19 T 51N R 05W

Diversion Means: WELL AND PUMP.