

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08173

Priority: April 19, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
4.8 AF

This is to certify, that PINEVIEW WATER ASSN.

751 W. HAYDEN AVE.

HAYDEN LAKE, ID 83835

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 19, 1982; and has submitted Proof of Beneficial Use on April 9, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 34, Township 52N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 05W 34


NESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20th day of AUGUST, 1991.

Acting for


R. Keith Higginson, Director

AUG 22 1991

\$15 FEE Received by
Date 6-2-87
Receipt # 42515

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

JUN 01 1987

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

RECEIVED
MAY 26 1987

The Idaho Department of Water Resources will consider this form as a request that the Department of Water Resources be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 95-8173

Name(s) of Permit Holder: PINEVIEW WATER ASSN

Post Office Address: 751 HAYDEN AVE. HAYDEN LAKE, ID 83835

BRIAN BAUM PRES.

Telephone No. 712-9768

Date Proof Is Due: 6-1-87

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

WELL DRILLED & HOSES BUILT ONE STUBBED ~ SYSTEM
COMPLETE

Costing \$ 14000.00 ±

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

MUST SELL LOT BEFORE BUILDING FINAL HOME.

Permit holder(s) request an extension to 6-1, 1992.
(1 yr. minimum)

Brian Baum
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use be extended to June 1, 1990.

MICROFILMED

JUL 10 1987

Signed this 18 day of June, 1987.

J. New Sayton
Chief, Operations Bureau

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT C.F.S.
Orginial Permit	95-8173	Brian Baum	.10 cfs
Full Assignment	95-8173	Pineview Water Assn.	.10 cfs

MICROFILMED

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED

JUN 23 1982

Department of Water Resources

I, Brian Baum, hereby assign to Pineview Water Assn.

of 751 W. Hayden Ave. Hayden Lake, Id. 83835
Address

ok to process
RC 7/16/82

CHECK ONE



All my right, title, and interest in and to Permit No. 95-8173
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 21 st day of June, 1982.

RECEIVED

JUN 21 1982

Brian S Baum
Permit Holder

Department of Water Resources
Northern District Office

Spouse of Permit Holder

State of Idaho)
County of Kootenai) ss.

On this 21st day of June, 1982, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

[Signature]
Notary Public residing at
Rathdrum

My commission expires:

Life

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Brian Baum Phone 772-9768
Post office address 751 W. Hayden Ave. Hayden Lake, Id. 83835
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 52N
Range 5W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 52N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 4.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. 95-4339

For a spring no longer in use

9. a. Who owns the property at the point of diversion Pineriver Water Assoc


b. Who owns the land to be irrigated or place of use Individuals in the association

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Brian Baum
(Applicant)
Organizer + part owner

Received by LO Date 4/19/82 Time 10:00 AM
Preliminary check by JK Fee \$ 30.00
Receipted by pm Date 4/19/82 (21204)
Publication prepared by pm Date 4/22/82
Published in Crowd's Allen Press
Publication dates 4/29 5/6/82
Publication approved pm Date 5/10/82
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by pm

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8173, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 22nd day of June, 1982.

J. Glen Sayton
Chief, Operations Bureau

MICROFILMED

LICENSE REVIEW CHECKLIST

Permit No. 95-8173

Name/Address change? ok ☒ no ☐
 Priority date Advance? yes ☐ no ☒
 Memo to advance no ☒
 Order to reinstate needed? yes ☐ no ☒
 Total cfs Limited by fee 04
 Limited by capacity no
 Total volume Limited by flow no
 Chart checked for AF rate/ac N/A
 Capacity Actual measurement checked no
 Theoretical checked no
 If greater than permit, check for other rts no

Source Changed? yes ☐ no ☒
 If so, is memo needed to clarify? no ☒

P/D Verify with map no ☒ permit no ☒
 More than one per 1/4? Remember remark no ☒
 Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map no ☒ permit no ☒
 > 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4 no ☒
 Description of non-irrig uses no ☒
 Special overlap condition no ☒

Conditions -
 Measuring device no ☒
 W.Master control no ☒
 Overlap no ☒
 Water quality no ☒
 Other no ☒

Dates/Misc. -
 Water Dist no ☒
 App Rec'd no ☒
 Proof Rec'd no ☒

CHECK FOR ADJ. CLAIM Needed according to proof filed no ☒
 Filed - needs amended no ☒
 Add'l fee required no ☒
 Not filed - no ☒
 Not needed no ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day ☐

Back of field report signed? yes ☒
 Reviewer [Signature] Date 8/22/91 Review time 6 min.

AUG 22 1991

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 95-08173

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey? Aerial Photos/Permit.

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature J. K. Key Date 12/26/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Pineview Water Assn. Permit No. 95-08173
Current Address: 751 West Hayden Ave., Hayden, ID 83835 Phone No. 772-9768
2. Accompanied by: Brian Baem EXAM. DATE: 9/22/90
Address: Same Phone No. Same
Relationship to Permit Holder: Organizer, part owner
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
None ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N/S

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

AUG 22 1991
N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Pineview
Current Address: 751
2. Accompanied by: Bric
Address: Same
Relationship to Permit H
3. Source: Groundwater


B. OVERLAP REVIEW

1. Other water rights with same

2. Other water rights with same

C. SYSTEM DESCRIPTION

1. Diversion System Diagram
size/ditch size/pipe i.d. as app. alternative diagram attached show components. Indicate weir



Scale: 1" = 40 ft

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

AUG 22 1991
N/A

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with 2" line to 3,000 g reservoir. Water is then pressurized by 4 pressure tanks. pressure gage reads 45psi. Water is then carried to homes each of which is on a 1/4 acre parcel. Water is pumped from well to reservoir by 3/4 hp pump, and from reservoir to System by 1hp pump.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sears	1	93028131	Sears	
Submersible	Franklin	3/4	2801007101		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	34	52N	5W	Kootenai	Map

6. **Place(s) of Use:**

Indicate Method of Determination


Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
52N	5W	34													D ₂				2

MICROFILM


AUG 22 1991

Do not use this space



9508173

SCALE 1:24 000



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

RECEIVED
AUG 22 1991

T.52N R5W Sec 34 NESE

Do not use this space

D. FLOW MEASUREMENTS


None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

4 homes, ~~1/2~~

2. Alternate Method for Checking Purposes:

0.04 from ~~perm~~ B.U. Statement

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:


$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3.5 = 7.0 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.04 \text{ cfs}) (245) (1.9835) = 19.4 \text{ A}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.0 \text{ AF}$

2. Volume Calculations for Other Uses:

4 homes x .6 AF = 2.4 AF



H. REMARKS AND OVERLAP REVIEW ANALYSIS

Irrigation is part of domestic, but is separated here for clarification

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.04 cfs	2.4 afa
Irrigation	3-15	11-15	0.04 cfs	7.0 AFA
Totals:			0.04 cfs	9.4 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature

Theresa J. Bright

Certification Date

7/16/90

Field Report Preparation Date

9/25/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

PROCESSED

AUG 22 1991

DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

State of Idaho

Department Of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-08173

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 52 N, Rge. 5W Sec. 34, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Gov. Lot ?

2. Owner: Pineview Water Assn

Address: 751 West Hayden Ave

City Hayden Lake, State ID 83835

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐4. Access Port: Y ☒ N ☐

Pressure Gauge: Y ☐ N ☒

Flowing: Y ☐ N ☒

Static Water Level: 92

Casing Diameter: 6"

Temperature: Cold

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Well log attached legal doesn't agree

MICROFILMED

AUG 22 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8173

Date: 7-17-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
1. well log in file 1978
2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>N/A</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

APR 9 1990

no fee encl.
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

JUL 7-17-90

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8173Telephone No. (208) 772-9768Name(s) of Permit Holder(s): Pineview Water AssociationPost Office Address: 751 West Hayden Avenue, Hayden, ID 83835Source of Water: Well (Ground)If ground water, well driller's name: Enterprise Drilling #302 Date drilled: 8 / 11 / 78

Extent of Use:

Domestic 4 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: 9 / 10 / 78

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ NoFee Enclosed: \$ 0 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Mr. Brian Baum(208) 772-9768

Name

Telephone No.

751 West Hayden Avenue, Hayden, ID 83835

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JUL 30 1990

4-5-90
DateBrian Baum

Signature (and title if on behalf of a company or organization)

Business Manager

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 95-8173Reviewed by [Signature]Date 6-18-1987

BASIC INFORMATION

y Date stamp received
y Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
y Fee received and receipted
y Name and signature same as permit
N Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

N/A Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN - *Recommend approval based on due diligence for 3 years*

Special conditions or remarks:

N/A Reinstatement Date extension received _____ = _____
Proof due date _____ = _____
No. of days late _____ = _____
Priority date _____
ADJUSTED PRIORITY DATE _____

MICROFILMED

✓ Prepare coding sheet
- Change rolodex cardf

JUL 10 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-81.73

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 5/17/82 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/17/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
4-19-82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RSR Date: 6/8/82

OFFICE REVIEW:

SW/LIZ 26 04

- ☐ See attached sheet for more information.

By: [Signature] Date: 6/16/82

RECEIVED
JUN 10 1982

BAUM, BRIAN

751 W. HAYDEN AVE., HAYDEN LAKE, ID 83835

Source: GROUNDWATER

Date Filed: 04/19/1982

Amount: 0.10 CFS

Diversion Point: NESE Sec 34 T 52N R 05W, KOOTENAI Co.

Use: DOMESTIC (0.10 CFS) from 01/01 to 12/31

Place of Use: NESE Sec 34 T 52N R 05W

Diversion Means: WELL, PUMP AND PIPELINE.

MICROFILMED