

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08107

Priority: June 17, 1981

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.23 CFS
42.0 AF

This is to certify, that WILLIAM HOHMAN
9890 HILLVIEW DR.

HAYDEN LAKE, ID 83835 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 17, 1981; and
has submitted Proof of Beneficial Use on August 18, 1983. An examination indicates
that the works have a diversion capacity of .230 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.20 CFS	30.0 AF
DOMESTIC	01/01 to 12/31	0.20 CFS	12.0 AF
FIRE PROTECTION	01/01 to 12/31	0.23 CFS	
	Totals	0.23 CFS	42.0 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NWNW), Sec. 31, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	31	LOT 1(NENW) 8	LOT 1(NWNW) 2		10
			Total number of acres irrigated:			10

PLACE OF USE: DOMESTIC, same as IRRIGATION use

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

APR 20 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08107

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 20 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 2ND day of APRIL, 1990.

Acting for *Norman C. Young*
R. Keith Higginson, Director

MICROFILMED

APR 20 1990

For Office Use Only
Fee Received <u>15⁰⁰</u>
Date <u>7-1-82</u>
Receipt # <u>24643</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

AUG 2 1982

Department of Water Resources

WILLIAM HOFFMAN of 1411 SKYLINE DR., COEUR D'ALENE
(Name) (Address)

State of IDAHO, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of
the State of Idaho No. 95-8107

That under the terms and conditions of said permit, work thereunder was required to be completed on or before
SEPT 1, 19 82

That he has heretofore performed the following work described under said permit:

(This must be filled out! If no work has been completed put none.)

WATER SYSTEM IS ABOUT 60% COMPLETE.

Costing \$ 20,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

DUE UNFORSEEN PROBLEMS, APPROVAL OF THE PROJECT
WAS NOT GRANTED BY "KOOTENAI COUNTY" UNTIL
APRIL, 1982. WE ANTICIPATE COMPLETION BY
OCTOBER 1982 AND WILL SUBMIT THE "PROOF STATEMENT" AT
THAT TIME.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations
under said permit to SEPT 1, 19 83.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

William Hoffman
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit the statement of beneficial use is extended to September 1, 1983.

Signed this 15th day of September, 1982.

A. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant William Hohman Phone 667-4749
Post office address 1411 Skyline Drive, Coeur d'Alene, ID 83814
2. Source of water supply Coeur d'Alene Lake which is a tributary of Spokane River
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 31 Township 49N
Range 3W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.22 CFS for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.6 CFS for FIRE PROTECTION purposes from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.2 CFS for IRRIGATION purposes from APRIL 1 to OCT. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.6 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Submersible pump in the lake.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation: NE $\frac{1}{4}$ of NW $\frac{1}{4}$
(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 31 Township 49N
Range 3W B.M.


(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 22.

(5) If water is to be used for other purposes describe: Fire Protection.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William J. Hohman
Leonard L. Smith

Leonard L. Smith for William Hohman
(Applicant)

(See attached Power of Attorney)

NOT ATTACHED

Proposed Priority 6/17/1981

Received by ZB Date 6/17/81 Time 3:15

Preliminary check by [initials] Fee \$ 45.00

Received by ZB Date 6/17/81 (18190)

Publication prepared by [initials] Date 6/25/81

Published in Coeur d'Alene Press

Publication dates 2/29-9/81

Publication approved [initials] Date 7/20/81

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by [initials] [initials]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8107, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1982.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 26th day of August, 19 81.

A. Glen Saylor
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
JAN 6 1986

95-8107
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

DIV RATE FOR 20 HOMES = 0.20 cfs PER MEMO 5-13-81

$$\frac{8.8(7.5) 80\%}{2.33(20) + 180} = 0.23 \text{ cfs DOM/IRR}$$

$$\frac{8.8(7.5) 80\%}{2.33(45) + 35} = 0.38 \text{ cfs FIRE PROT} \leftarrow K$$

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.0(10) = 30$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 72.59$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 30$$

c) Volume Calculations for Other Uses:

$$20 \text{ HOMES @ } 0.6 \text{ AF CA} = 12 \text{ AF}$$

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:

MICROFILMED

APR 20 1990

1

- 1000

ACKNOWLEDGMENTS

Lake, Id. 8.

butary to FEND OR

Rate of Divergence
Q (cfs)

0.20

$$\begin{array}{r} 31 \quad 0.20 \\ 2.23 \end{array}$$

s: 0.23

	Rge	
--	------------	--

	3w	π
--	----	-------

	SW 1/4
--	--------

SEI/4	NEI/4	NWI/4	SWI/4	SEI/4

lected above ☒ None

ected above ☐ Other _____

[illegible]

[Signature]

10

100

[Signature]

RECEIVED

JAN 6 1986

Department of Water Resources
Permit No. 95-8107

Phone No. 772-6843

1. Owner: William Hohmann Phone No. 772-6843
Current Address: 9890 Hillview Dr. Hayden Lake ¹⁰ 483835

10
483835

2. Accompanied by: NONE EXAM. DATE: 12/30/85
Address: 1115 Phone No.

EXAM. DATE: 12/30/85

Relationship to Permit Holder: NONE

3. Source: COEUR D'ALENE LAKE tributary to SPOKANE R.

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	RED JACKET	7.5			

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SUBMERSIBLE PUMP, 2" MAIN TO FILTRATION PLANT 2" LINE
TO 35,000 GPH. ^{6" LINE} 6" MAIN TO DIST SYSTEM.

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	NONE						

7. Measurements WATER METER ON DOWNSTREAM SIDE OF FILTRATION ☐ Additional data/computation sheets attached

☐ Additional data/computation sheets attached

5 Names 13 STUBS

8. Point(s) of Diversion:	Indicate Method of Determination
	MPP

Indicate Method of Determination

MRF

[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination MAP

Irrigation - give acres served by system at time of exam.

Indicate Method of Determination


Mr

[illegible]

Total Acres 10

10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. NONE

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks AS BUILT PLANS
SMITH & SMITH LIST PLACE OF USE AS PART OF
LOTS 1 & 2 BUT SHOW ^{ON PLANS} ONLY PART OF LOT 1

15. Recommended Amendments
☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature [Signature] Date _____
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

Date _____ CONSULTANT SEAL

REMARKS
ATTACHMENT TO 219A

PERMIT # 95-8107
INITIALS

DATE	REMARKS	INITIALS
7/10/84	FOUND HOMES ~ NO EVIDENCE OF PUMP	JR
7/23/84	772-6842 NO ANS. LETTER SENT	K
8/21/84	" "	K
8/27/84	LETTER SENT ~ CANCEL	K
9/14/84	772-6842 NO ANS	K
9/17/84	MR. HOFFMAN IN OFFICE / I WAS OUT / MR. HOFFMAN TO CONTACT ME 9/18/84	K
9/18/84	NO SHOW	K
9/21/84	772-6842 NO ANS	K
10/1/84	" " "	K
10/3/84	773-7506 SMITH & SMITH ^(DALE) Eng. FOR AS BUILTS ~ NONE	K
"	RESERVOIR POURED NOT PLUMBED / ANY HOMES USING WATER?	K
"	LETTER SENT	K
10/4/84	772-6842 NO ANS	K
10/15/84	LETTER SENT	K
7/23/85	" " COUNTY ASSESSOR SEE 1411 SKYLINE AND 1460 FAIRMONT LOOP	K
8/7/85	" RETURNED - PHONE BOOK SEE 9496 HILLVIEW DR, HAVENLAND	K
8/12/85	" SENT	K
11/18/85	" " CANCEL ~ IMPROPERLY ADDRESSED	K
11/19/85	772-6843 LEFT MSG MR. HOFFMAN TO CALL ME	K

MICROFILMED

APR 20 1990

D, A L E N E

Mile
+ 120

ELEVATION 2125

E U R

und Bay

Black Bay

Martin Bay

Gand Bay

Carlin Bay

Boat Ramp

Carlin Creek

Hungry Hollow

ROAD

MICROFILMED
APR 20 1990

COEUR D'ALENE

NATIONAL FOREST

(MT. COEUR D'ALENE)
2679 II SW

32'30"

48 N

52'62"

52'61'00"

47'3"

116'45"

(HARRISON)
2678 IV NE

INTERIOR - GEOLOGICAL SURVEY RESTON VIRGINIA - 1982

ROAD CLASSIFICATION

95-8107

24 000

1 MILE

Primary highway

Light-duty road, hard or

FROM: JIM

DATE: 9-3-82

TO FILE NO. 95-8107

Subject: Extension of Time Request dated 8-2-1982

Time allowed for delay in permit development caused by ^{KOOTENAI COUNTY}~~Idaho Power litigation~~

is determined as follows:

Start of ^{REQUEST}~~Idaho Power litigation~~

11 - 1981 to 4-1982
~~12/29/1981~~

Proof to Beneficial Use Due

9-1-1982

Period of Delay

6 mos.

New Proof to Beneficial Use Date

see below

The permit development was delayed 6 months because of lack of approval by Kootenai County.

However since the period of delay is so short The extension of time request should be approved for the requested 1 year on bases of due diligence. IF additional time is required then delay caused by the county may be considered.

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: ADJ

APPLICATION NUMBER: 95-8107

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: me

Date: 7/14/81

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 7/20/81 ✓

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/13/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No

Measuring device required.

- ☐ Yes ☒ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

- ☒ Yes ☒ No

Date of priority recommended.

Special conditions of approval or cover letter. _____

By: ADJ

Date: 7/21/81

STATE OFFICE REVIEW:

SLW/ocord

of

- ☐ See attached sheet for more information.

By: Rogers

Date: 7/30/81