

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08014

Priority: July 6, 1980

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.09 CFS
4.8 AF

This is to certify, that CRYSTAL WATER CORP.
108 KING ST.

WALLACE, ID 83873

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 2, 1980; and has submitted Proof of Beneficial Use on August 5, 1985. An examination indicates that the works have a diversion capacity of .090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.09 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 29, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 29 NESW NWSW

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6th day of FEBRUARY, 1990.

MICROFILMED

MAR 23 1990

Acting for


R. Keith Higginson, Director

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08014

Date of Priority: July 6, 1980

Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 4.8 AF

Comes now CRYSTAL WATER CORP.
E. 1895 MALLORY RD.
RATHDRUM, ID 83858

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 95-08014, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.09 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 29, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 29 NESW NWSW

MICROFILMED

MAR 23 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 1 day of JANUARY, 1990.

Chester D. Cozick
(Signature)
Homeowner

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08014

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by C Wong Date # 0013830
1/5/90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 95-08014 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

Witness my hand this 6TH day of FEBRUARY, 1990.

R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

MAR 25 1990

2007

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8014 IN THE
NAME OF CRYSTAL WATER CORP.

} ORDER OF REINSTATEMENT
}

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1985; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on August 5, 1985;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8014 be REINSTATED and the priority advanced to July 6, 1980.

Dated this 7th day of November, 1985.

MICROFILMED


L. GLEN SAXTON
Chief, Operations Bureau

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Orginial Permit	95-8014	Chester D. or Dorothy L. Coziah	.20 cfs
Full Assignment	95-8014	Crystal Water Corporation	.20 cfs

100

706ym
RECEIVED
MAY 19 1983

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

RECEIVED
MAY 16 1983
Department of Water Resources
Northern District Office
OK
Proced
5/23/83

I, Chester D or Dorothy L. Coziah, hereby assign to Crystal Water Corporation
of E. 1895 Mallory Rd., Rathdrum, Id. 83858
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 95-8014
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.
(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 16th day of May, 19 83.

Chester D. Coziah
Permit Holder

Dorothy L. Coziah
Spouse of Permit Holder

State of Idaho)
County of Kootenai) ss.

On this 16th day of May, 19 83, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that ~~he~~ they (they) executed the same.

seal

[Signature]
Notary Public residing at
Rathdrum

My commission expires:
Life

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CHESTER DALE OR DOROTHY LOUISE COZIAN Phone _____
Post office address RT 3 BOX 392 F, RATHDRUM, ID 83858
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 29 Township 52N
Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.20 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.

- c. Proposed well diameter is 38 inches; proposed depth of well is 350 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
- (1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 29 Township 52N
Range 4W B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered _____
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 6.
- (5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

29 T-52N
① P.D.
PLACE
OF
USE
R-4L

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Chester D. Coziah
(Applicant)

(Applicant)

Proposed Priority 5/2/80
Received by KK Date 5/2/80 Time 3.00p
Preliminary check by JK Fee \$ 20.00
Receipted by KK Date 5/2/80 # 16757
Publication prepared by me Date 5/8/80
Published in Cum d. Allen Press
Publication dates 5/15/80/80
Publication approved me Date 6/10/80
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by PSD Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8014, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 27th day of June, 19 80.

A. Glen Saxton

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	95-8014		0.09			3.89

4. Permit Holder: CRYSTAL WATER CORP % CHESTER COZIAN

Address: E. 1895 MALLORY RD. RATHDRUM, ID. 83858

5. Source: GROUND WATER tributary to _____

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>DOMESTIC</u>	<u>1-1</u>	<u>12-31</u>	<u>0.09</u>	<u>4.8</u>

Allowable Maximums: 0.09 4.8

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			NW	SW	29	52N	4W	KOOTENAI

8. Place(s) of Use

Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
52N	4W	27										X	X						

Total Acres _____

9. Recommended Conditions/Remarks:

MICROFILMED

MAR 23 1990

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

2nd Ky

Date 4/22/86

Checked in Regional Office by

Bob Haynes

Date 5/13/86

Approved in State Office by

[Signature]

Date 9/20/89

RECEIVED
MAY 22 1982

Department of Water Resources

Permit No. 95-8014

Phone No. 687-1396

1. Owner: CRYSTAL WATER CORP. Phone No. 687-1396
 Current Address: E. 1895 MALLORY RD RATHDRUM, ID. 83858
 2. Accompanied by: NONE EXAM. DATE: 3/17/86
 Address: 2 Phone No. _____
 Relationship to Permit Holder: _____
 3. Source: GW tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
34B		5			

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

- 5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

8" x 350' WELL W/STATIC W/L @ 240', 5HP SUBMERSIBLE PUMP
WITH PIPE LINE TO 3 HOMES & 1 STUB.

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	none						

7. Measurements 4 amps 1 2 (4) ☐ Additional data/computation sheets attached


8. Point(s) of Diversion: Indicate Method of Determination *MAD*

[illegible]

9. PLACE OF USE 5470 & 5050
5060
 Place(s) of Use: 5070
3 ACRE PARCEL S. OF 5020
- Irrigation - give acres served by system at time of exam. ASSESS
 Indicate Method of Determination MAP / COURT HOUSE

[illegible]

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.




13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks PHOTO DID NOT DEVELOPE

15. Recommended Amendments
- | | | |
|--|--|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☒ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature [Signature] Date 3/17/86
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____

MICROFILMED
MAR 23 1990

CONSULTANT SEAL



TWP. 52N RGE. 4W SEC. 29 MAP # 654 MAP SCALE
DATE OF EXAM 3/17/86 PERMIT # 95-8014

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 95-8014

DATE: Nov. 6, 1985

Date proof received

217

Aug 5, 1985

Proof due

-152

June 1, 1985

Number of day proof late

65

Priority date

+122

May 2, 1980

New priority date

187

July 6, 1980

Remarks:

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
AUG 5 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 95-8014

Name(s) of Permit Holder: CRYSTAL WATER CORP.

Post Office Address: E 1895 MALLORY RD RATHDRUM ID. 83858

Telephone No. 208-687-1396

Source of Water: WELL

Extent of Use:

Domestic 4 (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

LOUISE COZIAH

(Name)

E 1895 MALLORY RD. RATHDRUM ID. 83858

(Address)

208-687-1396

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-30-85
Date

Louise Coziah - Sec. Treasury - Crystal Water Corp.
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

IDENT. NO. 95-8014

ID A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8014

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☐ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/2/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/2/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/5/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature] Date: 6/16/80

STATE OFFICE REVIEW:

- ot
S.L. w/o conc
☐ See attached sheet for more information.
By: [Signature] Date: 6/23/80

95-8014

COZIAH, CHESTER DALE &/or DOROTHY LOUISE

RT. 3 BOX 392F, RATHDRUM, ID 83858

Source: GROUNDWATER

Date Filed: 05/02/1980

Amount: 0.20 CFS

Diversion Point: NWSN Sec 29 T 52N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.20 CFS) from 01/01 to 12/31

Place of Use: NWSN Sec 29 T 52N R 04W

Diversion Means: WELL AND PUMP.