

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07857

Priority: June 21, 1978 Amount: 0.10 CFS 17.5 AFA

This is to certify, that KENNETH MACLAUGHLAN
BARBARA MACLAUGHLAN

1250 SPRING CREEK RD.
RATHDRUM, ID 83858

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated June 21, 1978, and
has submitted proof to the Department of Water Resources on November 14, 1983, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .130 cfs of water from:

UNNAMED STREAM tributary to SINKS

source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	03/15 to 11/15	0.10 CFS	17.5 AFA

LOCATION OF POINT OF DIVERSION(S): NWNE , Sec. 25, Township 52N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	05W	25	NENE	5		5

Total number of acres irrigated: 5

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JAN 10 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07857

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of DECEMBER, 1988

APR 12 1989

Director

Norman C. Young

RECORDED
JAN 10 1989

Identification No. _____

Application No. 95-7857

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Kenneth & Barbara MacLaughlin Phone: 687-1021
post office address RT 3 Bx 9 Rathdrum, Id.
2. Source of water supply Unnamed Stream which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 25 Township 52N
Range 5W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 10 cfs for irrigation purpose from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 10 cfs cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Head gate & pipe line
& private spring. Combined with private water
& pumped to place of use.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
52N	5W	25	5																5

Total number of acres to be irrigated 5


Describe any other water rights used for the same purposes as described above.
*p.m. Private Spring located in the NW NE Sec 25 T 52N R 5W
 Same acreage as indicated in 95-4110*

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Not to exceed 0.02 cfs per acre when combined with private water.

p.m. Not to exceed .02 cfs per acre when combined with 95-4110

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Proposed Priority 6-21-78

Received by JK Date 4/21/78 Time 2:1 PM

Preliminary check by _____ Fee \$ 25.00

Receipted by JK Date 4/21/78 (10957)

Publication prepared by JD Date 6-22-78

Published in Coeur d'Alene Press

Publication dates 6-29 & 2-6-78

Publication approved JD Date 7-27-78

Priority reduced to _____ Reason _____

Protests filed by: Mervin A. Killadson
withdrawn 1-15-79

Copies of protests forwarded by _____

Hearing held by NCY Date 4/5/79

Recommended for approval denial by JD JS.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7857, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 84.
- Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 30 day of January, 19 79.

J. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

95-7857
Permit No.

RECEIVED
JUN 08 1987

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index JK 9/18/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index JK 9/18/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Tom W. King 4/12/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JK 6/87 (Initial and date)

Exam Reviewed by Manager of Regional Office RA 6/2/87 (Initial and date)

Exam Date Entered in Computer JK 6/2/87 (Initial and date)

Exam sent to State Office JK 6/4/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

REMARKS
ATTACHMENT TO 219A

PERMIT # 95-7857
INITIALS

DATE

6/11/86 PIPELINE STOLEN WILL CALL WHEN READY

z




12"X24"X84" POLYPROPYLENE
CATCH BASIN



6" STEEL CASING TO
2" PIPE

RECEIVED

JAN 10 1989



TWP. 52 N., RGE. 5W SEC. 25 MAP # E-53 PERMIT # 95-7857
DATE OF EXAM 4/1/87 k

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

704-10-1888
RECORDED

A. GENERAL INFORMATION

Permit No. 95-7857

1. Owner: BARBARA SNIDER

Phone No. _____

Current Address: 1250 SPRING CR. RD. RATHDRUM, ID. 83858

2. Accompanied by: SAME

EXAM. DATE: 4/1/87

Address: SAME

Phone No. NONE

Relationship to Permit Holder: SAME

3. Source: UNNAMED STREAM tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: 95-4110

☐ Copies Attached


2. Other water rights with same point of diversion: 95-4110

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached - ADJ. MAP
(required for irrigation of 10 acres or more).

MICROFILMED

JAN 10 1989

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THERE ARE THREE POINTS OF DIVERSION. ① A 4" BURIED 3" PERFORATED PIPE 3' IN LENGTH BENEATH STREAM BED, WATER DELIVERED TO 12"x24"x24" POLYPROPYLENE CATCH BASIN, THENCE BY 6" STEEL CASING TO 2" LINE, THENCE TO 4" LINE. ② & ③ BURIED 3" PERFORATED PIPE WHICH DELIVER WATER TO A 2" LINE AND THEN TO THE ABOVE MENTIONED 4" LINE. THE 4" LINE DELIVERS THE WATER TO A 35,000 GAL STORAGE TANK. THENCE VIA A 1" LINE TO LATERAL D. ⁴/_{OR VIA A 2" LINE TO LATERALS A, B & C LAT A CONSIST OF 5/SP, W 1/4 NOZZLES; B = 3/SP W 1/2 NOZZLES; D = 5/SP, W 1/4 NOZZLES. ENTIRE SYSTEM IS GRAVITY FLOW. ☐ See Remarks on page 4 for continuation}

4. **GRAVITY**

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	25	52N	5W	KOOTENAI	MAP/ASSESSOR

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
52N	5W	25	5																5

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAUGE	AIR	MARSDALTON		80182	100	

2. Measurements:

25 PSI	5 RB80 $\frac{4}{2}$	4.17 (5)
30 PSI	(3 RB20 $\frac{5}{2}$) (5 RB80 $\frac{1}{4}$)	(3)(3.85) (5)(4.57)
35 PSI	1 RB20 $\frac{3}{2}$	4.16

THIS IS NOT SYSTEM MAX ~ OVERFLOW TO POND CONSTANT
DURING EXAM ~ NO MEASUREMENT OF OVERFLOW MADE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: @ TIME OF EXAM $\left\{ \frac{(4.17)(5) + (3)(3.85) + (5)(4.57) + 4.16}{448.8} = .13 \text{ cfs} \right.$

2. Alternate Method for Checking Purposes:
NORMAL MAX OPERATION $\frac{(5)(4.17) + (5)(4.57) + 4.16}{448.8} = 0.10 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (5)(3.5) = 17.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 48 +$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 17.5$

2. Volume Calculations for Other Uses:

MICROFILMED

JAN 10 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

95-7654 - LAPSED 95-4110 FOR SAME FIVE ACRES
WHEN COMBINED W/ 95-4110 NOT TO EXCEED: 0.03 cfs/acre;
FIVE ACRES OF IRR; 3.5 AF/4^{ACRES} FOR IRR.

SYSTEM HAS BEEN UPGRADED & ~~IS A~~ THIS FILING WAS MADE
TO SHOW CHANGE IN P.D. & SYSTEM - ~~STOCK~~ POND FORMERLY
DRIED UP IN AUG. W. NEW SYSTEM ~~STOCK~~ POND RETAINS MORE
WATER THROUGHOUT YEAR - THE NET RESULT IS THAT
IRRIGATION ~~CAN NO SEASON~~ NOW TAKES PLACE LATER
IN SEASON THAN FORMERLY

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR.	3-15	11-15	0.10	17.5
Totals:			0.10	17.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name TOM KING
Signature Tom King
Certification Date _____
Field Report Preparation Date 4/2/87

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECORDED

JAN 10 1988

4/86

RECEIVED

MAY 23 1986

STATE OF IDAHO

Department of Water Resources
Northern District Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received

Date 5/23/86

Receipt # 32084

Receipt by

Sent to S.O. 5/23/86

RECEIVED

MAY 29 1986

1. Permit No. 95-7857

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 3.)

2. Permit Holder: Barbara Snider

3. Post Office Address: P.O. Box 825 Rathdrum, Id. 83858

Telephone No. 687-2645

4. Source of Water: Unnamed Stream

5. Extent of Use:

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation 5 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 10 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

June of 1978

8. Person to contact to accompany the department representative during the field examination:

Same as above.

(Name)

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified night examiner. Attached is a statement from the certified examiner verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 5/23/86

Signature of Permit Holder (and title, if appropriate)

JAN 10 1989

IDENT. NO. 95-7857

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]

STAFF REVIEW - STATE OFFICE

95-7857

1. ✓ Name vs. Signature
2. S Source
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. N/A Place of Use for other than irrig.
8. ✓ Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 245 Fee & Rec't. No. 6-21-78

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>7</u> Idaho Fish & Game Dept.	<u>7</u> Dept. of Lands
<u>1</u> Bureau of Land Management	<u>1</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land None plotted

Withdrawals of all protests received X yes no

Conditions:

ID Power Co. Letter - Snake R. NO

ID Power Co. Letter - G.W. & Tribs. NO

Snake River Condition NO

Payette River Letter NO

Priority Date 6/21/78

Water Quality #16 NO

Water Quality #10 NO

intrastate NO interstate NO

Meas. Dev. or Sc. Meas. NO

Totalizing meter NO

Supplemental NO

Right-of-Way Cond. NO

Watermaster Cond. NO

Wtr. Dist No. NO

Meas. Dev. Cond. for apps within a Water Dist. NO

Jmi Reviewer

6/29/78 Date

MICROFILMED

NAME AND
ADDRESS
OF SENDER

Indicate type of mail

☐ INSURED☐ C. O. D.☒ CERTIFIEDAffix stamp here if issued as
certificate of mailing or for
additional copies of this bill.

POSTMARK AND DATE OF RECEIPT

NUMBER OF ARTICLE	NAME OF ADDRESSEE, STREET, AND POST-OFFICE ADDRESS	POSTAGE	FEES	DUE SENDER IF C. O. D.	ENDORSE- MENT	R. R. FEE	S. D. FEE	S. H. FEE	RESTRICTED DELIVERY FEE REMARKS
1 13356	Mr. Archie Bredears, S.R.1, Bonners Ferry	15	80			45			
2 13357	L. R. Richardson, SR1, Box 44, Bonners Ferry	"	"			"			
3 13358	Wms A Ansley & Bill Hayden, SR 1, Box 1076, Bonners F.	"	"			"			
4 13359	Mr. and Mrs. Kermit Black, SR 1, Boyie Springs,	"	"			"			
5 13360	Lawson Farms Inc, Box 31, T&koa, Wa	"	"			"			
6 13361	Robert D. Dellwo, 1016 Old Nat'l. Bank Bldg, Spokane	"	"			"			
7 13362 12/28	Marvin A. Willadsen, Rt 1, Box 646, Rathdrum ✓	"	"			"			
8 13363 12/28	Mr. and Mrs. Kenneth MacLaughlan, rt 3, Box 9, Rathdrum ✓	"	"			"			
9 13364	Mr. George O. Johnston, 1315 E. 10th, Anchorage, Alas.	"	"			"			
10 13365	Susan Marmon, Rt 1, Box 73, Athol	"	"			"			
11 13366	David E. Jeffcoat, Rt 1, Athol	"	"			"			
12 13367	Don Merkeley, Rt 1, Box 81, Athol	"	"			"			
13 13368	Paul N. Tallman, P.O. Box 385, Clark Fork,	"	"			"			
14 13369	Larry Tucker, Gen. Del, Clark Fork	"	"			"			
15 13370	Paul Weber, 11703 E. 8th, Spokane, 99106	"	"			"			
16 13371	E. D. Clark, Rt 5, Box 148-A, Priest Lake, 83856	"	"			"			
17 13372	Mr. and Mrs. Forrest Ault, Rt 1, Box 30C, Colbert Wa 99005	"	"			"			
18 13373	Nonna Sommerfeld, 101 N. 1st, Sandpoint	"	"			"			
19 13374	John T. Tordoff, RR 5, Box 49-1A, Priest River	"	"			"			
20 13375	Wms. Parker Redmond, Box 153, Newport, Wa. 99156	"	"			"			
TOTAL NUMBER OF PIECES LISTED BY SENDER 20		TOTAL NUMBER OF PIECES RECEIVED AT POST OFFICE 20		POSTMASTER, PER (Name of receiving employee) S/John		Mark "F" if "Fragile," "P" if "Perishable," "E" if "Eggs," "EH" if "Eggs for Hatching," "B" if "Butter," "FL" if "Fragile-Liquid," and "FLU" if "Fragile-Liquid-This Side Up." Special-handling charges apply only to fourth-class parcels. Special-delivery service also includes special-handling service.			

All received
Post 1/10/79

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. McLaughlin

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RJA 6-22-78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) RJA 6-22-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: Protest withdrawn

(11) _____

Affidavit of Publication received(date) 7-27-78

(12) _____

Final date for protests 7-12-78
Protests received: yes ☒ no _____

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

RECEIVED

JAN 26 1979

Department of Water Resources

6-21-78 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern By Bob Haynes Date 1-22-79

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Kenneth &/or Barbara MacLaughlan
Rt 3 Box 9, Rathdrum, Id
has on June 21, 1978 submitted Application No. 95-7857
for a permit to appropriate 0.40 cubic feet per second ~~acres feet per annum~~
of water from an unnamed stream
by means of pump & pipeline
within the NW 1/4 Sec 25, T52N, R5W, B.M., Kootenai County

to be used from March 15 to Nov 15
for the irrigation of 20 acres

within the NW 1/4 Sec 25, T52N, R5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before July 17, 1978.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id
on June 29 and July 6, 1978

MICROFILMED