

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07757

Priority: September 12, 1977

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

0.6 AF

This is to certify, that WALTER KOEPL
VELMA KOEPL

P.O. BOX 397

PINEHURST, ID 83850

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 28, 1977; and has submitted Proof of Beneficial Use on November 16, 1981. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
----------	----------------	----------	--------

LOCATION OF POINT(S) OF DIVERSION: LOT 3(SWSE), Sec. 11, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 04W 11 LOT 3(SWSE)


CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of NOVEMBER, 1989.

MICROFILMED

Issued to


R. Keith Higginson, Director

NOV 24 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-7757 IN THE
NAME OF WALTER OR VELMA KOEPL

ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before October 1, 1981; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on November 16, 1981;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-7757 be REINSTATED and the priority advanced to September 12, 1977.

Dated this 23rd day of January, 1986.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

Identification No. _____

Application No. 95-7757

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant WALTER OR VELMA KOEPL Phone: _____
post office address BOX 397 PINEHURST, ID 83850

2. Source of water supply LAKE COEUR D'ALENE which is a tributary of _____

3. a. Location of point of diversion is LOT 3 $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 11 Township 48N
Range 4W B.M. KOOTENAI County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for FIREPROTECTION purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP WITH PIPELINE
TO PLACE OF USE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 4 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: LOT 3 $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 11 Township 48N
Range 4W B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water ONE.

(5) If water is to be used for other purposes describe: FIREPROTECTION FOR
HOUSEHOLD & LOT

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. NONE


9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Walter Knepl
(Applicant)

Proposed Priority 7-28-77

Received by KK Date 7/28/77 Time 10:30 A
Preliminary check by TH Fee \$ 10.00
Received by KK Date 7/28/77 # 5687
Publication prepared by B Date 7-29-77
Published in Cann & Alberts
Publication dates 8-14-77 8-27
Publication approved P Date 8-29-77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval approval denial by PJA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7757, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 81.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 23 day of September 19 77.


Deputy Director

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
9507757	48N	04W	11	SW	SE		3	COEUR D ALENE LAKE	KOEPL, WALTER
9507243								COEUR D ALENE LAKE	BOLING, GLENN W.
9507278								SPRING	LINN, ALFRED S.
9507364								GROUNDWATER	JUEDES, ERWIN R.
9507365								COEUR D ALENE LAKE	JUEDES, ERWIN R.
9507543								COEUR D ALENE LAKE	WRIGHT, ELMER E.
9508036								COEUR D ALENE LAKE	NOVAK, WILLIAM J.
9508037								GROUNDWATER	NOVAK, WILLIAM J.
9508332								COEUR D ALENE LAKE	WOLFE, STANLEY K.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

95-7757
Permit No.

RECEIVED

MAR 20 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index E 9/15/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index E 9/15/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ ~~Photographs of Point of Diversion and Place of Use~~
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 24/K 3/10/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent E 3/10/87 (Initial and date)

Exam Reviewed by Manager of Regional Office 28 3/17/87 (Initial and date)

Exam Date Entered in Computer m 4/1/87 (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-7757

DATE

INITIALS

9/9/86 No building - Dock, PLACE FOR CAMPER & POSSIBLE


PUMP HOUSE ~ NO PIC ~ INSURE USE OF WATER K

9/22/86 PUMP LETTER SENT

12/5/86 KOOTENAI ASSESSOR: MR KOEPL OWNS @ SAME ADDRESS K

682-2644

6/21/88 PUMP LETTER SENT



Department of Water Resources

UNRECORDED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 20 1987

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-7757

1. Owner: WALTER OR VELMA KOEPL

Phone No. 682-2644

Current Address: BOX 397 PINEHURST ID. 83850

9/6/88

2. Accompanied by: NONE

EXAM. DATE: 9/19/86

Address: NONE

Phone No. _____

Relationship to Permit Holder: NONE

3. Source: COEUR DALENE LAKE tributary to SPOKANE R.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION NONE

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



INDEXED
NOV 24 1989

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

Department of Water Resources

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

~~NO~~ 1" LINE IN LAKE W/ 1" PIPE TO TRAILER FOR ~~USE~~
NON-POTABLE USE

PORTABLE SYSTEM

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
~~NO~~	RED JACE	1/2	7481		1"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:** NO

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3		SW	SE	11	48N	4W	KOOTENAI	MAP

6. **Place(s) of Use:** NO

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
48N	4W	11															P		

Do not use this space

D. FLOW MEASUREMENTS


☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

NONE

2. Alternate Method for Checking Purposes:

ONE HOME
(CAMPER TRAILER)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

NONE HOME

MICROFILMED

NOV 24 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SEE ATTACHED REMARKS

TRAILER & PUMP NOT AT SITE DURING EXAM

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<u>NONE</u>				
<u>Dom (1)</u>	<u>1-1</u>	<u>12-31</u>	<u>0.04</u>	<u>0.6</u>
Totals:			<u>0.04</u>	<u>0.6</u>


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None
☒ Other CL

J. AUTHENTICATION

Field Examiner's Name TOM D. KING
 Signature Tom D. King
 Certification Date 9/15/88
 Field Report Preparation Date 3/10/87 9/6/88




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JDM 7/13/89

RECORDED

NOV 24 1989



SCALE 1:24 000

CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929


MICROFILMED
NOV 24 1989

TWP. 48N RGE. 4W SEC. 11 MAP # F-54 MAP SCALE 1:24,000
DATE OF EXAM 9/19/86 PERMIT # 95-7757

7075

48 N., RANGE 4 W. B. M.

ENAI COUNTY, IDAHO



- SMALL TRACTS**
- 1- BELLGROVE GRANGE
 - 2- R.N. McLOED
 - 3- WM NEILSEN
 - 4- F.J. WATSON
 - 5- FRANKLYN GREENOUGH
 - 6- PAUL GRAVES
 - 7- MOLLIE G. RATTALLO
 - 8- T.E. O'CONNELL
 - 9- DR. MARC ANTHONY
 - 10- HARRIET
 - 11- THOS. MALOTT
 - 12- THEO. H. GALLAND
 - 13- FRED FLECKENSTEIN
 - 14- CLIFFORD W. WOODWARD
 - 15- ALFRED B. ROBINSON
 - 16- HAROLD C. COLLINS
 - 17- CLED MAXINE ALWAY
 - 18- JOHN C. GEORGE
 - 19- RICHARD KLUND
 - 20- C.E. WOMACK
 - 21- DORTHY L. FALLS
 - 22- WILLARD E. BARY
 - 23- DALE K. KIMES
 - 24- DEAN DOTSON
 - 25- NELSON LEVI
 - 26- ZOLA M'DANIELS
 - 27- LLOYD E. OLSON
 - 28- RUSSELL A. JOHNSON
 - 29- RICHARD FELLER
 - 30- ELMER M. SMITH
 - 31- OZZIE WALCH
 - 32- DONALD K. MERKELEY
 - 33- ERNEST E. BUCHANAN
 - 34- CLARENCE M. OLSON
 - 35- C.C. DONKLE
 - 36- HARRY A. GRAFT
 - 37- GEO. S. PRKE JR.
 - 38- R. SMITH
 - 39- HARRISON C. DALE
 - 40- IVAN F. CLAFIN
 - 41- G.C. COOPER
 - 42- E.D. ELTON
 - 43- GENE DYER
 - 44- RUSSELL L. SPELLMAN
 - 45- ALDEN W. CHAMBERLAIN
 - 46- LOUIS H. LYELL
 - 47- EDWARD H. LAMPERT
 - 48- NORMAN K. DEVEY ETAL.
 - 49- R.E. CHAMBERLAIN
 - 50- ELTON L. HAINES
 - 51- P.E. HENRIKSEN
 - 52- LORIS L. LANTON
 - 53- STATE

MICROFILMED
NOV 24 1989

TWP. 48N RGE. 4W SEC. 11 MAP # _____ MAP SCALE _____
 DATE OF EXAM 9/19/86 PERMIT # 95-7757

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 95-7757

DATE: 1-23-1986

Date proof received

320

Nov. 16

Proof due

-274

Oct. 1

Number of day proof late

46

Priority date

+209

July 28, 1977

New priority date

255

Sept. 12, 1977

Remarks:

MICROFILMED

3/79

IDENT. NO. 95-7757

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

HARRISON

CH - 1 W. 1 MI.

Half Round Bay
Kopels #14
W. COEUR

LAKE

MC. IRON ROD &
OLD PLOYSHARE IN
MOUND OF STONES

LOTS 9-12 MC.
N 36° 2' E
BASIS

EXISTING

APPROACH

4 COR. 1.00
IN DITCH

EAST

LANE

NEWTON

ACCESS

PARKING


GOV'T LOT 1. SEC

STATE HWY 95A

136


136

136



Ad A

Lake



MICROFILMED

Ad A

Lake

LOT 14

P/L

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. KOEPL

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SR 7/28/77

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) Y _____

☒ Dept Lands

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) YK 7-28/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) 8-29-77

(12) _____

Final date for protests August 29, 1977
Protests received: yes no

(13) _____

All requested information received from agencies or
applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve

Deny

7-28-77 Proposed Priority

Reason for Reduction

Measuring device required

See attached sheet for other conditions of
approval

☒ No special conditions for approval

(15) District Northern

By Bob Hynes

Date 8-30-77

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Walter or Velma Koepf
Box 397, Pinehurst, Id
has on July 28, 1977 submitted Application No. 95-7757
for a permit to appropriate 0.04 cubic feet per second ~~across the~~
of water from Lake Coeur d'Alene
by means of a pump & pipeline
within the Gov Lot 3, Sec 11, T43N, R4W, B.M., Kootenai County

to be used from Jan 1 to Dec 31
for domestic & fire protection purposes

within the Gov Lot 3, Sec 11, T43N, R4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1977.

C. STEPHEN ALLRED
Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Id
on August 11 and August 18, 1977