

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-7456

Priority: June 7, 1974

Amount: .12 CFS

4.9 AFA

This is to certify, that E. V. CHRISTENSEN
RUTH S. CHRISTENSEN

P.O. BOX 61A

WORLEY, ID 83876

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 7, 1974, and has submitted proof to the Department of Water Resources on June 29, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .12 cfs of water from a **GROUNDWATER** source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.12 cfs	4.8 afa
Domestic	03/15 to 11/15	.01 cfs	.1 afa
Totals		.12 CFS	4.9 AFA

LOCATION OF POINT OF DIVERSION(S):

NWNE , Sec. 25, Township 48N, Range 5W
Kootenai County

PLACE OF USE: Domestic

TWN RGE SEC

48N 5W 25

NWNE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Year-round domestic use is for 4 homes. Domestic use from 3/15 - 11/15 is for picnic area.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24th day of SEPTEMBER, 1987.

RECEIVED

SEP 29 1987

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPROVED

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now E.V. or Ruth Christensen

of (address) Box 61A, Worley, Id. 83876, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 95-1456, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW 1/4 NE 1/4, Section 25, Township 48N, Range 5W, B.M.,
County of Kootenai. Other points of diversion: 2 points

2. No change
Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

No change

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? App.
- b. Who owns the land to be irrigated or the place of use? App.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

MICROFILMED

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

No change

MICROFILMED

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Coeur d'Alene, this 16 day of June, 19 83.

E. V. Christopher
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by REST Fee = \$20.00
Publication prepared by _____ Date NA
Publication dates _____

Received by JK Date 5/26/82
Published in _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, Chief Operations Bureau, of the Department of Water Resources hereby
APPROVE THE ABOVE APPLICATION FOR AMENDMENT FOR PERMIT NO. 95-7456

Witness my hand this 5 day of August, 19 83.

David R. Tuttle
ACTING Chief, Operations Bureau **VERIFIED**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME

RECEIVED

JUN 18 1979

To provide additional time in which to submit
proof of beneficial use on a water right permit

Department of Water Resources
Department of Water Resources

E. V. &/or Ruth S. Christensen of Route 2 Worley, Idaho 83876
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public
Waters of the State of Idaho No. 95-7456.

That under the terms and conditions of said permit, work thereunder was required to be completed on or
before July 1, 1979.

That he has heretofore performed the following work described under said permit:

Well has been drilled and he is now getting ready to put in pump house.

Costing \$

That he is unable to complete the remainder of the work within the required time for the following
reasons, to-wit: Federal and State intervention i.e. Federal and State Rules and
Regulations. Delayed action on the part of surveyers and engineers.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of
obligations under said permit to July 1, 1984.

(Signature)*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time
within which to submit proof of beneficial use of water is extended to July 1, 1984.

Signed this 25th day of June, 1979.

A. Glen Saxton
Chief, Operations Bureau

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING }
DEVICE REQUIREMENT FOR PERMIT NO. 95-7456 }

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILM

Identification No. 95-7456

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT
To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant E. V. &/or Ruth S. Christensen
post office address Route 2, Worley, Idaho
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 25 Township 48N
Range 5W B.M. Kootenai County; additional points of diversion if any: _____


- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.80 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.80 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, and pipelines to places of use.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 25 Township 48N
Range 5W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 20.
(5) If water is to be used for other purposes describe: _____

95 7456

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edy Chidman
(Applicant)

Received by CP Date 6-7-74 Time 2:00 p.m.
Preliminary check by ME Fee \$ 25.00
Received by CP Date 6-7-74 (Rec'r. #14123)
Publication prepared by CP Date 6-7-74
Published in Coeur d'Alene Press
Publication dates 6-13 & 6-20-74
Publication approved CP Date 6-26-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval ~~denial~~ by DDT

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7456, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 79.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of July 19 74.


Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>TS</u>	<u>6/7/74</u>	Application No. <u>95-7456</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☐ Map ☒ Signature ☒ Fee
(3)	<u>TS</u>	<u>6/7/74</u>	In form to receipt
	<u>TS</u>	<u>6/7/74</u>	Send Copies to: ☒ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	---	---	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>TS</u>	<u>6/7/74</u>	In form for advertising
(6)	---	---	Located within Water District No. _____
(7)	<u>TS</u>	<u>7/8/74</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>TS</u>	<u>7/8/74</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(9)	---	---	Comments: _____
(10)	<u>CP</u>	<u>6/26</u>	Affidavit of Publication received (date) <u>JUNE 26, 1974</u>
(11)	<u>CP</u>	<u>6/7</u>	Final date for protests <u>JULY 1, 1974</u> Protests received: yes _____ no ☒
(12)	---	---	Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>TS</u>	<u>7/8/74</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>TS</u>	<u>7/8/74</u>	Action recommended: ☒ Approve Priority <u>6/3/74</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>Shoshone</u>	By <u>[Signature]</u>	Date <u>7/10/74</u>

95 7456

RECEIVED
JUL 10 1974
Department of Water Resources

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	95-7456	6-07-74	0.12	6-07-74	06-29-84	0.12

4. Permit Holder: E.V. or Ruth Christensen

Address: P.O. Box 61A; Worley, Id. 83876

5. Source: Groundwater tributary to _____

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>Domestic (4)</u>	<u>1-1 12-31</u>	<u>0.12</u>	<u>4.8</u>
<u>Domestic (Park)</u>	<u>8-15 11-15</u>	<u>0.01</u>	<u>0.1</u>

Allowable Maximums: 0.12 4.9

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			NW	NE	25	48 N	5W	Kootenai

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
48N	5W	25		X															
Total Acres _____																			

9. Recommended Conditions/Remarks: 2-Points in P/D

D/4

MICROFILMED

SEP 29 1987

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature [Signature] Date 10/29/84

Checked in Regional Office by Bob Haynes Date 11/5/84

Approved in State Office by Ron Hoverton Date 10 Aug '87

Permit No. 95-7456

Phone No. 664-3885

1. Owner: E.V. or Ruth Christensen Phone No. 664-3885
Current Address: Box 61-A Harney, Id. 83876
2. Accompanied by: ✓ EXAM. DATE: 10/26/84
Address: ✓ Phone No. _____
Relationship to Permit Holder: _____
3. Source: G W tributary to _____

3. Source: G W tributary to

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5	submersible		2"

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
5" x 270' well, with static WL @ and pump @ 100', 80 psi at pump with
2" main to homes

$$\frac{8.8(5)80\%}{21.33(80)+100} = 0.12 \quad \text{4 hours per}$$

- | 6. | Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|----|-----------------------|------|------|-----------|------------|------|-------------|
| | <i>none</i> | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

7. Measurements *none* ☐ Additional data/computation sheets attached

- | | | |
|---------------------------|----------------------------------|-----|
| 8. Point(s) of Diversion: | Indicate Method of Determination | MAP |
|---------------------------|----------------------------------|-----|

[illegible]

Place(s) of Use:


**Irrigation - give acres served by system at time of exam.
Indicate Method of Determination**

[illegible]

Total Acres _____

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none


12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks 4 Homes 1 park (picnic area) will refuse for additional 2" Access port.

15. Recommended Amendments
- | | | |
|---|---|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☒ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature MD King Date 10/26/84
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date **MICROFILMED**
SEP 29 1987
CONSULTANT SEAL



TWP. 48N RGE. 5W SEC. 25 MAP # G-3 MAP SCALE 1 1/2
 DATE OF FIELD EXAM 10/26/84 FIELD REPORT MAP PERMIT # 95-7456

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that E. V. &/or Ruth S. Christensen,

Route 2, Worley, Idaho

~~has~~ have on June 7, 1974 submitted Application No. 95-7456

for a permit to appropriate 0.80 cubic feet per second ~~XXXXXXX~~

of water from a ground water source

by means of well, pump, and pipelines

within the NW¹NE⁴, Sec. 25, T. 48N, R. 5W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31

for domestic purposes for 20 families

within the NW¹NE⁴, Sec. 25, T. 48N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before July 1, 1974.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho

on June 13 and June 20, 1974

95 7456