

WATER RIGHT LICENSE

Water Right No. 95-7049 Priority April 7, 1969 Amount 8.70 cfs

THIS IS TO CERTIFY, that

ROY A. ARMSTRONG

Coeur d'Alene, Idaho

has complied with the terms and conditions of Permit

No. 95-7049

issued pursuant to Approval of Permit dated

April 7, 1969

and certified prior to the Department of Water Resources on

May 23, 1975

that the works have a

8.70 cfs

a ground water source

and that the permit number has applied to a beneficial use and

shall comply with the following

Beneficial Use	Period of Use		Rate of Diversion		Annual Volume
Irrigation	from	April 1 to Oct. 15	at	<u>8.70</u> cfs and	2,628.5 acre feet or
	from	to	at	cfs and	* 3.5 af per acre
	from	to	at	cfs and	
	(both dates inclusive)				

Subject, however, to the condition that no more than * 8.70 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and consumed is for the purpose as mentioned and is limited to the amount which can actually be beneficially used and shall not exceed acre feet per year and water to be diverted within the

NE SW 1/4 Sec. 33, Twp. 51 N, Rge. 4 W, B.M.

NE SE 1/4 Sec. 32 -and-

Kootenai

Description and location of place of use

Twp	Range	Sec	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
50 N	4 W	4					40	40	40	40									160
		5		40	30		30		9	11									120
51 N	4 W	32				20											40	40	180
		33					40	40	40	40	40	40	40	40					291

MICROFILMED

APR 04 1969

Total number of acres irrigated 751

* Subject to the condition that the maximum rate of diversion and volume per year shall not exceed 8.70 cfs / 3.5 acre feet per acre when combined with License No. 32224/95-2174.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-7409

Priority: December 20, 1973 Amount: 2.45 CFS 752.5 AF

This is to certify, that ROY A. ARMSTRONG
N. 4820 HUETTER RD.

COEUR D ALENE, ID 83814 has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated December 20, 1973, and
has submitted proof to the Department of Water Resources on November 16, 1983, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of 10.80 cfs of water from a GROUNDWATER
source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	2.45 cfs	752.5 af

LOCATION OF POINT OF DIVERSION(S): SESE , Sec. 31, Township 51N, Range 4W
NESE , Sec. 32
NESW , Sec. 33

Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	4W	31	NESE 30	SESE 40			70
		32	NESW 40	NWSW 40	SWSW 25	SESW 40	145

Total number of acres irrigated: 215

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than 3.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30th day
of JANUARY, 1989.

MICROFILMED

Acting for the Director

Norm C. Young

APR 04 1989

RECEIVED
MAY 1983

APPROVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now ROY A. ARMSTRONG

of (address) N. 4820 HUETTER, COEUR D'ALENE, ID, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 95-7409, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SE 1/4 SE 1/4, Section 31, Township 51N, Range 4W, B.M.,
County of KOOTENAI. Other points of diversion: _____

ADD NESE SEC 32, T-51N, R-4W

NESW SEC 33, T-51N, R-4W

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.) No Change

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated: No Change

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	


Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or the place of use? "
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

MICROFILMED

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Crandall, Ill., this 22 day of April, 1983.

Ray A. Armstrong
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by RYA Fee = \$20.00

Received by KK Date 3/16/83 #27409

Publication prepared by NA Date _____

Published in _____

Publication dates _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby

APPROVE the above Application for Amendment of Permit No. 95-7409.

Witness my hand this 6th day of May, 19 83.

L. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR EXTENSION OF TIME

RECEIVED
DEC 18 1978
Department of Water Resources

State of Idaho)

County of KOOTENAI)

Permit No. 95-7409

ROY A. ARMSTRONG of RT 1, Box 203 COEUR D'ALENE
(name) (address)

State of IDAHO 83814, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to
Appropriate the Public Waters of the State of Idaho No. 95-7409.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before JAN 1, 19 79.

That he has heretofore performed the following work described under said permit:

IRRIGATION SYSTEM HAS BEEN INSTALLED.

Costing \$ 30,000

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: HAVEN'T HAD TIME AND ENOUGH
MONEY TO COMPLETE THE PROJECT

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to JAN 1, 19 84.

Roy A. Armstrong
(signature) *

Subscribed and sworn before me this 13 day of December, 19 78.

seal

Robert B. Haynes
Notary Public residing at
Col H

My commission expires Lifetime

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED
and the time within which to submit proof of beneficial use of water be extended
to January 1, 1984.

Witness my hand this 19 day of December, 19 78.

J. Glen Sayton

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 95-7409 }

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

August 20 1978

Identification No. 95-7409

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Roy A. Armstrong
post office address Route #1, Box 203, Coeur d'Alene, Idaho 83814
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 51N
Range 4W B.M. Kootenai County; additional points of diversion if any: _____
or the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 32, T. 51N, R. 4W, B.M.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 4.3 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 2.0 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.3 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well with pump, motor, and sprinklers.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 400 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 40,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation: E $\frac{1}{2}$ of SE $\frac{1}{4}$ of Sec. 31
(1) Give the place of use of water: SW $\frac{1}{4}$ of Section 32 Township 51N
Range 4W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 200.
(5) If water is to be used for other purposes describe: _____

95 7409

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
51N	4W	31													30			40	70
		32									40	40	25	40					145


Total number of acres to be irrigated 215

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant & Donald & Lucille Martin
- b. Who owns the land to be irrigated or place of use Applicant & Spencer Symons
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ray A. Armstrong
(Applicant)

95 7409

Proposed Priority 12-20-1973

95 7409

Received by FE Date 12/29/73 Time 10:00 am
Preliminary check by FE Fee \$ 65.00
Receipted by FE Date 12/30/73 # 12305
Publication prepared by CP Date 12-21-73
Published in Post Falls Tribune
Publication dates 12-27-73 & 1-3-74
Publication approved CP Date 1-14-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by du yss

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7409, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 79.
- c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 17 day of January 19 74.

R. Keith Higgins
Director

MEMORANDUM

TO: File
FROM: Jim Johnson
DATE: 12-8-86
RE: Beneficial Use Field Report Review

Right No. 95-7409

Comments

Part A - General Info. ✓

Part B - Overlap Review →

Part C - System Description ✓

Part D - Flow Measurements ✓

Part E - Flow Calculations ✓

Part F - Volume Calculations →

Part G - Remarks ✓

Part H - Recommendations ✓

OVERLAP REVIEW:

The existing rt. 95-7049 covers same land as this rt. but the system licensed under the rt only had two points of diversion. An additional well has been added under this rt.

The field exam recommended the amount under 95-7049 be subtracted from this rt. However since the system has been changed and based upon remarks in item H. it appears that this right should be allowed the amount diverted from well #1 which is 2.45 cfs.

Volume:

Since rt. 95-7049 also covers land under this rt. The volume condition use be used to limit the volume under both rts when combined to $3.5 \frac{AF}{AC}$

MICROFILMED

APR 04 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 26 1986

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-74091. Owner: Ray A. ArmstrongPhone No. 765-6412Current Address: N. 4820 Huettner Rd., Coeur d'Alene, ID. 83814

2. Accompanied by: _____

EXAM. DATE: 6/18/86

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: #95-7049 NONE #95-7049☒ Copies Attached2. Other water rights with same point of diversion: #95-7049 NONE☒ Copies Attached☒ Copies of Field Exam's Attached

See File

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached For total system which includes irr. area covered in lic. #95-7049



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, flow, etc.)
Well #1 was irr. the indicated area during measurement. Exam it was running 9 lines short of normal use. System layout is outlined on p. 1 & 2 of Total Irr. System (attached).
measured at a static head = 357 ft

☐ See Remarks on page 4 for continuation

*Code to correspond with No. on map and aerial photo

Point(s) of Diversion:									
Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	31	51N	4W	Hootenai	
			NE	SE	32	51N	4W	Hootenai	
			NE	SW	33	51N	4W	Hootenai	

Method of Determination Map

$$v_4 e^{it} \#_3$$

6. Place(s) of Use:

Total =

APR 04 1989

Do not use this space

1. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

VGR 08 1988

Well #	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
#1	Mcrometer						
#2	Mcrometer			#7410134			
#3	Stop Watch						

2. Measurements:

Well #1 → 1100 gpm (Mcrometer) = 2.453 cfs

Well #2 → 1400 gpm (Mcrometer #7410134)

Well #3 → 1/2 gal - 13 sec, 1 gal - 26 sec, 1 1/2 gal - 39 sec,

2 gal - 52 sec, 2 1/2 gal - 64 sec = Avg. 12.8 sec per 1/2 gal = 25.6 sec/gal

1 gal / 25.6 sec * 60 sec/min = 2.34 gal/min * 1000 = 2343.7 gal/min

3. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached - Alt. method for checking Well #1

1. Measured Method:

Err. Well #1 = 1100 gpm = 2.453 cfs Well #3 = 2343.7 gal/min = 5.227 cfs
 Well #2 = 1400 gpm = 3.122 cfs Total = 10.8 cfs

2. Alternate Method for Checking Purposes:

Err. Previous l.c. #95-7049 (attached) Well #1 via permit = 3.0 cfs Dom. A - 2.1 cfs via permit
 Well #2 + Well #3 = 8.70 cfs Total = 11.7 cfs
 Well #1 = (10.8 - 8.70) = 2.1 cfs

PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ 752.5 AF 752.5
753.7 AF $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

933.04 AF 1020.51 AF

 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$

752.5 AF 753.7 AF 752.5

2. Volume Calculations for Other Uses:

$V_{IR} = 215 (3.5) = 752.5 \text{ AF} + 1.2 = 753.7 \text{ AF}$ (Dom) 752.5
 753.7 AF

$V_{DR} = (2.1)(224)(1.9835) = 933.04 \text{ AF}$
 $= (2.1)(245)(1.9835) = 1020.51 \text{ AF}$

APR 04 1989

MICROFILMED

H. REMARKS AND OVERLAP REVIEW ANALYSIS

There is overlap in the P/U with l.c. #95-7049 any of three wells can be used on the indicated area. But well #1 ~~is~~ can only irr. the area ^{listed} ~~within~~ ~~perm~~ listed in the permit.

DURING EX AM ALL 3 PUMPS RUNNING ~~WELL~~ SEEMS TO REDUCE OUTPUT OF WELLS #2 & #3. ^{WHEN} LICENSED RIGHT #95-7049 IS SATISFIED OUTPUT OF #1 WELL IS CONSIDERED 2.1 cfs - 2

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa) > 52.5
	From	To		
Irr.	March 15	Nov. 15	2.1 cfs	~~72~~ 752.5
~~Dom~~	~~1/1~~	~~12/31~~	~~2.0~~	~~752.5~~ AF
~~Dom~~	~~1/1~~	~~12/31~~	~~2.0 cfs~~	~~1020.5~~ AF
			Totals:	752.5 AF
				1020.5 AF
				753.5 AF
				752.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Jennifer L. Argraves

Signature

Jennifer Argraves

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

APR 04 1989



29 28

32

36

30.0

N

11-20
20-20

8235
BIRCH


13.4

Irr. 215ac.

Covered in 92

Permit #95-7409

Well #1, Well #2
and Well #3
can all be used on
this 5 ac.



33

5

A-138
A-199
Small

58.5
A-199
Small

E11

MICROFILMED

APR 04 1989

NOT TO SCALE

Total Irr. System for #95-7409 and #95-7049

Note: Main lines are in 30' segments
lat. lines are in 40' segments
At beginning of each lat. is 20' starter pipe

N

42-381 50 SHEETS 5 SQUARE
42-382 100 SHEETS 5 SQUARE
42-383 200 SHEETS 5 SQUARE



End
OF
Property

30 lat. *
(reduces to
20 lat.)

34 lat. *

1320'

1360'

5" mainline for 1080'

6" mainline for 1560'

to
ditch

30' 8" discharge
Well #1

@ "T"

5" Takeoff

6" Takeoff

4" mainline
720'

640'
16 lat. 3"

30 lat. *

1200'

1240'

31 lat. *

MICROFILMED


APR 04 1989

* denotes:

40' lat, 1st 10-4" dia
rest - 3" dia


APR 04 1989

2-381 50 SHEETS 5 SQUARE
2-382 100 SHEETS 5 SQUARE
2-384 200 SHEETS 5 SQUARE




MICROFILMED

APR 04 1989




MICROFILMED
APR 04 1989


12.381 50 SHEETS 5 SQUARE
 42.382 100 SHEETS 5 SQUARE
 42.383 150 SHEETS 5 SQUARE
 42.384 200 SHEETS 5 SQUARE
 42.385 250 SHEETS 5 SQUARE
 42.386 300 SHEETS 5 SQUARE
 42.387 350 SHEETS 5 SQUARE
 42.388 400 SHEETS 5 SQUARE
 42.389 450 SHEETS 5 SQUARE
 42.390 500 SHEETS 5 SQUARE
 42.391 550 SHEETS 5 SQUARE
 42.392 600 SHEETS 5 SQUARE
 42.393 650 SHEETS 5 SQUARE
 42.394 700 SHEETS 5 SQUARE
 42.395 750 SHEETS 5 SQUARE
 42.396 800 SHEETS 5 SQUARE
 42.397 850 SHEETS 5 SQUARE
 42.398 900 SHEETS 5 SQUARE
 42.399 950 SHEETS 5 SQUARE
 42.400 1000 SHEETS 5 SQUARE
 NATIONAL
 MADE IN U.S.A.



continued on next page



42,381 50 SHEETS SQUARE
42,382 100 SHEETS SQUARE
42,383 200 SHEETS SQUARE
42,384 400 SHEETS SQUARE
42,385 800 SHEETS SQUARE
42,386 1600 SHEETS SQUARE
42,387 3200 SHEETS SQUARE
42,388 6400 SHEETS SQUARE
42,389 12800 SHEETS SQUARE
42,390 25600 SHEETS SQUARE
42,391 51200 SHEETS SQUARE
42,392 102400 SHEETS SQUARE
42,393 204800 SHEETS SQUARE
42,394 409600 SHEETS SQUARE
42,395 819200 SHEETS SQUARE
42,396 1638400 SHEETS SQUARE
42,397 3276800 SHEETS SQUARE
42,398 6553600 SHEETS SQUARE
42,399 13107200 SHEETS SQUARE
42,400 26214400 SHEETS SQUARE
42,401 52428800 SHEETS SQUARE
42,402 104857600 SHEETS SQUARE
42,403 209715200 SHEETS SQUARE
42,404 419430400 SHEETS SQUARE
42,405 838860800 SHEETS SQUARE
42,406 1677721600 SHEETS SQUARE
42,407 3355443200 SHEETS SQUARE
42,408 6710886400 SHEETS SQUARE
42,409 13421772800 SHEETS SQUARE
42,410 26843545600 SHEETS SQUARE
42,411 53687091200 SHEETS SQUARE
42,412 107374182400 SHEETS SQUARE
42,413 214748364800 SHEETS SQUARE
42,414 429496729600 SHEETS SQUARE
42,415 858993459200 SHEETS SQUARE
42,416 1717986918400 SHEETS SQUARE
42,417 3435973836800 SHEETS SQUARE
42,418 6871947673600 SHEETS SQUARE
42,419 13743895347200 SHEETS SQUARE
42,420 27487790694400 SHEETS SQUARE
42,421 54975581388800 SHEETS SQUARE
42,422 109951162777600 SHEETS SQUARE
42,423 219902325555200 SHEETS SQUARE
42,424 439804651110400 SHEETS SQUARE
42,425 879609302220800 SHEETS SQUARE
42,426 1759218604441600 SHEETS SQUARE
42,427 3518437208883200 SHEETS SQUARE
42,428 7036874417766400 SHEETS SQUARE
42,429 14073748835532800 SHEETS SQUARE
42,430 28147497671065600 SHEETS SQUARE
42,431 56294995342131200 SHEETS SQUARE
42,432 112589990684262400 SHEETS SQUARE
42,433 225179981368524800 SHEETS SQUARE
42,434 450359962737049600 SHEETS SQUARE
42,435 900719925474099200 SHEETS SQUARE
42,436 1801439850948198400 SHEETS SQUARE
42,437 3602879701896396800 SHEETS SQUARE
42,438 7205759403792793600 SHEETS SQUARE
42,439 14411518807585587200 SHEETS SQUARE
42,440 28823037615171174400 SHEETS SQUARE
42,441 57646075230342348800 SHEETS SQUARE
42,442 115292150460684697600 SHEETS SQUARE
42,443 230584300921369395200 SHEETS SQUARE
42,444 461168601842738790400 SHEETS SQUARE
42,445 922337203685477580800 SHEETS SQUARE
42,446 1844674407370955161600 SHEETS SQUARE
42,447 3689348814741910323200 SHEETS SQUARE
42,448 7378697629483820646400 SHEETS SQUARE
42,449 14757395258967641292800 SHEETS SQUARE
42,450 29514790517935282585600 SHEETS SQUARE
42,451 59029581035870565171200 SHEETS SQUARE
42,452 118059162071741130342400 SHEETS SQUARE
42,453 236118324143482260684800 SHEETS SQUARE
42,454 472236648286964521369600 SHEETS SQUARE
42,455 944473296573929042739200 SHEETS SQUARE
42,456 1888946593147858085478400 SHEETS SQUARE
42,457 3777893186295716170956800 SHEETS SQUARE
42,458 7555786372591432341913600 SHEETS SQUARE
42,459 15111572745182864683827200 SHEETS SQUARE
42,460 30223145490365729367654400 SHEETS SQUARE
42,461 60446290980731458735308800 SHEETS SQUARE
42,462 120892581961462917470617600 SHEETS SQUARE
42,463 241785163922925834941235200 SHEETS SQUARE
42,464 483570327845851669882470400 SHEETS SQUARE
42,465 967140655691703339764940800 SHEETS SQUARE
42,466 1934281311383406679529881600 SHEETS SQUARE
42,467 3868562622766813359059763200 SHEETS SQUARE
42,468 7737125245533626718119526400 SHEETS SQUARE
42,469 15474250491067253436239052800 SHEETS SQUARE
42,470 30948500982134506872478105600 SHEETS SQUARE
42,471 61897001964269013744956211200 SHEETS SQUARE
42,472 123794003928538027489912422400 SHEETS SQUARE
42,473 247588007857076054979824844800 SHEETS SQUARE
42,474 495176015714152109959649689600 SHEETS SQUARE
42,475 990352031428304219919299379200 SHEETS SQUARE
42,476 1980704062856608439838598758400 SHEETS SQUARE
42,477 3961408125713216879677197516800 SHEETS SQUARE
42,478 7922816251426433759354395033600 SHEETS SQUARE
42,479 15845632502852867518708790067200 SHEETS SQUARE
42,480 31691265005705735037417580134400 SHEETS SQUARE
42,481 63382530011411470074835160268800 SHEETS SQUARE
42,482 126765060022822940149670320537600 SHEETS SQUARE
42,483 253530120045645880299340641075200 SHEETS SQUARE
42,484 507060240091291760598681282150400 SHEETS SQUARE
42,485 1014120480182583521197362564300800 SHEETS SQUARE
42,486 2028240960365167042394725128601600 SHEETS SQUARE
42,487 4056481920730334084789450257203200 SHEETS SQUARE
42,488 8112963841460668169578900514406400 SHEETS SQUARE
42,489 16225927682921336339157801028812800 SHEETS SQUARE
42,490 32451855365842672678315602057625600 SHEETS SQUARE
42,491 64903710731685345356631204115251200 SHEETS SQUARE
42,492 129807421463370690713262408230502400 SHEETS SQUARE
42,493 259614842926741381426524816461004800 SHEETS SQUARE
42,494 519229685853482762853049632922009600 SHEETS SQUARE
42,495 1038459371706965525706099265844019200 SHEETS SQUARE
42,496 2076918743413931051412198531688038400 SHEETS SQUARE
42,497 4153837486827862102824397063376076800 SHEETS SQUARE
42,498 8307674973655724205648794126752153600 SHEETS SQUARE
42,499 16615349947311448411297588253504307200 SHEETS SQUARE
42,500 33230699894622896822595176507008614400 SHEETS SQUARE
42,501 66461399789245793645190353014017228800 SHEETS SQUARE
42,502 132922799578491587290380706028034457600 SHEETS SQUARE
42,503 265845599156983174580761412056068915200 SHEETS SQUARE
42,504 531691198313966349161522824112137830400 SHEETS SQUARE
42,505 1063382396627932698323045648224275660800 SHEETS SQUARE
42,506 2126764793255865396646091296448551321600 SHEETS SQUARE
42,507 4253529586511730793292182592897102643200 SHEETS SQUARE
42,508 8507059173023461586584365185794205286400 SHEETS SQUARE
42,509 17014118346046923173168730371588410572800 SHEETS SQUARE
42,510 34028236692093846346337460743176821145600 SHEETS SQUARE
42,511 68056473384187692692674921486353642291200 SHEETS SQUARE
42,512 136112946768375385385349842972707284582400 SHEETS SQUARE
42,513 272225893536750770770699685945414569164800 SHEETS SQUARE
42,514 544451787073501541541399371890829138329600 SHEETS SQUARE
42,515 1088903574147003083082798743781658276659200 SHEETS SQUARE
42,516 2177807148294006166165597487563316553318400 SHEETS SQUARE
42,517 4355614296588012332331194975126633106636800 SHEETS SQUARE
42,518 8711228593176024664662389950253266213273600 SHEETS SQUARE
42,519 17422457186352049329324779900506532426547200 SHEETS SQUARE
42,520 34844914372704098658649559801013064853094400 SHEETS SQUARE
42,521 69689828745408197317299119602026129706188800 SHEETS SQUARE
42,522 139379657490816394634598239204052259412377600 SHEETS SQUARE
42,523 278759314981632789269196478408104518824755200 SHEETS SQUARE
42,524 557518629963265578538392956816209037649510400 SHEETS SQUARE
42,525 1115037259926531157076785913632418075299020800 SHEETS SQUARE
42,526 2230074519853062314153571827264836150598041600 SHEETS SQUARE
42,527 4460149039706124628307143654529672301196083200 SHEETS SQUARE
42,528 8920298079412249256614287309059344602392166400 SHEETS SQUARE
42,529 17840596158824498513228574618118689204784332800 SHEETS SQUARE
42,530 35681192317648997026457149236237378409568665600 SHEETS SQUARE
42,531 71362384635297994052914298472474756819137331200 SHEETS SQUARE
42,532 142724769270595988105828596944949513638274662400 SHEETS SQUARE
42,533 285449538541191976211657193889899027276549324800 SHEETS SQUARE
42,534 570899077082383952423314387779798054553098649600 SHEETS SQUARE
42,535 1141798154164767904846628775559596109106197299200 SHEETS SQUARE
42,536 2283596308329535809693257551119192218212394598400 SHEETS SQUARE
42,537 4567192616659071619386515102238384436424789196800 SHEETS SQUARE
42,538 9134385233318143238773030204476768872849578393600 SHEETS SQUARE
42,539 18268770466636286477546060408953537745699156787200 SHEETS SQUARE
42,540 36537540933272572955092120817907075491398313574400 SHEETS SQUARE
42,541 73075081866545145910184241635814150982796627148800 SHEETS SQUARE
42,542 146150163733090291820368483271628301965593254297600 SHEETS SQUARE
42,543 292300327466180583640736966543256603931186508595200 SHEETS SQUARE
42,544 584600654932361167281473933086513207862373017190400 SHEETS SQUARE
42,545 1169201309864722334562947866173026415724746034380800 SHEETS SQUARE
42,546 2338402619729444669125895732346052831449492068761600 SHEETS SQUARE
42,547 4676805239458889338251791464692105662898984137523200 SHEETS SQUARE
42,548 9353610478917778676503582929384211325797968275046400 SHEETS SQUARE
42,549 18707220957835557353007165858768422651595936550092800 SHEETS SQUARE
42,550 37414441915671114706014331717536845303191873100185600 SHEETS SQUARE
42,551 74828883831342229412028663435073690606383746200371200 SHEETS SQUARE
42,552 149657767662684458824057326870147381212767492400742400 SHEETS SQUARE
42,553 299315535325368917648114653740294762425534984801484800 SHEETS SQUARE
42,554 598631070650737835296229307480589524851069969602969600 SHEETS SQUARE
42,555 1197262141301475670592458614961179049702139939205939200 SHEETS SQUARE
42,556 2394524282602951341184917229922358099404279878411878400 SHEETS SQUARE
42,557 4789048565205902682369834459844716198808559756823756800 SHEETS SQUARE
42,558 9578097130411805364739668919689432397617119513647513600 SHEETS SQUARE
42,559 19156194260823610729479337839378864795234239027295027200 SHEETS SQUARE
42,560 38312388521647221458958675678757729590468478054590054400 SHEETS SQUARE
42,561 76624777043294442917917351357515459180936956109180108800 SHEETS SQUARE
42,562 153249554086588885835834702715030918361873912218360217600 SHEETS SQUARE
42,563 306499108173177771671669405430061836723747824436720435200 SHEETS SQUARE
42,564 612998216346355543343338810860123673447495648873440870400 SHEETS SQUARE
42,565 1225996432692711086686677621720247346894991297746881740800 SHEETS SQUARE
42,566 2451992865385422173373355243440494693789982595493763481600 SHEETS SQUARE
42,567 4903985730770844346746710486880989387579965190987526963200 SHEETS SQUARE
42,568 9807971461541688693493420973761978775159930381975053926400 SHEETS SQUARE
42,569 19615942923083377386986841947523957550319860763950107852800 SHEETS SQUARE
42,570 39231885846166754773973683895047915100639721527900215705600 SHEETS SQUARE
42,571 78463771692333509547947367790095830201279443055800431411200 SHEETS SQUARE
42,572 156927543384667019095894735580191660402558886111600862822400 SHEETS SQUARE
42,573 313855086769334038191789471160383320805117772223201725644800 SHEETS SQUARE
42,574 627710173538668076383578942320766641610235544446403451289600 SHEETS SQUARE
42,575 1255420347077336152767157884641533283220471088892806902579200 SHEETS SQUARE
42,576 2510840694154672305534315769283066566440942177785613805158400 SHEETS SQUARE
42,577 5021681388309344611068631538566133132881884355571227610316800 SHEETS SQUARE
42,578 10043362776618689222137263077132266265763768711142455220633600 SHEETS SQUARE
42,579 20086725553237378444274526154264532531527537422284910441267200 SHEETS SQUARE
42,580 40173451106474756888549052308529065063055074844569820882534400 SHEETS SQUARE
42,581 80346902212949513777098104617058130126110149689139641765068800 SHEETS SQUARE
42,582 160693804425899027554196209234116260252220299378279283530137600 SHEETS SQUARE
42,583 321387608851798055108392418468232520504440598756558567060275200 SHEETS SQUARE
42,584 642775217703596110216784836936465041008881197513117134120550400 SHEETS SQUARE
42,585 1285550435407192220433569673872930082017762395026234268241100800 SHEETS SQUARE
42,586 2571100870814384440867139347745860164035524790052468536482201600 SHEETS SQUARE
42,587 5142201741628768881734278695491720328071049580104937072964403200 SHEETS SQUARE
42,588 10284403483257537763468557390983440656142099160209874145928806400 SHEETS SQUARE
42,589 20568806966515075526937114781966881312284198320419748291857612800 SHEETS SQUARE
42,590 41137613933030151053874229563933762624568396640839496583715225600 SHEETS SQUARE
42,591 82275227866060302107748459127867525249136793281678993167430451200 SHEETS SQUARE
42,592 164550455732120604215496918255735050498273586563357986334860902400 SHEETS SQUARE
42,593 329100911464241208430993836511470100996547173126715972669721804800 SHEETS SQUARE
42,594 658201822928482416861987673022940201993094346253431945339443609600 SHEETS SQUARE
42,595 1316403645856964833723975346045880403986188692506863890678887219200 SHEETS SQUARE
42,596 2632807291713929667447950692091760807972377385013727781357774438400 SHEETS SQUARE
42,597 5265614583427859334895901384183521615944754770027455562715548876800 SHEETS SQUARE
42,598 10531229166855718669791802768367043231889509540054911125431097753600 SHEETS SQUARE
42,599 21062458333711437339583605536734086463779019080109822250862195507200 SHEETS SQUARE
42,600 42124916667422874679167211073468172927558038160219644501724391014400 SHEETS SQUARE
42,601 84249833334845749358334422146936345855116076320439289003448782028800 SHEETS SQUARE
42,602 168499666669691498716668844293872691710232152640878578006897564057600 SHEETS SQUARE
42,603 336999333339382997433337688587745383420464305281757156013795128115200 SHEETS SQUARE
42,604 673998666678765994866675377175490766840928610563514312027590256230400 SHEETS SQUARE
42,605 1347997333357531989733350754350981533681857221127028624055180512460800 SHEETS SQUARE
42,606 2695994666715063979466701508701963067363714442254057248110361024921600 SHEETS SQUARE
42,607 5391989333430127958933403017403926134727428884508114496220722049843200 SHEETS SQUARE
42,608 10783978666860255917866806034807852269454857769016228992441444099686400 SHEETS SQUARE
42,609 21567957333720511835733612069615704538909715538032457984882888199372800 SHEETS SQUARE
42,610 43135914667441023671467224139231409077819431076064915969765776398745600 SHEETS SQUARE
42,611 86271829334882047342934448278462818155638862152129831939531552797491200 SHEETS SQUARE
42,612 172543658669764094685868896556925636311277724304259663879063105594982400 SHEETS SQUARE
42,613 345087317339528189371737793113851272622555448608519327758126211189964800 SHEETS SQUARE
42,614 690174634679056378743475586227702545245110897217038655516252422379929600 SHEETS SQUARE
42,615 1380349269358112757486951172455405090490221794434077311032504844759859200 SHEETS SQUARE
42,616 2760698538716225514973902344910810180980443588868154622065009689519718400 SHEETS SQUARE
42,617 5521397077432451029947804689821620361960887



#11 lat.
10-4"
rest-3"


3" 16 lat

= (.09 x 21)

4" main

half way
(.056")


6" main



MICROFILMED

APR 04 1989

N



MICROFILMED


APR 04 1989

Starter pipe 20' at beg. of each lat.

Main line 30
lat. 40

Pump #1
running
9 lines
short

From Well #2



MICROFILMED

APR 04 1989

5

APR 04 1989

half gal intervals

<u>sec</u>	<u>gal</u>
13	$\frac{1}{2}$
26	
9	
22	
4	

based on 30 sec stopwatch

13
13
13
13
12


12.8 $\frac{1}{2}$ gal

$\frac{1 \text{ gal}}{25.6 \text{ sec}} \times \frac{60 \text{ sec}}{1 \text{ min}}$

2.34 gal/min $\times 1000$

MICROFILMED, 343.7 gal/min

APR 04 1989




MICROFILMED

APR 04 1989

13 lat
10-4"
3-3"

~~Runs off bath~~



MicroFILMED

APR 04 1989

REMARKS
ATTACHMENT TO 219A

PERMIT # 95-7409
INITIALS

DATE

9/3/85 765-6412 NOT RUNNING FULL SYS. WILL CALL ME WHEN

FULL SYS IN USE. IF NO BURN THEN SPRING 86

2174	7695	8269
7049	7696	8277

95-7649 8.7 cfs MEASURED 6/20/78 FE - WELLS IN SEC 32^{1/2}


5/22/86 765-6412 NO AHS

MICROFILMED

APR 04 1989

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

95-7409




$\frac{(700)(1320)}{2(43560)} = 10.6 \text{ AC}$
 $40 - 10 = 30 \text{ AC}$

P/u
215 ac.

Huetter

MICROFILMED
 APR 04 1989

95-7409



MICROFILMED

APR 04 1989




Irr. Area (751 ac.)

Covered in Lic. #95-7049

P/D is well #2 and Well #3

(not lic. to use well
#1 on this ac.)



MICROFILMED

APR 04 1989

4/86

RECEIVED

MAY 8 1986

Department of Water Resources
Northern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received Yes
Date 5/8/86
Receipt # 132039
Receipt by me
Sent to S.O.

RECEIVED

MAY 12 1986

1. Permit No. 95-7409

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: ROY A. ARMSTRONG3. Post Office Address: N. 4820 HUETTER RD.COEUR D'ALENE, ID 83814 Telephone No. 765-64124. Source of Water: GROUNDWATER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 215 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 3 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1976

8. Person to contact to accompany the department representative during the field examination:

ROY A. ARMSTRONG (Name)N 4820 Huetter Rd. Coeur d'Alene Id. 83814 (Address) 765-6412 (Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date May 8, 1986Signature of Permit Holder (and title, if appropriate) Roy A. Armstrong

IDENT. NO. 95-7409

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

State of Idaho
Department of Water Administration

RECEIVED

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

[illegible]

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>FB</u>	<u>12/20/73</u>	Application No. <u>95-7409</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>FB</u>	<u>12/20/73</u>	In form to receipt
	<u>FB</u>	<u>12/29/73</u>	Send Copies to: ☒ Idaho State Health Department ☒ Idaho Fish and Game Department ☒ Bureau of Land Management
(4)	_____	_____	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>FB</u>	<u>12/20/73</u>	In form for advertising
(6)	_____	_____	Located within Water District No. _____
(7)	<u>FB</u>	<u>1/14/74</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>FB</u>	<u>1/14/74</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(9)	_____	_____	Comments: _____
(10)	<u>CP</u>	<u>1/14</u>	Affidavit of Publication received (date) <u>JANUARY 8, 1974</u>
(11)	<u>CP</u>	<u>12/31</u>	Final date for protests <u>JANUARY 14, 1974</u> Protests received: yes _____ no ☒
(12)	_____	_____	Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>FB</u>	<u>1/14/74</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>FB</u>	<u>1/14/74</u>	Action recommended: ☒ Approve Priority <u>12/29/73</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>North</u>	By <u>[Signature]</u>	Date <u>1/14/74</u>

95 7409

Department of Water Administration

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Roy A. Armstrong,
Route #1, Box 203, Coeur d'Alene, Idaho
has on December 20, 1973 submitted Application No. 95-7409
for a permit to appropriate 4.3 cubic feet per second ~~acre feet per annum~~
of water from a ground water source
by means of well, pump, motor, and sprinklers
within the SE $\frac{1}{4}$, Sec. 31 or NW $\frac{1}{4}$, Sec. 32, T. 51N, R. 4W, B.M., Kootenai
County
to be used from Jan. 1 to Dec. 31 for domestic purposes for 200 families (2.0 cfs);
~~for~~ and from March 15 to Nov. 15 for the irrigation of 215 acres (4.3 cfs).
both uses
within the E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 31, SW $\frac{1}{4}$, Sec. 32, T. 51N, R. 4W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before January 14, 1974.

R. KEITH HIGGINSON

Director

Published in the Post Falls Tribune, Post Falls, Idaho
on Dec. 27, 1973 and Jan. 3, 1974

95 7409