

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 95-7033 Priority 10-18-68 Amount 1.21 c.f.s.
(late proof)

THIS IS TO CERTIFY, that GEORGIA PACIFIC CORPORATION
of Sandpoint, Idaho, has complied with the terms and conditions of Permit
No. 95-7033 issued pursuant to Application for Permit dated 9-30-68,
and has submitted proof to the Department of Water Administration on 2-19-70,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 1.21 c.f.s., and that the water has in fact been applied to a
beneficial use; a right to the use of water from a groundwater source
tributary of _____, is hereby confirmed in the following amounts:
Amount 1.21 c.f.s. for Industrial from Jan. 1 to Dec. 31 (both dates inclusive)
Amount 1.21 c.f.s. for Fire Protection from Jan. 1 to Dec. 31 (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Subject, however, to the condition that no more than 1.21 c.f.s. of water be diverted at
any one time, said waters to be diverted within the _____

SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 7, Twp. 52 N., Rge. 3 W., B.M.

in the county of Kootenai; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 878.3 acre feet per year or _____
N.A. acre feet per acre.

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
52 N	3 W	7															X		

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 16th day of

MARCH, 19 71.


Deputy Director

95 7033

Identification No. 95-7033
Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Hedlund Lumber Co., Inc. (Name change - see proof)
post office address P.O. Box 249, Sandpoint, Idaho
2. Source of water supply Subterranean which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 52 N.
Range 3W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into the ground at a point in SW $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 7 Township 52 N. Range 3W B.M.
4. Quantity to be appropriated:
a. 2 (two) cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
(Lumber manufacturing and
fire protection) purpose from Jan 1 to Dec. 31 (both dates inclusive)
Industrial purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL - PUMP - Motor -
STORAGE CISTERN - PUMP - MOTOR TO USE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 14 inches; proposed depth of well is 360 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 year ~~60~~ PERIOD days.
b. Estimated construction cost is \$ 30,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 7 Township 52 North
Range 3W B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
Water to be used in manufacturing, fire protection and domestic use necessary
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Manufacturing Lumber, and for fire
protection. Domestic use necessary.

95-7033

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes _____

9. a. Who owns the property at the point of diversion Hedlund Lumber Co., Inc.

b. Who owns the land to be irrigated or place of use Hedlund Lumber Co., Inc.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Pump will be located at well to pump into storage area adjacent to
comply with Fire Underwriters Code to protect sawmill with sprinkler
system. Pumps will be located at storage area to load sprinkler system.
Small pump will also be located at well for domestic and industrial
use in connection with the saw mill. All water waste from sawmill
is non-contaminated and returned to ground.

Kootenai County, Idaho, to-wit:

Part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 7, Township 52
Range 3 West B.M., Kootenai County, Idaho; formerly
described as being parts of the vacated portion of the Plat
of SPOKANE VALLEY COMMERCIAL ORCHARDS, as said
plat was recorded in Book C of Plats at page 120, records
of Kootenai County, Idaho; more particularly described as
follows:


That part of the E $\frac{1}{2}$ of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described
as the East half of the vacated Block 110 of said

That part of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ lying westerly of the
of the Spokane International Railway; formerly described as
the vacated Block 100 of said Plat. EXCEPT the part
included in Oak and Maple Streets and Fifth Avenue, which
Streets were not vacated. That part of the East half of the
SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1, 2, 3, 4 and 5 in the
vacated Block 119 of said Plat. EXCEPT the part included in
Oak Street, which Street was not vacated.

That part of the SE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1,
2, 3 and 4 in the vacated Block 120 of said Plat; being the
portion lying Westerly of the Spokane International Railway
as shown on said Plat.

957033

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jeffrey L. Linder to Sec.
Jeffrey L. Linder Pres
 (Applicant)

95.7033

df 9-30-68 8:00 am
no further
Received by ef Date 8-23-68 Time 9:00 am
Preliminary check by DR Fee \$ 25.00
Receipted by if Date 9-30-68
Publication prepared by W Date 10-4-68
Published in Courier & Advertiser
Publication dates 10-17 and 24-68
Publication approved W Date 10-15-68
Priority reduced to 10-18-68 Reason Permit suspended
and reinstated

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval ☒ denial by MR DR

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7033, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1970.
- c. Other: That the applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 9th day of January, 19 69.

R. Keith Hiji
State Reclamation Engineer

Identification No. _____

Permit No. 95-7033

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

late

1. a) Name of Permit Holder Hedlund Lumber Co., Inc. (now Georgia-Pacific Corporation by reorganization agreement dated October 7, 1969; closed Nov. 25, 1969.
b) Post Office Address P. O. Box 249, Sandpoint, Idaho 83864
2. Permit Number 95-7033
3. Date of Priority that you are prepared to establish September 1, 1970
4. a) Source from which water was appropriated subterranean ✓
b) Location of the point of diversion: SW 1/4 SE 1/4, Section 7
Township 52 N, Range 3 W Boise Meridian, Other points of diversion: none
Kootenai County ✓
5. a) The amount of water and use to which the water has been applied:
amount 2 cu. ft. / sec. for Industrial purposes from January 1 to December 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 28,333 cu. ft. / year cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: See schedule attached from Layne Pumps, Inc. Pasco, Washington; also estimated use from pump made by General Superintendent
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: N/A
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) well pump motor, storage cistern and pump motor to use
b) Describe the type and size of measuring device which you have installed at your point of diversion: At this time a final measuring device has not been installed--only estimated measurements are made.
c) Give well drillers name and address and date the well was completed E. A. Holman Drilling Company 601 S. Pine Road, Spokane, Washington 99206 ; March 17, 1969

*Exam typed
June 29, 1970
Christine McMillan*

95-7033

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Lumber manufacturing (storage area, sprinkler system), fire protection;
domestic and industrial use in connection with a sawmill operation. Place of
use is Chilco, Washington 1-27-70

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: None


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres irrigated _____

10. Remarks: The scheduled completion date of development of this well is behind schedule
because of the sale of Hedlund Lumber Co., Inc.'s assets to Georgia-Pacific
Corporation. G-P intends to complete this development in the near future.


The above information is a true statement of the extent to which the above numbered permit has been developed.

January 28, 1970
(Date)


(Signature) Assistant Secretary

State of OREGON)
ss.
County of Multnomah)

On this 28th day of January, 19 70, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she)(they) executed the same.


Notary Public residing at Portland, Oregon
My commission expires: 12/12/70


My commission expires _____

LICENSING DATA ANALYSIS

- Permit No. 95-7033
- Name license is to be issued in Georgia-Pacific
Assignment required - Yes ☐ No ☒
- Date of first receipt 9-30-68 Date proof due 2-1-70 Made 2-19-70
- Priority ☐ Late proof - Yes ☒ No ☐
- Source Ground water tributary ☐
- Point of diversion:
Twp. 52 N/S, Rge. 3 E/W B.M., Sec. 7, SW $\frac{1}{4}$ SE $\frac{1}{4}$
Twp. N/S, Rge. E/W, B.M., Sec. , $\frac{1}{4}$ $\frac{1}{4}$
Twp. N/S, Rge. E/W, B.M., Sec. , $\frac{1}{4}$ $\frac{1}{4}$
Amendment required - Yes ☐ No ☒
- Beneficial use for license:
Amt. 1.21 cfs for Industrial from 1 Jan to 31 Dec AF 878.3
Amt. 1.21 cfs for fire protection from 1 Jan to 31 Dec AF
Amt. for from to AF
Amount not to exceed at any one time 1.21 c.f.s. or 878.3 acre feet per season or acre feet per acre
Amendment required - Yes ☐ No ☒
- Permitted Amount: 2.0 c.f.s. Volume for season AF
- Measured Amount: 1.21 Reason for reduction Maximum output of system
- Description and location of place of use:

Twp	Rge	Sec	NE 160				NW 160				SW 160				SE 160				Total
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
52	3	7																	

- Total No. of acres
- Supplemental acreage - Yes ☐ No ☒
- Total permitted acres
- Amendment required - Yes ☐ No ☒
11. Remarks: Meter installed
12. Measuring device required - Yes ☒ No ☐
13. Type of letter required: Fee ☐ Notice ☒
14. Analysis by J. Barker Date 2 Nov 70 Checked by J. Barker Date



5.

100 gals in 11 sec.

900 to

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. 95-7033

REPORT ON PROOF OF B/U HEDLUND LUMBER CO., INC. (NOW GEORGIA-PACIFIC CORPORATION)

Uses:


used to spray logs in storage in summertime (keeps them from cracking)
used for fire protection by fire hoses (no overhead nozzles)
used on band saws and edge saws for cooling and removal of pitch

Well pumps into 1000 gal tank inside sawmill.
a Rockwell flow meter is installed

The well kicks on at 40 lbs and off at 80 lbs.

Could only measure for 100 gallon intervals

Measured 100 gals in 11 seconds.



R. 3 W

Chilco

(7)

Mill

PD

priority October 18, 1968 - late proof

Q measured

1.21 cfs

Q recommended

1.21 cfs

Volume

286,189,200

878.3 AF/year

Acreage

325 ASD

Found

No irrigation

recommended

"

Supply

1

Amendments

☒ None

☐ P. D.

☐ Place of use

☐

Late Proof

85 5000

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. 95-7033

This proof is for B/M In Water District No.

1. Name of applicant GEORGIA PACIFIC CORPORATION Box 249, Sandpoint, Idaho 83864

2. Source of water supply: ground water

3. Location of point of diversion: Is in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 7

T. 52 N R. 3 W County of Kootenai

4. Describe works as they exist, giving dimensions and capacities of same:

well, pump, motor, storage cistern, pump-motor to use - 60 HP US Hallshaft.
Motor # R 2025647, L-B Pump # 54219, 6" discharge through a 6" Check Valve and
6" Model 301 Rockwell Flow Meter # 5009 then into a 6" x 6" x 4" Tee then reduces
to 4" Main lines to points throughout Mill grounds.
Lapco Bowler Pump Ser: 54219

5. Water is used for: lumber manufacturing and fire protection, & industrial

6. State whether or not water has been turned into works of diversion: yes.

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

T. 52 N, R. 3 W, Sec. 7 SW $\frac{1}{4}$ SE $\frac{1}{4}$

100 gals in 11 sec

$$\frac{\frac{60}{11} \times 100}{450} = 1.21 \text{ cfs}$$

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: I contacted Mr. Cal Troutman, plant superintendent.

Contacted Mr. Troutman. The water has several uses:

① used to cool the band saw blades

② used to remove pitch from band saw blades

③ used to keep logs from splitting during summer when in stock piles.

④ used for fire protection of saw mill.

There is a meter installed (Rockwell)

measured 100 gals in 11 sec. = 545 gpm = 1.21 cfs

This examination was made on the 27 day of Aug, 1922

(Signed)

F. E. Jensen

Examiner.

95 7033

my
7-24-10

plat

ASCS: Coeur d'Alene
SCS: Coeur d'Alene
Permit No. 95-7033

Examination for B/U GEORGIA-PACIFIC CORPORATION

County Kootenai

Sec. 7 T. 52N R. 3W

Quantity: (permit) 2 cfs (proof) same

Source: ground water

P.D.: SW 1/4 SE 1/4

Use: lumber manufacturing and fire protection; industrial

Extension:

Protest:

Completion of Works:

Other Rights:

Filed: 9/30/68

Made: 2/19/70

Due: 2/1/70

Priority: 10/18/68

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

BEFORE THE STATE RECLAMATION ENGINEER

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-7033)

in the name of HEDLUND LUMBER CO., INC.)

ORDER OF REINSTATEMENT

WHEREAS, on September 30, 1968, Hedlund Lumber Co., Inc. applied to the Department of Reclamation for a permit to appropriate 2.0 cubic feet per second of water from a groundwater source to be diverted within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 7, T. 52N, R. 3W, B.M., Kootenai County, Idaho; and,

WHEREAS, on January 9, 1969, the Department of Reclamation approved the application subject to the condition that the applicant permanently install a measuring device of a type approved by the Department of Reclamation and that proof of the application of water to beneficial use be submitted to the Department on or before February 1, 1970; and,

WHEREAS, on December 1, 1969, the permit holder was notified by certified mail that he was required to submit proof of the application of the water to beneficial use and was instructed as to the steps to be taken to make that proof; and,

WHEREAS, the required proof of beneficial use was not received on February 1, 1970; and,

WHEREAS, the Department of Reclamation informed the permit holder on February 6, 1970, that the permit had lapsed for failure to submit proof of beneficial use; and,


WHEREAS, on February 19, 1970, the Department of Reclamation received the required proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why the permit should be reinstated;

THEREFORE, IT IS HEREBY ORDERED that Permit No. 95-7033 be REINSTATED and the priority be reduced to October 18, 1968.

Dated this 11th day of March, 1970.


R. KEITH HIGGINSON
State Reclamation Engineer

95-7033

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Hedlund Lumber Co., Inc, P. O. Box 249, Sandpoint,

Idaho has on September 30, 1968
applied for permit under application No. 95-7033 to divert ~~from~~
2.0 cubic feet per second ~~from~~ of water from a subterranean
source. Water will be diverted by a wall,
and
pump, motor, /storage cistern, within the SW 1/4, SE 1/4,
sec. 7, T. 52 N, R. 3 W, B.M., Kootenai County
and is to be used from January 1, to December 31
for lumber manufacturing and fire protection
in the SW 1/4, SE 1/4, sec. 7, T. 52 N, R. 3 W, B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Coeur d' Alene Press, Coeur d' Alene, Idaho,
on October 17 and October 24.

95-7033

RECEIVED

REPORT OF WELL DRILLER
State of Idaho

JUN 13 1969

State law requires that this report shall be filed with the State Department of Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Hedlund Lumber Co.

Address 808 North Boyer
Sandpoint, Idaho

Owner's Permit No. 95-7033

NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Fire Protection

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☐
Dug ☐ Other ☐ (explain)

CASING SCHEDULE: Threaded ☐ Welded ☒
12" "Diam. from 1 ft. to 170 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.

Thickness of casing: 3/8 Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☒ No ☐ Type of
perforator used: Mills Knife

Size of perforations: 3/8" " by 1 1/2"
276' perforations from 105' ft. to 129' ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒
Manufacturer's name


Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No. ☒ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☒ No ☐ To what depth?
20' ft. Material used in seal: cement

Did any strata contain unusable water? Yes ☐
No. ☒ Type of water:
Depth of strata ft. Method of sealing
strata off: Clay layers of natural material
& Bentonite

Surface casing used? Yes ☒ No. ☐
Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Kootenai
SW 1/4 SE 1/4 Sec. 7 T. 52N R. 3 W

Size of drilled hole: 12" Total
depth of well: 270' Standing water
level below ground: 85' Temp.
Fahr. ° Test delivery: gpm
or cfs Pump? ☒ Bail ☐
Size of pump and motor used to make test:
250hp 1 1/2" 8' 6" 10' 10"
Length of time of test: 8 Hrs. 0 Min. 0
Drawdown: 7 ft. Artesian pressure: ft.
above land surface Give flow cfs
or 1200 gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		
0'	38'	Large gravel & clay	no
38'	83'	Sand, gravel & clay	no
83'	129'	Sand & gravel	yes
129'	135'	Clay, sand & gravel	yes
135'	139'	Blue clay & gravel	no
139'	141'	Pea gravel & clay	water
141'	162'	Brown clay & gravel	no
162'	164'	Fine sand & water	water
164'	183'	Brown clay	no
183'	200'	Clay, grey	no
200'	220'	Sandy grey clay	no
220'	240'	Blue clay & sand	no
240'	253'	Blue clay	no
253'	270'	Granite band	no

Work started: 2/12/69
Work finished: 3/15/69
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: E. A. Korman Drilling Co.
Address: 601 So. Pioneer
Signed by: E. A. Korman
License No. 105 Date: 6-2-69

Use other side for additional remarks

95-7033

Kootenai County, Idaho, to-wit:

Part of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 7, Township 52 North, Range 3 West B. M., Kootenai County, Idaho; formerly described as being parts of the vacated portion of the Plat of SPOKANE VALLEY COMMERCIAL ORCHARDS, as said plat was recorded in Book C of Plats at page 120, records of Kootenai County, Idaho; more particularly described as follows:

That part of the E $\frac{1}{2}$ of the NW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as the East half of the vacated Block 110 of said Plat.

That part of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ lying westerly of the right of way of the Spokane International Railway; formerly described as the vacated Block 100 of said Plat. EXCEPT the part included in Oak and Maple Streets and Fifth Avenue, which Streets were not vacated. That part of the East half of the SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1, 2, 3, 4 and 5 in the vacated Block 119 of said Plat. EXCEPT the part included in Oak Street, which Street was not vacated.

95
That part of the SE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ formerly described as Lots 1, 2, 3 and 4 in the vacated Block 120 of said Plat; being the portion lying Westerly of the Spokane International Railway as shown on said Plat.