

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09229

Priority: May 17, 2004

Maximum Diversion Rate: 1.50 CFS
Maximum Diversion Volume: 816.0 AF

It is hereby certified that COEUR D ALENE SCHOOL DISTRICT #271
311 N 10TH ST

COEUR D ALENE ID 83814 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 17, 2004; and has submitted Proof of Beneficial Use on June 16, 2005. An examination indicates that the works have a diversion capacity of 1.50 cfs of water from:

SOURCE

GROUND WATER
BENEFICIAL USE

and a water right has been established as follows:

	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
COOLING	01/01 to 12/31	1.50 CFS	369.0 AF
HEATING	01/01 to 12/31	1.50 CFS	447.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW1/4SW1/4, Sec. 22, Twp 51N, Rge 04W, B.M., KOOTENAI County
GROUND WATER NW1/4SW1/4, Sec. 22, Twp 51N, Rge 04W, B.M., KOOTENAI County
GROUND WATER (Injection) NW1/4SW1/4, Sec. 22, Twp 51N, Rge 04W, B.M., KOOTENAI County

PLACE OF USE: COOLING

Twp Rge Sec	NE	NW	SW	SE	Totals
51N 04W 22	NE	NW	SW	SE	X

PLACE OF USE: HEATING


Twp Rge Sec	NE	NW	SW	SE	Totals
51N 04W 22	NE	NW	SW	SE	X

CONDITIONS OF APPROVAL

1. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of any management plan approved by the director for the RPGWMA. If the director determines that the ground water supply in the RPGWMA is insufficient to meet the demands of prior water rights within the RPGWMA, the director may order the diversion and use of water under this right to be reduced or curtailed until the director determines that there is sufficient ground water available for this right.
2. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
4. Return flow discharged to a subsurface system must be authorized by a separate injection well permit. Permit 95-W5 has been assigned to Atlas Elementary School.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 15 day of July, 2008


DAVID R. TUTHILL, JR.
Director