

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 94-07371

Priority: July 18, 1997

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

1.4 AF

This is to certify, that BRIAN BENSON

28635 STATE HWY 3

ST MARIES ID 83861

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 18, 1997; and has submitted Proof of Beneficial Use on September 28, 1998. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.01 CFS	1.2 AF
	Totals	0.01 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SESESE , Sec. 18, Township 47N, Range 02W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

47N 02W 18	SESE
19	NENE

PLACE OF USE: DOMESTIC

TWN RGE SEC


47N 02W 19	NENE
------------	------

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 28th day of

APRIL, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

AUG 11 1999

RECEIVED

SEP 28 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 94-07371 Telephone No. 208 689 3048
2. Name(s) of Permit Holder(s): BRIAN BENSON
3. Mailing Address: 28635 ST HY 3 SAINT MARIES ID 83864
4. Source of Water: Spring If GROUNDWATER (well), Date Drilled: mo. N/A yr. N/A
- a. Well Driller: N/A Drilling Permit Number:
- b. OPTIONAL:
Pump Horsepower: 1 HP Pressure (psi): 35 Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):
- Domestic (No. of households): ~~1~~ Stockwater (No. and type of stock): 2 HORSES
- Irrigation (No. of acres): N/A Other:

6. Total rate of diversion and/or volume for which proof is submitted: 60 gal DAY cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?	Yes <u> </u> or No <u>X</u>
Has the measuring device been installed?	Yes <u> </u> or No <u>X</u>
Flow Measurement Port: Is a flow measurement port required?	Yes <u> </u> or No <u>X</u>
Has the measurement port been installed?	Yes <u> </u> or No <u>X</u>

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Telephone Number:

Address:

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

NOV 27 1998

Signature of permit holder: Brian Benson Date: 9/18/98
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 94-07371

Proposed Priority: July 18, 1997

Maximum Diversion Rate:

0.01 CFS

This is to certify, that **BRIAN BENSON**
28635 STATE HWY 3
ST MARIES ID 83861
has applied for a permit to appropriate water from:
SPRING tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.01 CFS
DOMESTIC	01/01 to 12/31	0.01 CFS
	Totals	0.01 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESESE , Sec. 18, Township 47N, Range 02W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

47N 02W 18 SESE
19 NENE

PLACE OF USE: DOMESTIC

TWN RGE SEC

47N 02W 19 NENE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1993.
2. Subject to all prior water rights.
3. Stockwater use is for up to 30 head of mixed stock.
4. Domestic use is for external use for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17th day of September, 1997.

Karl J. Dreher
for Karl J. Dreher, Director

MICROFILMED

FEB 13 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 94-7371
RECEIVED
SEP 05 1997
Department of Water Resources

1. Name of Applicant BRIAN BENSON Phone 689 3046
Mailing address 28635 ST H 3 SAINT MARIES ID 83861
2. Source of water supply Spring which is a tributary of Sinks
3. Location of point of diversion is Township 47 N Range 2 W Sec. 18 in the SE 1/4.
SE 1/4, SE 1/4, Govt. Lot _____, B.M., KOOTENAI County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .01 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .01 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .01 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source Polley Urthine Tank
1W crushed washed Rock Pump
 - b. Height of storage dam _____ feet; active reservoir capacity ~~3000~~ 900 acre-feet; total
reservoir capacity _____ acre-feet
 - c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (If irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. 25-30 head mixed
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. LAWN Garden water
 - e. Other; describe fully. _____

MICROFILMED
FEB 13 1998

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
47	2 ^N	18																S	
47N	2W	19	D	S															

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? App

b. Who owns the land to be irrigated or place of use? App

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____


13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Brian Benson
 Signature of Applicant (and title, if applicable)

Received by db Date 7/18/97 Time 11:45a Preliminary check by db
 Fee \$ 50.00 Receipted by db # N011448 Date 7/18/97
 Publication prepared by db Date 7/30/97 Published in COA Press 8/7+14/97
 Publication approved db Date 8/19/97

RECORDED
 FEB 13 2000



BLACK
ELEVATION

Spring

(MEDMONT)
2678 / NE

Storage Bin

Gravel Pit

Black Creek

Creek

LARCH DRIVE

FIR DRIVE

ROAD

Borrow Pit

Soloe Peak

Gara Substation

Kootenai High Sch

BENSON

T. 47N., R. 2W.

KOOTENAI CO.
BENEWAH CO.

MICROFILMED
FEB 13 1998

SPRING and stock
25'
House & stock

MEMORANDUM

TO: File 94-07371

FROM: Sharla

DATE: April 21, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 94-07371 are as follows:

B. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: SESESE, S18, T47N, R2W

H. RECOMMENDATIONS

Stockwater	1/1 - 12/31	0.01 cfs	0.2 afa
Domestic	1/1 - 12/31	0.01 cfs	1.2 afa

Springs require a 10-acre description for point of diversion.

Stockwater volume has been calculated as follows: 5 cows + 5 horses = 10 X 12 gpd X 365 days + 5 gpd (5 gallons per 100 chickens, allowed 5 gpd for 20 chickens) X 365 days / 325,850 = 0.24 af, rounded to 0.2 af.

The permit was for one home; the license is limited to one home, thus the domestic volume is 1.2 af.

Exam Date: February 8, 1999
Examiner: Dave Pagel

MICROFILMED

AUG 11 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 94-07371 DATE 4/21/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .01 cfs
 Fee limit .20 cfs \$50.00
 Measured ✓ cfs
 Theoretical .06 cfs
 Recommended Total Div Rate .01 cfs

WATER USES	Change (P46)	
<u>Stock</u>	<u>.01</u> cfs	<u>.2</u> af
<u>Dom</u>	<u>.01</u> cfs	<u>1.2</u> af
TOTALS	<u>.01</u> cfs	<u>1.4</u> af

Irrig - overlap (R58-R61, R62-R65, R66-R69)
 supp. gw (WB7/065/079)
 overlap spec. combined rts (W35)
 <1acre (W31)
 Domestic (W01/WB5/070/071/075)
 Power (W42 or W43/025/027/R22 or R23)
 Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .01 cfs X 365 days X 1.98 = 7.3 af

REMARKS external use / home

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes ✓ no

SRBA Claim N/A

Adjust Memo 10-acc pld
 Amend letters _____

10x12x365
 325,850
 + chickens
 = .24 af

plus 1 home

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 22 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 94-07371

1. Owner: Brian Benson Phone No. (208) 689-3046

Current Address: 28635 State Hwy 3 St. Maries, Idaho 83861

2. Accompanied by: Brian Benson EXAM DATE: Feb 8, 1999

Address: Same Phone No. _____

Relationship to Permit Holder: Self

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	18	47N	2W	Kootenai	USGS 7.5' Quad.

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
47N	2W	18																5	
47N	2W	19	5																
47N	2W	19	D	D															

MICROFILMED

AUG 7 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = NA

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5		Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

AUG 17 1993

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from spring. For domestic and stockwater use. A 5 horsepower pump is used to pump water from the spring up to the pressure tank through 1160 Ft of 2" PVC line.

Domestic use is for 1 existing home and a second home is to be built. The water line is plumbed in.

Stockwater use is for horses, cattle, chickens, and dogs.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 17 1989

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

*See theoretical calculation***G. VOLUME CALCULATIONS****1. Volume Calculations for Irrigation:**

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$\begin{aligned}
 5 \text{ horses} &= .2 \times 5 = 1.0 \\
 5 \text{ cows} &= .2 \times 5 = 1.0 \\
 20 \text{ chickens} &= 5 \text{ gal} \times 365 \text{ days} = 1825 \text{ gal/yr.} \\
 1825 / 325,850 \text{ gal} &= .006
 \end{aligned}$$

$$\begin{array}{r}
 1.0 \\
 1.0 \\
 + .006 \\
 \hline
 2.006 \text{ afa}
 \end{array}$$

H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Stockwater</u>	<u>01/01</u>	<u>12/31</u>	<u>.01 cfs</u>	<u>2.006 afa</u>
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>.01 cfs</u>	<u>2.4 afa</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.01 cfs</u>	<u>4.406 afa</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name David A. Pagel Date Feb 17, 1999

Reviewer _____ Date _____

SEAL

MICROFILMED

1999 FEB 17 1999



THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 94-07371, BRIAN BENSON

DATE: 9-FEB-99

COMPLETE BY: PAGEL

HORSEPOWER = 5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 350 FEET

SYSTEM PRESSURE = 60 PSI

QUANTITY = 0.06 CFS

MICROFILMED
AUG 11 1999

PERMIT # 94-07371

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PERMIT #
S



Point
of
Diversion



Place
of
Use

MICROFILMED
AUG 11 1999

PERMIT # 94-07371

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Place
of
USE



Pressure
System

MICROFILMED
AUG 11 1999

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 94-07371 Reviewed by [Signature] Date 11-12-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
NO Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address X Proof Made 9-28-98

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by *Cindy Lou*No.: 94-07371 Name: Benson Date: 9/16/97 Ad OK? ☒ Gvmt Lts: ☒

AREA OF CONCERN:

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

1 year/no proof

P16

>1 year

- 26A-P17

~~GROUNDWATER:~~ (✓ FLO-CH)

WMD (✓ MAP)

>0.24 cfs/5 acres

- _____ or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD >0.24 cfs

- 01M (report when notified)

>5 a.

- 01M; 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

≤ 0.24 cfs/5 acres

- No MD

DRILLING PERMIT:

Existing well

- NA (pre 7/1/87; ✓ WDQ3)

Included w/permit

- Permit No. _____ - _____ - _____ - _____ P99

No drilling permit?

- 046-46B-P23 (post 7/1/87)

irr. in WD

- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that *doesn't* sink is regulated):

IN MIN. STR. FLOW (✓ MAP)

- 31A (modify remark *WB9)

WD (✓ MAP & LISTING)

- R04 (WD # _____)-01J-P08 (MD)

Pumped >0.20 cfs

- 01H-P01 (LD & MD) or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22 P04, NA

(02/03-irr)

- 007-P07 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

USE:

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area

- 070-071- P53

Fish Propagation

- 029-007-042(req)-081-R07 (WQ)-P10; 044 (N of 1000 Springs)

Irr ≤ 5 acres

- R49/R50/R51/R52 (0.03 cfs/acre +AF)

> 5 acres

- R29/R30/R31/R32 (0.02 cfs/acre +AF)

Mining

- 054(req)-081-R07-P10

Muni (in restricted areas)

- 022, 075, 004 (+memo?)

Power

- 17H/17K(+uses)-08A-025-01N(P19)-028-081-R07(P10); 027 (if no other cons. use);

17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18

Stock (BLM/USFS)

- R37

Storage (✓3 compo.)

- 080; 18A (in- & out-flow MD within district), 18B-P09 (>10' dam),

LOCATION:

42-248 area

- P84 (in 20/30/40/50/60/70/80 (87) basin)

Basins 71-79

- 029 (fish screens)

Boise Front LoGeo

- 058 (<85° GW temp only)

In-stream dev.

- P52 (stream channel alteration)

Irr Dist/Canal Co.

- 023 (Twin Falls area)

SWAN FALLS FLAG (See Code Chart)

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU) _____

OTHER CONDITIONS:

STANDARD REMARKS:

- 0202/30 mifed 02001/1/97

BENEFICIAL USE DUE:

- 10/1/ 1998

COMMENTS:

RECEIVED

SEP 05 1997

W2/
WRT
20

APPLICATION # 94-7370

DEPARTMENT OF WATER RESOURCES

***** INITIAL REVIEW *****

APPLICANT: BENSON BY: [Signature] DATE: 7/18/97

ITEM	REQUIRED INFORMATION
------	----------------------

1. (x) Name and Address
2. (X) Source
3. (v) Point of Diversion & County
4. (x) Quantity
(v) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (v) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (X) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(v) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ___ X Field check: by _____
 ___ / Field report attached
 ___ / Analysis Supp. attached(>5cfs/500af)
 ___ d Water delivered by water master?
 ___ Water District # _____

PROCESSING

Yes No PRIORITY DATE: 7 / 18 / 97

8 (Include Moratorium Remark)

 ~~X~~ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: Roots County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: *N/A*

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: / /

- | | | | |
|-----|----------|---|------|
| ___ | <u>X</u> | Groundwater management area | Rema |
| ___ | <u>1</u> | Critical ground water area | |
| ___ | <u>1</u> | Well Drilling Permit required | |
| ___ | <u>1</u> | Well Drilling Application and Fees received | |
| ___ | <u>X</u> | Well Drilling Application approved? | |
| ___ | | Well Drilling Application Number | - |

Remarks:

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- 8/19/97
8/28/97
- ____ Notice of pending void order issued. Final order response date: ____/____/____
____ Further information required from applicant
____ Affidavit of publication received
____ Application published correctly, If not, record action taken:

7/30/91	Publication dates and paper recorded on application.	Sr. Agent initial <i>AB</i>
---------	--	-----------------------------

Protests received. Final protest date: 8/125/97

Sr. Agent initial *AB*

- Measuring device required _____
- Measuring port required _____
- Special conditions: _____
- Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: [Signature] Date: 9/2/97