

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-07368

Priority: May 9, 1996

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that GORDON LA BELLE
W 1961 LUNDY BLVD

POST FALLS ID 83854

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 9, 1996; and
has submitted Proof of Beneficial Use on May 14, 1997. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

BLACK LAKE

tributary to COEUR D ALENE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
FIRE PROTECTION	01/01 to 12/31	0.04 CFS	
	Totals	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 12, Township 47N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

47N 03W 12 Lot 1(NENE)

PLACE OF USE:

FIRE PROTECTION, same as DOMESTIC use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

MICROFILMED

APR 09 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 94-07368

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for lawn watering.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 16th day of MARCH, 1998.

Acting for


KARL J. DREHER, Director

MICROFILMED

APR 09 1998

STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 14 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

 1. Permit No. 94-07368 Telephone No. 208-773-7956

 2. Name(s) of Permit Holder(s): Gordon LaBelle

 3. Mailing Address: W 1961 Lundy Blvd. Post Falls Id. 83854

 4. Source of Water: Black Lake If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____

 b. **OPTIONAL:**

 Pump Horsepower: 1/2 HP Pressure (psi): 40 Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

 Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

 Irrigation (No. of acres): 100 x 100 FT LOT Other: _____

 6. Total rate of diversion and/or volume for which proof is submitted: 0.07 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

 Measuring Device: Is a measuring device required? Yes _____ or No ✓
 Has the measuring device been installed? Yes _____ or No _____

 Flow Measurement Port: Is a flow measurement port required? Yes _____ or No ✓
 Has the measurement port been installed? Yes _____ or No _____

 8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

 Name: Gordon LaBelle Telephone Number: 208-773-7956

 Address: W 1961 Lundy Blvd. Post Falls Id. 83854

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

 Signature of permit holder: Gordon LaBelle Date: 5-12-97
 (include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 94-07368

Proposed Priority: May 9, 1996

Maximum Diversion Rate:

0.07 CFS

This is to certify, that GORDON LA BELLE
W 1961 LUNDY BLVD

POST FALLS ID 83854

has applied for a permit to appropriate water from:

BLACK LAKE

tributary of COEUR D ALENE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.03 CFS
FIRE PROTECTION	01/01 to 12/31	0.04 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 12, Township 47N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

47N 03W 12 Lot 1(NENE)

PLACE OF USE: FIRE PROTECTION, same as DOMESTIC use


CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1997.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.
4. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Witness the signature of the Director, affixed at Boise, this

22nd day of July, 1996


Karl J. Dreher, Director

for

RECORDED

SEP 12 1996

WR1
WRA
BC

RECEIVED
JUL 11 1996

Ident. No. 94-7368

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Gordon LaBelle Phone 773-7956
Post office address W 1961 Lundy Blvd Post Falls, Id. 83854
2. Source of water supply Black Lake which is a tributary of CDA River
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot 1
Sec. 12 Township 47 N Range 3 W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 04 for Fire Protection purposes from May 15 to Oct 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 03 for Domestic purposes from 5/15/91 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 20.07 and/or (b) 20
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 1/2 H.P. Shallow well pump
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
47N	3W	12	41 DF																


Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Appl
- b. Who owns the land to be irrigated or place of use? Appl
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

SEP 12 1996



LA BELLE
T. 47N., R. 3W.

This image shows a full page of blank graph paper. The grid consists of small squares formed by thin black lines. There are approximately 20 columns and 20 rows of squares. In the bottom right corner, there is a faint, dark smudge or stamp that appears to contain some illegible markings, possibly including the letters "SEA". The rest of the page is completely empty and white.

SEP 12 1996

Gordon E. LaBelle
(Applicant)

Received by Bob Date 5/9/96 Time 1:16 Preliminary check by AB
Fee \$ 50.00 Receipted by Bob # N016154 Date 5-9-96
Publication prepared by dp Date 5/29/96 Published in Idaho 6/6+13/96
Publication approved dp Date 6/17/96

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

SEP 12 1996

MEMORANDUM

TO: File 94-07368

FROM: Sharla

DATE: March 10, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 94-07368 are as follows:

H. RECOMMENDATIONS

Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
Fire Protection	1/1 - 12/31	0.04 cfs	
	TOTALS	0.04 cfs	0.6 afa

The irrigation of $\frac{1}{4}$ acre of lawn can be classified as domestic use; the fire protection parameter being the ability of using water to fight an existing fire. By using the domestic component to cover the lawn irrigation, no amendment is necessary.

Examiner: Herman Spangle
Exam Date: August 20, 1997

MICROFILMED

APR 09 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 94-07368

DATE 3/10/98

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>—</u>	Address Change <u>—</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

RATE OF DIV

Permitted Rate	<u>.07</u> cfs
Fee limit	<u>.20</u> cfs \$ <u>5000</u>
Measured	<u>—</u> cfs
Theoretical	<u>.04</u> cfs

Recommended Total Div Rate .04 cfs

**ANNUAL VOLUME/
NATURE OF USES**

<u>✓</u>	Use	cfs	Volume Calc
<u>—</u>	<u>Dom.</u>	<u>.02</u>	<u>.6</u> af
<u>—</u>	<u>Fire</u>	<u>.04</u>	<u>n/a</u> af
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u> af
<u>—</u>	SUBTOTAL	<u>.04</u>	<u>.6</u> af

Flow rate .02 cfs X 365 days X 1.98 = 14.5 af

Total volume recommended .6 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

if lawn watering.

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions 077

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA
Adjustment Memo uses

1st Amend Letter NA
2nd Amend Letter NA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

94-07368

A. GENERAL INFORMATION

Permit No. _____

1. Owner: GORDON LA BELLE Phone No. (208)-773-7956

Current Address: W. 1961 Lundy Blvd. POST FALLS, ID. 83854

2. Accompanied by: GORDON LA BELLE EXAM DATE: 8-20-97

Address: SAME AS ABOVE Phone No. SAME AS ABOVE

Relationship to Permit Holder: Permit Holder

3. Source: BLACK LAKE tributary to COEUR D'ALENE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
TD #1	#1	SW	NE	NE	12	47N	03W	Kootenai	USGS 7.5 QUAD; Site Visit; Assessor's

2. Place(s) of Use:


Indicate Method of Determination USGS 7.5 QUAD Assessor's

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
47N	03W	12	FP															FIRE PROTECTION	
47N	03W	12	.25															.25	
													</						

MICROFILMED

APR 09 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for Irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DD #1	Simer	1.0		Jet pump	#282555 / 7 1/2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: * See Theoretical Calculations.

MICROFILMED

APR 6 1988

E. NARRATIVE/REMARKS/COMMENTS

System consist of a Simer Portable Utility pump with a 1" intake line that runs 10' into house. Discharge is a $\frac{5}{8}$ " garden hose that is used to provide water to a lawn sprinkler.

Water is not used for Domestic, only for fire Protection.

Place of use is for a lake lot that is 100' x 270' and the south property line is the north line of Gov lot #6.

* Water is used to irrigate part of the lot mostly around the Trailer. This is done to keep things green and reduce the chance of a Fire starting. The area that is irrigated consist of Grass and Clover.

* Recommend changing Domestic to irrigation. Typical Domestic will allow 7.2 acre-ft per acre. The amount of water that will be diverted will not exceed the Permitted amount.

- Under Fire Protection water could not be diverted unless there is a fire. The irrigation keeps things green in order to reduce the chances of a fire starting.

Have conditions of permit approval been met? ☒ Yes ☐ No

MICROFILMED
APR 08 1992

F. FLOW CALCULATIONS

Measured Method:

~~Additional~~ Additional Computation Sheets Attached

* See Historical
Calculation.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$(1.25)(30) = .75 \text{ ACRE FEET}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$(0.01)(245)(1.9835) = 4.86$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

$$.75 \text{ ACRE FEET}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
FIRE PROTECTION	1-01	12-31	.04	N/A
IRRIGATION	3-15	11-15	.01	.75
Totals:			.04	

2. Recommended Amendments

___ Change P.D. as reflected above

___ Add P.D. as reflected above

None

___ Change P.U. as reflected above

___ Add P.U. as reflected above

~~Other~~

* Change Domestic
to Irrigation

I. AUTHENTICATION

Field Examiner's Name

William J. Bynum

Date

8-21-97

Reviewer

Date

SEAL

MICROFILMED

APR 29 1998

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 94-07368
DATE: 25-AUG-97
COMPLETE BY: HERM

HORSEPOWER = 1.0

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 50 FEET

SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.04 CFS


MICROFILMED
APR 8 3 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPH



LAMP Portable Pump
P.D.#1 - Black Lake



FIRE PROTECTION AREA
MICROFILMED
Discharge Station Box




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT
P H O T O G R A P H S

PERMIT # _____



FIRE PROTECTION AREA &
IRRIGATED AREA
FOR BUFFER ZONE

MICROFILMED
APR 09 1998




FOR SALE BY

METSKER MAPS

111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 47 N., RANGE 3 W. B. M.

COOTENAI COUNTY, IDAHO



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 94-07368 Reviewed by JJ Date 6-12-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 5-14-97

We use $\frac{1}{2}$ H.P. portable pump - It pumps 600 G.P.H. it has 1" inch suction pipe - Garden Hose discharge. We remove it from the lake and lock it up. When we are not there.

I hope this answers all questions.

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 94-1368 Name: LaBelle Date: 7/11/96 Ad OK? ✓
Correct Fee? ✓ Receipt #: N010154 Priority: 5/9/96 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J(meas dev)-P08
=/- 0.2 cfs - 01H(lock dev)-P01 or No MD
~~In-WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R † Star Bridge); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - _____ <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU) _____

OTHER CONDITIONS: _____

STANDARD REMARKS: - ① w001/1 ② w86

BENEFICIAL USE DUE: - 7-1-1997

COMMENTS: _____

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

WR/
WRA
BC

APPLICATION # 94-7368

***** INITIAL REVIEW *****

APPLICANT: LA BELLE BY: AB DATE: 5/9/96

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached(>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 5/9/96

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ____ Notice of pending void order issued. Final order response date: ____/____/____
____ Further information required from applicant
6/14 ☒ Affidavit of publication received
6/17 ☒ Application published correctly, If not, record action taken: _____
(S60) 6/14 ☒ Publication dates and paper recorded on application
☒ Protests received. Final protest date: 6/24/96
☒ Measuring device required
☒ Measuring port required
☒ Special conditions: _____
☒ Special conditions of approval supplied and attached: _____

Approval Recommended by: AB

JUL 11 1996

Date: 7/2/96

Department of Water Resources