

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-07358

Priority: January 13, 1995

Maximum Diversion Rate:

0.06 CFS

This is to certify, that DON GREBIL
112 KING ST

WALLACE ID 83873

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 13, 1995; and has submitted Proof of Beneficial Use on January 16, 1996. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

NINEMILE CREEK

tributary to COEUR D ALENE RIVER, S. FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.01 CFS	
FIRE PROTECTION	01/01 to 12/31	0.06 CFS	
Totals		0.06 CFS	

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (SESE), Sec. 27, Township 48N, Range 04E
SHOSHONE County

<u>PLACE OF USE:</u> IRRIGATION						
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04E	26	Lot 8 (SWSW)	0.5		0.5
		27	Lot 2 (SESE)	0.5		0.5
Total number of acres irrigated:						1

PLACE OF USE:
FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Rights 94-07339 and 94-07358 when combined shall not exceed a total irrigation rate of diversion of 0.03 cfs, a total annual irrigation diversion volume of 3.0 af, and the irrigation of a total of 1 acre.
5. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

MICROFILMED
DEC 8 1996

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 94-07358

CONDITIONS OF APPROVAL AND REMARKS

6. Right 94-07339 is also diverted at the point of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17th day of OCTOBER, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED
DEC 2 1996

FOR OFFICE USE ONLY
 Amt. of Fee \$: 50.00
 Receipt No. 6034475
 Receipt By: Jew
 Date Received: 1-16-96

JAN 16 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

1. Permit No. 94-07358 Telephone No. (208) 753-7121

2. Name(s) of Permit Holder(s): DON - JEANNE GREBIL

3. Mailing Address: 112 King ST, Wallace, Id. 83873

4. Source of Water: Blue Hill Creek If **GROUNDWATER** (well), Date Drilled: mo. / yr.

a. Well Driller: _____ Drilling Permit Number: - - -

b. **OPTIONAL:**

Pump Horsepower:	Pressure (psi):	Dynamic pumping level (ft):
------------------	-----------------	-----------------------------

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): ~~0~~ 1.0 Other: FIRE PROTECTION

6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No

Has the measuring device been installed? Yes or No x

Flow Measurement Port: Is a flow measurement port required? Yes or No X

Has the measurement port been installed? Yes or No x

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: DON GREBIL Telephone Number: (208) 753-7121

Address: 112 King St WALLACE, IDAHO

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Alan Grebil PARTNER Date: 10/21/96
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 94-07358

Proposed Priority: January 13, 1995 Maximum Diversion Rate: 0.10 CFS

This is to certify, that DON GREBIL
112 KING ST
WALLACE ID 83873

has applied for a permit to appropriate water from:
NINE MILE CREEK tributary of COEUR D ALENE RIVER, SOUTH FK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	01/01 to 12/31	0.06 CFS
FIRE PROTECTION	01/01 to 12/31	0.04 CFS
	Totals	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: NESESE , Sec. 27, Township 48N, Range 04E
SHOSHONE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04E	26	SWSW	1.0		1.0
		27	SESE	1.0		1.0

Total number of acres irrigated: 2.0

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1996.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

24th day of March, 1995

R. Keith Higginson
for R. Keith Higginson, Director

MAR 20 1995



Ident. No. 94-07358

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant DON GREBIL Phone (208) 753-7121
Post office address ~~108 [REDACTED] HILL~~
112 KING ST WALLACE ID 83873
2. Source of water supply NINE MILE CREEK which is a tributary of P. 8. FORK COA RIVER
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 27
27 Sec. 48N Township 04E Range 26E B.M. SHOSHONE County; additional
points of diversion if any: NONE
4. Water will be used for the following purposes:
Amount 0.06 for IRRIGATION purposes from CONTINUOUS to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for FIRE PROTECTION purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2" PLASTIC LINE - 1-2"
PUMP

b. Height of storage dam CREEK LEVEL feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 1/2 years (minimum 1 year).

RECEIVED
MAR 30 1995

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
48N	04E	26	A										1						1
		27															1		1

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. 1 ACRE NEXT TO IT COMPLETE 94-07339

- Who owns the property at the point of diversion? COUNTY
- Who owns the land to be irrigated or place of use? ~~DON~~ GABBIT UNION PACIFIC RR
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. I HAVE HAD GROUND UNDER LEASE SINCE 1961 & ON FOR R.V. PARK

12. Remarks: _____

MAR 6 0 1995

Don Grebe
112 King St
WALLACE, ID

Applying for
Already complete



1.93 ACRES TOTAL


1 acre NP .93 acre UP

NOTE:

This plat represents a radial survey for usable acreage between nine mile creek and the existing road, no boundaries were established

48' 2 1/2"


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Grubel
(Applicant)



MEMORANDUM

TO: File 94-07358

FROM: Sharla

DATE: October 15, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 94-07358 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Irrigation	3/15 - 11/31\\15	0.01 cfs
Fire Prot.	1/1 - 12/31	0.06 cfs
	TOTAL	0.06 cfs

Previous license, 94-07339, is for 0.02 cfs for irrigation and fire protection. This license will pick up the additional capacity for fire protection use and cfs to bring irrigation up to 0.03 cfs/acre, with appropriate conditions limiting the combined rights.

Examiner: Herman Spangle
Exam date: September 4, 1996

MICROFILMED
DEC 9 2 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 94-07358

DATE 10/15/96

REVIEWER: S H A R L A

NAME Change OK

Address Change NO

SOURCE Change OK

Is change clarification of originally intended source? Yes

If not, prepare Notice of Intent to Void NO

POINT OF DIV Change OK

Amendment required NO

PLACE OF USE Change OK

Amendment required NO

Does map agree with written description? Yes no

OVERLAPS NO P/D NO P/U

94-7339 - .02 cfs

RATE OF DIV

Permitted Rate .10 cfs

Fee limit .20 cfs

Measured — cfs

Theoretical .08 cfs

Recommended Total Div Rate .06 cfs

ANNUAL VOLUME/ NATURE OF USES

Use	Volume Calculation
<u>Dom. .01</u>	<u>—</u> af
<u>Fee .06</u>	<u>N/A</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>—</u> af

Flow rate — cfs X — days X 1.9835 = — af

Total volume recommended — af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W35 (.03, 30, 1)
WB6

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes — no

SRBA Claim Filed NA

Adjustment Memo Rate/volume

1st Amend Letter NA

2nd Amend Letter —

Sec. 20.

Sec. 21.

Sec. 22.

Sec. 23.

२५


Sec. 29.

Sec. 32.

Sec. 33.

5

MICROFILMED *Sec.* MED
DEC 02 1996



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 94-07358

1. Owner: DON - Jeanne Grebil Phone No. 753-7121

Current Address: 112 King St. Wallace, Id. 83873

2. Accompanied by: _____ EXAM DATE: 9-4-96

Address: _____ Phone No. Same as above

Relationship to Permit Holder: _____

3. Source: NINE MILE CREEK tributary to SOUTH FORK COEUR D'ALENE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 94-07339

2. Other water rights with the same point of diversion: 94-07339

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	SE	27	48N	04E	SHOSHONE	U.S.G.S. 7.5' Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	04E	27																.5	.5
48N	04E	26											.5						.5

MICROFILMED
DEC 12 1995

Total = 1.0

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN	2.0		Monarch Industries	NSPHG-5200A

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

WATER-1100
 2/10/11 10:51

E. NARRATIVE/REMARKS/COMMENTS

Water From Nine Mile Creek is collected in 2-4' Concrete Rings located on the left Bank. Water is pumped From Rings by a 2 hp. pump to P.V.C. Sprinkler System to IRRIGATE 30 R.V. Composed Lawns @ the "Down by the Depot R.V. Park". Fire Protection is for all Sites and office AREA.

*this Application was filed to account for the Systems Capacity. It is concurrent with 94-07339. At no time will the Acre ft/Annum exceed 3.0 acft/ANNUM in conjunction with License # 94-07339 for the IRRIGATION OF 1 ACRE.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
DEC 8 2 1993

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

** Theoretical Calculation*

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3 = 3.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 245 \times 1.9835 = 29.16$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.0$$

2. Volume Calculations for Other Uses:

$$30 \text{ RV. Site Lawns} = 15' \times 40' \times 30' / 43,560 = 0.41$$

$$\text{Side Lawn Area} = 330' \times 15' \times 2' / 43,560 = 0.23$$

$$\text{Landscaping/office Lawn} = 0.36$$

1.00 Total ACRES

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>IRRIGATION</i>	<i>3-15</i>	<i>11-15</i>	<i>.03</i>	<i>3.0</i>
<i>FIRE PROTECTION</i>	<i>1-01</i>	<i>12-31</i>	<i>.03</i>	<i>—</i>
Totals:			<i>.06</i>	<i>3.0</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name *William L. Sample* Date *9-4-96*

Reviewer _____ Date _____

SEAL

MEMORANDUM

DATE: 9-4-96



MICROFILMED
DEC 02 1956

COEUR D'ALENE
NATIONAL FOREST

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 94-07339
DATE: 19-SEP-95
COMPLETE BY: BEARDSLEE

HORSEPOWER = 2

PUMP EFFICIENCY = 50%

DYNAMIC LIFT = 20 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.08 CFS

IMPROVED
11/10/95

PERMIT # 94-07358

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT S

PHOTOGR



FRANKLIN 2 HP PUMP
PUMP SITE



CONCRETE RING
FRANKLIN CREEK
DEC 02 1996



PERMIT # 94-07358

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



RV PARK
FIRE PROTECTION



FIRE PROTECTION NOZZLE



MICROFILMED
DEC 02 1996

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 94-07358 Reviewed by [Signature] Date 1-25-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?
no Required?
1 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 1-16-96

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 94-7358 Name: Greibel Date: 3/14/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: N8549 Priority: 1/13/95 ✓ Gvmt Lts: ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
 PROTESTED: - 020 (Prehearing agreement) or W19 (See Order)

SYSTEM COMPLETED:

Yes/proof filed	-	NA
1 year/no proof	-	P16
+1 year	-	26A-P17

GROUNDWATER: < $\sqrt{FLO-CH}$ >
+ 0.2 cfs - 01M
- 0.2 cfs - No MD
+ 5 a. (POU cmp) - 01M, 803(if GW use SW 1st)

Drilling Permit:

Existing well	-	NA (pre 7/1/87)
Included w/permit	-	Permit No. _____, P99
No WD permit?	-	046-46B-P23 (post 7/1/87)
irr. in WD	-	P05 (new well)

SURFACE WATER <v FLO-CH> (Surface water that doesn't sink):

Water District (~~dem~~)	-	005 (req) WD # _____	<SEE MAP & LISTING>
+ 0.2 cfs	-	01J-P08 or 01M	
- 0.2 cfs	-	01H-P01 or No MD	
+ 5 a. irr.	-	01M (POU cmp)	
~~In-WD~~ + 0.2 cfs	-	01M or No MD (in-stream)	
- 0.2 cfs	-	No MD	
+ 5 a. irr.	-	01M (POU cmp)	

RIVER BASINS (*Surface water):

Snake R	(01)	-	11A-P04, NA
	(02/03)	-	007-P07 (w/remark WB9), NA
Boise R	(63)	-	05A (if WB), 11E (not 42-111 use), NA
Payette R	(65)	-	064 (consump. use), 047-P04 (Payette Lake), NA

USE:

Domestic (surface)	-	021(Boise R + L Peak); 064(Payette R); NA
Fish Propagation	-	07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr - 5 acres	-	057 (0.03 cfs/A)
+ 5 acres	-	03A (0.02 cfs/A)
Mining	-	054 (req) & 06A/010/09E-P10
Power	-	08A-17K-025-027-01M-01F(P19)-09E(P10); +25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.)	-	18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo	-	058 (-85° GW temp only)
In-stream dev.	-	030 (stream channel alteration)
Irr Dist/Canal Co.	-	023 (Twin Falls area)
Swan Falls Flag	-	<u>B</u> <SEE CONDITION CODE CHART>
Trust	-	051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1>	-	048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU) *Counter / Union Pacific / leases*

OTHER CONDITIONS:

~~STANDARD REMARKS:~~

BENEFICIAL USE DUE: - 3-1-1996

COMMENTS:

No. a
4/87-06/92n

IN DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

MAR 07 1995
Department of Water Resources

APPLICATION # 94 - 7358

***** INITIAL REVIEW *****

APPLICANT: GREBIL BY: [Signature] DATE: 1/13/95

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached(>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 1/13/95

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

NP *Thurs*

ADVERTISE IN: SHOSHONE ^{ok} County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

2/24/95 Affidavit of publication received

☒ Application published correctly, If not, record action taken: _____

1/25/95 Publication dates and paper recorded on application | Sr. Agent initial [Signature]

Protests received. Final protest date: 2/20/95

Measuring device required

Measuring port required

Special conditions: _____

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: [Signature]

Date: 2/28/95