

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 94-07342

Priority: January 15, 1993

Maximum Diversion Rate:

3.57 CFS

This is to certify, that PINEHURST WATER DISTRICT
PO BOX 98

PINEHURST ID 83850-0098 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 15, 1993; and has submitted Proof of Beneficial Use on May 24, 1996. An examination indicates that the works have a diversion capacity of 3.570 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	3.57 CFS	

LOCATION OF POINT(S) OF DIVERSION:


NWSW , Sec. 5, Township 48N, Range 02E
SHOSHONE County

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use is within the service area of Pinehurst Water District.
5. Two points of diversion are located within NWSW, S5, T48N, R2E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 11th day of June, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

JUN 17 1998

RECEIVED

JUN 09 1998

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 94-07342

Date of Priority: January 15, 1993 **Maximum Diversion Rate:** 3.57 CFS
Comes now PINEHURST WATER DISTRICT
PO BOX 98
PINEHURST ID 83850-0098 and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 94-07342, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	3.57 CFS	

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 5, Township 48N, Range 02E
SHOSHONE County


PLACE OF USE: See Remarks

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at PINEHURST WATER, this 3 day of JUNE, 1998.

MICROFILMED

JUN 12 1998


(signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 94-07342

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 5000 Receipted by LS #0042543 Date 6/19/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 94-07342 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use is within the service area of Pinehurst Water District.
5. Two points of diversion are located within NWSW, S5, T48N, R2E.

Witness my hand this 11TH day of June, 1998.

Acting for 
KARL J. DREHER, Director

MICROFILMED
JUN 12 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 24 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 94-07342 Telephone No. (208) 682-3611

2. Name(s) of Permit Holder(s): PINEHURST WATER DISTRICT

3. Mailing Address: P. O. BOX 98, PINEHURST, ID 83850

4. Source of Water: GROUNDWATER If **GROUNDWATER** (well), Date Drilled: mo. 3 / yr. 93
10 / yr. 93

a. Well Driller: H2O WELL SERVICE Drilling Permit Number: 94 - 93 - N35 - 000

b. **OPTIONAL:**
Pump Horsepower: 100 Pressure (psi): 125 Dynamic pumping level (ft): 51

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 770 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 127 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 3.80 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes X or No _____

Has the measuring device been installed? Yes X or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X

Has the measurement port been installed? Yes _____ or No X

8. Fee Enclosed: \$ 175.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: SHIRLEY GANN Telephone Number: (208) 682-3611

Address: 508 S. DIVISION STREET, PINEHURST, ID 83850

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Shirley Gann, Manager Date: 5/22/96
(include your title, if on behalf of company or organization)

SEP 12 1996

RECEIVED

MAY 25 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right. -

Permit No. 94-07342

Name(s) of Permit Holder: PINEHURST WATER DISTRICT

Mailing Address: P. O. BOX 98 PINEHURST, IDAHO 83850

Date Proof is Due: JUNE 1, 1995 Telephone No. (208) 682-3611

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

TWO WELLS DRILLED, 1900 FEET OF 12" PIPE LAID, OFFICE AND PUMP

HOUSE CONSTRUCTED, TWO TANKS LINED.

THREE HUNDRED THOUSAND AND NO/100 DOLLARS

Costing \$ 300,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

THE BID NOTICE ARE BEING FINALIZED BY ENGINEERS, JOB ENGINEERS OF

COEUR D'ALENE FOR THE LAST PHASE FOR THE PROJECT. EACH PHASE HAS TO

BE APPROVED BY DEQ. THE PUMPS, CONTROL & VALVES ARE INCLUDED IN THIS
LAST WORK TO BE DONE.

Permit holder(s) request an extension to JUNE 1, 19 96.

FEE: \$50.00

Shirley J. Davis, Manager
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1996.

Signed this 7th day of June, 19 95

J. Glen Saylor
Chief, Water Allocation Bureau

JUN 14 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 94-07342

Proposed Priority: January 15, 1993 Maximum Diversion Rate: 3.80 CFS

This is to certify, that **PINEHURST WATER DISTRICT**

PO BOX 98

PINEHURST ID 838500098

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	2.60 CFS
MUNICIPAL	01/01 to 12/31	3.80 CFS
DOMESTIC	01/01 to 12/31	3.80 CFS
Totals		3.80 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENWSW , Sec. 5, Township 48N, Range 02E
SHOSHONE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	02E	8	NWNW 18	SWNW 19	NWSW 3	42
		17	SWSW 2			
			NWNW 7	SWNW 8	NWSW 0.5	16
		19	SWSW 0.5			13
		20	SESE 13			
			NWNW 8	SWNW 9	NWSW 12	42
			SWSW 13			2.6
		29	NWNW 1.3	SWNW 1.3		
		30	NENE 0.5	NWNE 0.5	SWNE 1	
			SENE 1	SESW 2	NWSE 2	
			SWSE 2			9
49N	02E	32	SWSE 2			2

Total number of acres irrigated: 126.6

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1995.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.

MICROFILMED

JUL 07 1993

State of Idaho
Department of Water Resources**Permit To Appropriate Water**


NO. 94-07342

CONDITIONS/REMARKS:

4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Construction of the well must comply with Idaho well construction standards.
7. The issuance of this right in no way grants any right-of-way or easement across the land of another.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
9. Municipal use is located within the city limits of Pinehurst.
10. Domestic use is for 260 connections.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

18 day of May, 1993.

for 
R. Keith Higginson, Director

MICROFILMED

JUL 07 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 94-7342
RECEIVED
APR 29 1993

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant Pinehurst Water District Phone (208) 682-8611

Post office address P.O. Box 98; Pinehurst, ID 83850

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____

Sec. 5 Township 48N Range 2E B.M. Shoshone County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.8 cfs for MUNICIPAL ^{C3} ~~potable water~~ purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 3.8 cfs for domestic use purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 2.6 cfs for irrigation purposes from May 1 to Oct. 1 (both dates inclusive) per corr. with D.R. 1/24/93
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 3.8 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Lineshaft turbine or submersible
turbine pump - 12" discharge - pump control valve and chlorinator.

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is 100 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECORDED
JUL 07 1993

8. Description of proposed uses irrigation only, go to item 9:

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. City of Pinehurst, Idaho
- d. Domestic; show number of households. 260 connections outside city limits
- e. Other; describe fully. N/A

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
48N	2E	5	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	
		8						D18	D19			D3	D2						42
		17						D7	D8			D.5	D.5						16
		19																D13	13
		20						D8	D9			D12	D13						42
		29						D1.3	D1.3										2.6
		30	D.5	D.5	D1	D1								D2		D2	D2		9.0
49N	2E	32															D2		2.0

Total number of acres to be irrigated 126.6

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Doris Underwood
- b. Who owns the land to be irrigated or place of use? N/A
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Option to purchase by Pinehurst Water District.

12. Remarks: 260 services outside city limits; 510 services inside city limits; all services outside are domestic water use.

JUL 6 7 1993

MICROFILMED
JUL 07 1993

* Harold Nickelby
(Applicant)

Received by RGH Date 1/12/93 Time 1:00 PM ^{from original} Preliminary check by AB
Fee \$ 105.00 Receipted by RGH # N 6236 Date 1/12/93
Publication prepared by [Signature] Date 1/27/93 Published in Shoshone City News-Journal
Publication approved [Signature] Date 3/20/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

JUL 07 1993

May 1966

All that part of the Northwest Quarter (NW1/4) lying South and East of Pine Creek; all that part of the West Half of the Northeast Quarter (W1/2NE1/4) lying South of Pine Creek; the West Half of the East Half of the Northeast Quarter (W1/2E1/2NE1/4); the Southwest Quarter (SW1/4); the Northwest Quarter of the Southeast Quarter (NW1/4SE1/4); the North Half of the Southwest Quarter of the Southeast Quarter (N1/2SW1/4SE1/4), all of the above parcels of property situated within Section Five (5), Township Forty-Eight (48) North, Range Two (2) East of the Boise Meridian.

A strip of land 400 feet in width whose center line is described as beginning at the intersection of the South line of Section Five (5), Township Forty-Eight (48) North, Range Two (2) East Boise Meridian and the center of Secondary State Highway No. S5750 which is the highway traversing and following the general course of Pine Creek in said Shoshone County, State of Idaho; thence Southerly along the center line of said road to its intersection with the North line of the Southwest Quarter (SW1/4) of Section Twenty (20), T 48 N, R 2 E., B. M.

The South Half of the Southeast Quarter of the Southeast Quarter (S1/2SE1/4SE1/4) in Section Nineteen (19), T48 N, R 2 E., B. M.

The East Half of the Northwest Quarter of the Southwest Quarter (E1/2NW1/4SW1/4) and the Southwest Quarter of the Southwest Quarter (SW1/4SW1/4) in Section Twenty (20), T 48N, R 2 E., B. M.

The North Half of the Northwest Quarter of the Northwest Quarter (N1/2NW1/4); and the Southwest Quarter of the Northwest Quarter of the Northwest Quarter (SW1/4NW1/4NW1/4) in Section Twenty-Nine (29), T 48 N, R 2 E., B. M.

The Northeast Quarter of the Northeast Quarter (NE1/4NE1/4); the Southeast Quarter of the Northwest Quarter of the Northeast Quarter (SE1/4NW1/4NE1/4); the East Half of the Southwest Quarter of the Northeast Quarter (E1/2SW1/4NE1/4); the West Half of the Southeast Quarter of the Northeast Quarter (1/2SE1/4NE1/4); and the Northeast Quarter of the Southeast Quarter of the Northeast Quarter (NE1/4SE1/4NE1/4), all in Section Thirty (3), T48N, R 2 E., B.M.

The above described property in general covers the community of Pinehurst and Gibson City South and East of Pine Creek, and also covers a strip of ground 200 feet on each side of the Pine Creek Road from the point directly South of Gibson City, following said road upstream to a point approximately one-eight mile South of the forks of Pine Creek, and thence includes the property in the valley of the West Fork of Pine Creek from the mouth of the West Fork to a point near the mouth of Ross Gulch.

RECORDED
JUL 07 1993

November 1968

FAIRWAY HEIGHTS: First Addition

Lots 1 through 51 inclusive of Fairway Heights First Addition, Pinehurst, Shoshone County, State of Idaho, and all the remainder of said addition not platted on the official map thereof situate in the Northeast Quarter (NE1/4) and the Southeast Quarter (SE1/4) of Section Five (5), Township Forty-Eight (48) North, Range Two (2) East, Boise Meridian, now on file in the office the the County Recorder of Shoshone County, Idaho.

Also Government Lot Seven (7) in said Section Five (5), Township Forty-Eight (48) North, Range Two (2) East, Boise Meridian.

February 1972

FAIRWAY HEIGHTS: Second Addition

East Half of Section 5, Township 48 North, Range 2 East Boise Meridian.

July 1991


The Northeast Quarter of the Northwest Quarter of the Southeast Quarter (NE1/4NW1/4SE1/4); the West half of the Northwest Quarter of the Southeast Quarter (W1/2NW1/4SE1/4); the Northwest Quarter of the Southwest Quarter of the Southeast Quarter (NW1/4SW1/4SE1/4) and the East half of the Southeast Quarter of the Southwest Quarter (E1/2SE1/4SW1/4) of Section Thirty (30), T.48N, R.2E, B.M.




All of that portion of the Southwest Quarter of the Northwest Quarter of the Southwest Quarter (SW1/4NW1/4SW1/4) of Section Seventeen (17), T.48N, R2E, B.M. not previously included within the boundaries of the Pinehurst Water District.

All of that portion of the Southwest Quarter of the Southeast Quarter (SW1/4SE1/4) of Section Thirty Two (32) T.49N, R2E, B.M. lying South of the Southerly right of way line of Interstate Highway Ninety (90).

MICROFILMED

JUL 07 1993






GENERAL NOTES:

1. Comply with Idaho Department of Water Resources and ANSI/AWWA A100-90 for well construction.
2. Waste water from aquifer test to city storm sewer. Make sure that no overflow occurs on city streets.
3. Comply with AWWA A100-90 and C654-87 to prevent contamination of the source.
4. Monitor Pinehurst R.V. and McBoine wells during test pump of aquifer, as directed by engineer.
5. Slope the ground surface so the run-off is directed away from the well.
6. Center the well in the designated area.
7. No power is available at the site. Provide generator set or engine powered right angle drive for aquifer test.


PINEHURST WATER DISTRICT TEST WELL



JUB	
Engineers Surveyors Planners	
Coeur d'Alene, Idaho	
ACAD/DWG FILE: PWEILL-BDWC	PLT/SC: 1=100
DE DCA	DR. JP
CK DCA	SHEET
DATE: DECEMBER, 1992	DWG. NO. C921224


WOODLAND TOWNSITES
SCALE: 1" = 100'





TWIN CRAW
IDA
7.5 MINUTE SERIES (TO)

370 000 FEET 1:50,000 1:55 R. 1 E. R. 2 E. 1:56



JUL 07 1993

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Pinehurst Water District Phone (208) 682-8611
Post office address P.O. Box 98; Pinehurst, ID 83850

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 5 Township 48N Range 2E B.M. Shoshone County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.8 cfs for potable water purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 3.8 cfs for domestic use purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 2.6 cfs for irrigation purposes from MAR. 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 3.8 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Lineshaft turbine or submersible
turbine pump - 12" discharge - pump control valve and chlorinator.

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is 100 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECEIVED

JUL 07 1993

new appln.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. City of Pinehurst, Idaho
- d. Domestic; show number of households. 260 connections outside city limits
- e. Other; describe fully. N/A

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
48N	2E	5	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	
		8						D18	D19			D3	D2						42
		17						D7	D8			^{.5} D5	^{.5} D5						16
		19																D13	13
		20						D8	D9			D12	D13						42
		29						^{1.3} D13	^{1.3} D13										2.6
		30	^{.5} D5	^{.5} D5	D1	D1							² D15		² D18	² D18			~~9.6~~ 9.0
49N	2E	32															D2		2.0

Total number of acres to be irrigated 127.24.6

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Doris Underwood
- b. Who owns the land to be irrigated or place of use? N/A
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Option to purchase by Pinehurst Water District.

12. Remarks: 260 services outside city limits; 510 services inside city limits; all services outside are domestic water use.

JUL 07 1993

[illegible]

Donald D. Cohen J-W-B Engineers PC
(Applicant)
for Penetration Water District

Received by RGH Date 1/15/93 Time 1:00 Preliminary check by B
Fee \$ 105 Receipted by RGH # N-6236 Date 1/15/93
Publication prepared by mm Date 1/27/93 Published in Idaho Water Review
Publication approved mm Date 3/20/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

JUL 07 1993

LICENSE REVIEW CHECKLIST

PERMIT NO.

94-07342

DATE

5/26/98

REVIEWER: SHARLA

NAME

Change/OK

Address

OK

SOURCE

OK

Does change clarify orig. intended source? If no, Void permit

POINT OF DIV

chg

Change (P39 /P47)

☒ Add (P45/P42)

Feds - P40

W32 (multiple in 1/4)

W36 (overlap)

W59 (subd. desc)

Overlaps:

Right(s):

File reviewed _____ Profile reports printed _____

PLACE OF USE

Change (P41/P47)

Add (P41/P42)

Feds - P43

W60 (subd. desc)

W27 (ppu acre limit)

Overlaps:

Right(s):

File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate 3.80 cfs

Fee limit

4.0 cfs \$175⁰⁰

Measured

3.57 cfs

Theoretical

1.82 cfs la. well @ 125 psi and 50' lift (b/u)
2 = 3.64 Recommended Total Div Rate 3.57 cfs

WATER USES

Municipal

OK

Change (P46)

N/A af

Irrig -

overlap (R58-R61, R62-R65, R66-R69)

supp. gw (WB7/065/079)

overlap spec. combined rts (W35)

<1acre (W31)

Domestic (W01/WB5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Wtr Quality (081/R07)

TOTALS

3.57 cfs

af

Flow rate

cfs X

days X 1.98 =

af

REMARKS

All within service area of Pinckney
W.D. 1st

ADD'L CONDITIONS

Watermaster Control WD#

GW Measurement/Measuring Device

Others Trust (052/R55 - remove 051)

Non-trust (048/049)

Advance Priority

yes

☒ no

SRBA Claim

N/A

Adjust Memo

Amend letters

P45/P38
P42

MEMORANDUM

To: Jim and Shelley

From: L. Glen Saxton

RE: MUNICIPAL USE

Date: May 26, 1998

To file
LGS
It seems to me that during the present "transition period" dealing with permits which could now be issued with a municipal use rather than as domestic, irrigation, fire protection, etc., that we may need to loosen up a bit on the traditional no enlargement theme we have traditionally used.

I do not have a problem licensing permit No. 94-07342 showing only municipal use without a volume limiter and to do so without seeking an associated amendment. The reason is that this permit shows all of the rate (3.8 cfs) for municipal use. If the permit showed 2.0 cfs for irrigation, and 1.8 cfs for municipal, and we want to issue a license for 3.8 cfs, we likely would need an amendment.

As a practical matter, I don't want the examiners to be measuring people's yards and gardens in order to determine how much irrigation should be included under this permit.

This is a comment memo rather than a directive, so feel free to discuss this further with me if there is a need to do so.

MICROFILMED
JUN 12 1998

94-07342

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 94-07342

1. Owner: PINEHURST WATER DISTRICT Phone No. 682-3611

Current Address: P.O. Box 98 PINEHURST, Id.

2. Accompanied by: _____ EXAM DATE: 8/14/96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 94-07196; 94-07257

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	NA		NW	SW	05	48N	02E	SHoshONE	U.S.-G.S. Topo; Plat Map

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

* Place of use Located within Service Area of PINEHURST WATER DISTRICT

MICROFILMED
JUN 12 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N/A

— Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

— Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #1	Worthington	100	9508C50653A	Franklin	Model #
Well #2	Worthington	100	9508C50653B	Franklin	2391046004

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
POLYSONIC METER			ISTT-P	26864		

2. Measurements: SEE MEASUREMENT SHEET

MICROFILMED

JUN 12 1958

E. NARRATIVE/REMARKS/COMMENTS

WATER IS DIVERTED FROM TWO WELLS BY
100 H.P. PUMPS IN EACH WELL TO (2) 100,000
GALLON STORAGE RESERVOIRS. 12" MAIN LINES
AND 6" LATERAL LINES ARE USED TO DELIVER
WATER VIA GRAVITY FLOW TO SERVICE AREA.

"SEE "AS BUILT" FOR SERVICE AREA AND
SYSTEM DETAIL.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 12 1996

F. FLOW CALCULATIONS

X Additional Computation Sheets Attached

Measured Method:

* SEE POLYSONIC METER PRINT-OUT.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>MUNICIPAL</u>	<u>Y1</u>	<u>12/31</u>	<u>3.57</u>	
Totals:			<u>3.57</u>	

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

X Field Examiner's Name Harman J. Sample Date 8-22-96

Reviewer _____ Date _____

SEAL

NOT FILMED
JUN 12 1998

PINEHURST WATER
DISTRICT SERVICE
AREA BOUNDARY MAP

- THIS MAP WAS OBTAINED
AS PART OF FIELD EXAM.


94-07342


MICROFILMED
JUN 12 1998

TWIN CRAN
IDAFL
7.5 MINUTE SERIES (TOP)


7.5 MINUTE SERIES (TOF)

'55 R. 1 E. R. 2 E. '5





UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



94-07342
Pinehurst Water
T. 48N, R. 2E

MICROFILMED
JAN 12 1998

4

[illegible]

**IDAHO DEPARTMENT OF WATER RESOURCES**
WELL DRILLER'S REPORT


**Use Typewriter
or
Ball Point Pen**

1. DRILLING PERMIT NO. 94 - 93 N. 35 - 000
Other DWR No. 94-07342

2. OWNER:
Name PINEHURST WATER DISTRICT WELL #2
Address PO BOX 98
City PINEHURST State ID Zip 83850

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



T. 48 North ☐ or South ☐
 R. 02 East ☐ or West ☐
 Sec. 05 1/4 NW 1/4 SW 1/4
16 acres 40 acres 160 acres
 Gov't Lot 6=7 County SHOSHONE

Address of Well Site **DIVISION STREET, PINEHURST**

(Give at least Direction + Distance to Road or Landmark)

Lot No. 6&7 Block No. 5 Subd. Name WOODLAND TWSITE

4. PROPOSED USE:

☐ Domestic	☒ Municipal	☐ Monitor	☐ Irrigation
☐ Thermal	☐ Injection	☒ Other	2ND WELL

5. TYPE OF WORK

PERMITTED SITE

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mid Rotary ☒ Air Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK		AMOUNT	METHOD
Material	From	To	
BENTONITE	0	38	40bags 16" TEMP. CASING

Was drive shoe seal tested? ☒ YD NJ How? AIR

8. CASING/LINER:

Diameter	From	To	Gauge	Castling	Liner	Steel	Plastic	Welded	Threaded
12"	+2	82	250			☒	☐	☒	☐
						☐	☐	☐	☐
						☐	☐	☐	☐
						☐	☐	☐	☐

Final location of shoes 82'

Top Packer or Heatpipe 5' x 10" Bottom Tailpipe PLATE

9. PERFORATIONS/SCREENS

() Perforations Method _____
(X) Screens Type **COOKS** Material **STAINLESS**

From	To	Slot Size	Number	Diameter	Total Weight	Costing	Line
82	87	.125				☐	1098
87	97	.100				☐	
						☐	
						☐	

NWSW 5 48N 2E
Govt lot #1-7

10. WELL TESTS:

11 Pump	11 Bailer	K1 Air	11 Flowing Artesian
---------	-----------	--------	---------------------

Yield gal./min.	Drawdown	Pumping Depth	Time
1000+		75	2 1/4 HRS

Temperature of water _____ Was a water analysis done? Yes ☐ No ☒

By whom?

Water Quality (odor, etc.) **GOOD**

Bottom Hole Temperature

11. STATIC WATER LEVEL:

30 ft. below surface Depth artesian flow found

Artesian pressure _____ lb. Describe access port _____

Describe Controlling Devices:

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

[illegible]

Date: Started 10/13/93 Completed 10/15/93

13. DRILLER'S CERTIFICATION

1. We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O WELL SERVICE INC **Firm No.** #448

Firm Official Ernest M. C. T. Date 10-22-53

and
Supervisor or Operator: Anthony Chant Date: 10/22/93



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 94-07342 Reviewed by [Signature] Date 6-13-96

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

dom, irr

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 94-93-N-0035-100

200- Amount paid for permit

yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

75- Amount Submitted

yes Correct?

MEASURING DEVICE

yes Required?

yes Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 5-24-96

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 94-07342 Reviewed by [Signature] Date 6-7-95

BASIC INFORMATION

5-5-95 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN Should extend to June 1, 1996, on basis of due diligence.

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X _____
Change Proof Due Date 6-1-96 _____
Change Priority Date X _____

FEB 11 1994

1. DRILLING PERMIT NO. 94 . 93 N . 35 . 000
Other IDWR No. 94-07342

10. WELL TESTS:

Department of Water Resources

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Depth	Time
1000+		75	2 1/4HRS

Temperature of water _____ Was a water analysis done? Yes ☐ No ☒

By whom?

Water Quality (odor, etc.) GOOD

Bottom Hole Temperature

11. STATIC WATER LEVEL:

30 ft. below surface Depth artesian flow found _____

Artesian pressure lb. Describe access port

Describe Controlling Devices:

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

2. OWNER:
 Name PINEHURST WATER DISTRICT WELL #2
 Address PO BOX 98
 City PINEHURST State ID Zip 83850

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.


 T. 48 North ☒ or South ☐
 R. 02 East ☒ or West ☐
 Sec. 05, $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$
10 acres 40 acres 160 acres
 Gov't Lot 6-7 County SHOSHONE

Address of Well Site **DIVISION STREET, PINEHURST**

(Give at least Direction + Distance to Road or Landmark)

Lot No. 6&7 Block No. 5 Subd. Name WOODLAND TWSITE

4. PROPOSED USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other 2ND WELL ON

5. TYPE OF WORK

PERMITTED SITE

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
BENTONITE	0	38	40bags	16" TEMP. CASING

Was drive shoe seal tested? ☒ YES ☐ NO How? ATR

8. CASING/LINER:

Diameter	From	To	Gauge	Casting	Liner	Steel	Plastic	Welded	Threaded
12"	+2	82	250			☒	☐	☒	☐
						☐	☐	☐	☐
							☐	☐	☐
						☐	☐	☐	☐

Final location of shoes 82'

Top Packer or Headpipe 5' x 10" Bottom Tailpipe PLATE

9. PERFORATIONS/SCREENS

☐ Perforations Method _____
☒ Screens Type **COOKS** Material **STAINLESS**

From	To	Slot Size	Number	Diameter	Tele/Pipe Size	Casting	Linear
82	87	.125				☐	☐
87	97	.100				☐	☐
						☐	☐
						☐	☐

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

19K
Firm Name H2O WELL SERVICE INC Firm No. #448

Firm Official Bert M. Cut Date 10-22-53

and
Supervisor or Operator Anthony C. Kaut Date 10/22/93
(Sign once if Firm Official & Operator)

APPLICATION FOR PERMIT REVIEW

Application #: 94-7342 Date: 5/14/93 Reviewer: Cindy Zimmerman

SYSTEM COMPLETED:

AREA OF CONCERN? No

No - 26A-P17
Complete in 1 year - P16

Yes
Proof not submitted - P16
Proof submitted - N/A

GROUNDWATER:

GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

Approved w/permit - P99 Permit No.
Not included - 046-46A-46B-P23 (after 7/1/87), N/A

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

Water Districts - WD No. _____
Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2), NMR <flow chart>
Groundwater - P05 (if well has not been drilled) N/A
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - (1, Blank or Other)
Trust - 051-052-053-P74 (Consumptive Uses)
Non Trust <1> - 048-049

RIVER BASINS:

(Surface Water) Water District Control Condition &....
Boise (63) - 05A & 11E
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042 (req), 002-P06(MD), 07A(Special),
044(Policy 5G)
Power - 08A, 17K, 025, 027 (req); 01F-P19; 09E-P10;
<25 cfs-P18; 17G or 17M; 18B-P09
Mining - 06A, 010, or 09E-P10 & 054 (req)
Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
Rec/Wildlf/Aes - 027(Non-Consumptive)
Domestic - 021 (Boise River - upstream from L Peak)
(restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

Non land owner - 004

PROTESTED:

Agreement - 020

Beneficial Use Due Date - 6-1-1995

Other Conditions/Remarks: - Municipal 03A

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCE
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 94 7342

***** INITIAL REVIEW *****

APPLICANT: PINEHURST WATER DIST. BY: B DATE: 1/25/93

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
(X) Dam information requested
or not requested
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowlegment)
Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
1 Field report attached
1 Analysis Supp. attached(>5cfs/500af)
1 Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 1/15/93

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate
greater than 10 cfs or 1,000 af).

2/18-25/93
2/14/93 Advertised in: Shoshone City News Press

County of: SHOSHONE

SEND COPIES TO:

() USFS CdA	() USFS Oro	() USFS Grangeville
() BLM	() W/W Corps	() Albeni Corps
() F&G CdA	() F&G Lew	() IDL () Region
(X) H&W CdA	() H&W Lew	() Adj Div
(Other)	_____	

LETTERS SENT REQUESTING:

() Dam information () Fish Information
() Power information () Other

INFORMATION RECEIVED

() Power information () Dam information
() Fish Information () Other

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- X Groundwater management area
1 Critical ground water area
1 Well Drilling Permit required
1 Well Drilling Application and Fees received
1 Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- Notice of pending void order issued. Final order response date: APR 29 1993
Further information required from applicant
1 Affidavit of publication received
1 Application published correctly, If not, record action taken: Department of Water Resources
1 Publication dates and paper recorded on application Supp not submitted - 10-20-93 Paper rec on table instead of filed Sr. Agent initial B
1 Protests received. Final protest date: 3/8/93
Measuring device required
Measuring port required
Special conditions: _____
Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: B RSM Date: 4/15/93

94-07342

PINEHURST WATER DISTRICT
PO BOX 98
PINEHURST, ID 83850

Source: GROUNDWATER

Diversion Pt: SENWSW Sec 5 T 48N R 02E in SHOSHONE County.

Use: IRRIGATION (2.600 CFS)
MUNICIPAL (3.800 CFS)
DOMESTIC (3.800 CFS)
Total Diversion: (3.800 CFS)

Date Filed: 1/15/1993

In: SHOSHONE County

T48N R02E S08	NWNW	SWNW	NWSW	SWSW
S17	NWNW	SWNW	NWSW	SWSW
S19	SESE			
S20	NWNW	SWNW	NWSW	SWSW
S29	NWNW	SWNW		
S30	NENE	NWNE	SWNE	SENE
	SESW	NWSE	SWSE	
T49N R02E S32	SWSE			

126.6 ACRES TOTAL

AND

MUNICIPAL USE IS LOCATED WITHIN THE CITY LIMITS OF PINEHURST.

RECORDED

JUL 07 1993