

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-07331

Priority: February 15, 1991

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

0.4 AF

This is to certify, that RICHARD E DULEBOHN

225 W CANNON AVE

POST FALLS ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 15, 1991; and has submitted Proof of Beneficial Use on April 29, 1992. An examination indicates that the works have a diversion capacity of 0.010 cfs of water from:

SPRING CREEK

tributary to COEUR D ALENE RIVER, N. FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.01 CFS	0.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 35, Township 50N, Range 02E
SHOSHONE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	02E	26	SWSW 0.6	SESW 0.2		0.8

Total number of acres irrigated: 0.8

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED
DEC 02 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 94-07331


CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than .02 cfs nor more than 2.4 afa for the land described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 19TH day of July, 1996.

Acting for

KARL J. DREHER, Director



MICROFILMED
SEP 2 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 94-07331

Proposed Priority: February 15, 1991 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **RICHARD E. DULEBOHN**
HC 01 BOX 294B
KINGSTON, ID 83839
has applied for a permit to appropriate water from:

SPRING CREEK tributary of **COEUR D ALENE RIVER, N. FORK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	06/01 to 09/30	0.04 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWNWNE Sec. 35, Township 50N, Range 02E
SHOSHONE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	02E	26	NWSW 5	SWSW 20	SESW 5	30


Total number of acres irrigated: 30

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Prior to diversion of water under this permit, the permit holder must obtain approval of the Idaho Department of Lands.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

2nd day of May, 1991.


for R. Keith Higginson, Director

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant RICHARD E. DULEBOHN Phone 602-2226
Post office address HC 01 BOX 294B KINGSTON, ID, 83839
2. Source of water supply SPRING CREEK which is a tributary of N FORK OF CAIA RIVER
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 35 Township 50 N. Range 2 E. B.M. SHOSHONE County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for IRRIGATION purposes from JUNE 1 to SEPT. 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PLASTIC PIPE, GRAVITY FLOW
TO IRRIGATION SYSTEM
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

JUL 16 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
50N.	2E	26										5	20	5					30

Total number of acres to be irrigated 30

10. Describe any other water rights used for the same purposes as described above. NONE


11. a. Who owns the property at the point of diversion? IDAHO STATE DEPT. OF LANDS

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Applicant is in process of obtaining easement from IDL - TDK

12. Remarks: DRIP IRRIGATION SYSTEM FOR RE-FORESTATION - TDK

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

JUL 16 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard E. Dulebohn
Nancy C. Dulebohn
(Applicant)

Received by pm Date 2/15/91 Time 12:30 PM Preliminary check by ADK
Fee \$ 30.00 Received by pm # N 4345 Date 2/15/91
Publication prepared by pm Date 2/25/91 Published in Shoshone City News Bureau
Publication approved pm Date 4/8/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
JUL 16 1991

LICENSE REVIEW CHECKLIST

PERMIT NO. 94-07331

DATE 6/12/96

REVIEWER: S H A R L A

NAME Change OK

Address Change yes

SOURCE Change OK

Is change clarification of originally intended source? yes

If not, prepare Notice of Intent to Void no

POINT OF DIV Change OK

Amendment required yes double-checked

PLACE OF USE Change OK

Amendment required no by Northern-pld is same as permit

OVERLAPS

no P/D no P/U

RATE OF DIV

Permitted Rate .04 cfs
Fee limit .20 cfs \$5000

Measured .01 cfs (permit holder's statement - 6 gpm)

Theoretical gravity fed, 1" pipe max. cap = .03 @ 5 fpm @ 10 fpm .05

Recommended Total Div Rate .01 cfs

ANNUAL VOLUME/
NATURE OF USES

3/15-11/15 season

Use 01 1440 mpd x 16 days
Volume Calculation
6 gpm x 23,040 min. af
138,240 gals / 3.785 = 36,525 af
.4 af
.4 af
SUBTOTAL .40 af

Flow rate .01 cfs X 245 days X 1.9835 = 4.86 af
Total volume recommended .4 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS Watermaster Control WD# N/A

R24 GW Measurement/Measuring Device
Overlap edited for less than an acre
 Use-specific conditions

SRBA Claim Filed N/A
Adjustment Memo

1st Amend Letter 039
2nd Amend Letter 038

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 12 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 94-07331

1. Owner: RICHARD E. OULEBOHN Phone No. 773-8426
Current Address: 2225 W. CANNON AVE POST FALLS ID 83854
2. Accompanied by: MARY OULEBOHN EXAM. DATE: OCT. 2, 1995
Address: SAME Phone No. 773-8426
Relationship to Permit Holder: WIFE
3. Source: SPRING CREEK tributary to CO'A RIVER NORTH FORK

B. OVERLAP REVIEW


1. Other water rights with same place of use: N/A

☐ Copies Attached
2. Other water rights with same point of diversion: N/A

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED
DEC 2 1995

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

WATER IS DIVERTED THROUGH 1" BLACK PVC PIPE 3000 FT.
FROM POINT OF DIVERSION TO POND. DRIP VALVE STATIONS
WERE PLACED ON PVC PIPE AT EACH TREE. A SMALL POND
(15' X 15' X 2' DEEP) IS FILLED AND WATER IS CARRIED BY
BUCKETS TO SOME OF THE TREES. THE TOTAL DIVERSION
RATE IS 6 GPM AND THE SYSTEM IS GRAVITY OPERATED.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	35	50N	2E		U.S.G.S. 7.5 min. Quad.

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
50N.	2E	26											.6	.2					.8

Do not use this space

WATER DIVISION
 FIELD & BUREAU



SCALE 1:24 000

0
MILES

3 1/2 MI. FROM ROAD TO D.P.O.
NOT RECORDED
DEC 11 2 1996

94-07331
DALE BOTTN

INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA-1985

ROAD LEGEND

NO PICTURES
 NO PICTURES
 NO PICTURES

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

IRRIGATED AREA BASED ON 10' X 10' OF AREA PER TREE.
 DIVERSION OF WATER FOR IRRIGATION PURPOSES OCCURS
 ONLY A WEEK FOR A 24 HOUR PERIOD FROM 6/1 THROUGH
 9/30

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

- Measured Method: NO MEASUREMENT CONDUCTED DURING EXAM. HOWEVER PERMIT HOLDERS STATED THAT THEY HAVE MEASURED SYSTEM AT 6 G.P.M. WITH BUCKET + STOPWATCH.
- Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1) Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)
 Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: IRRIGATION ONLY OCCURS ONCE A WEEK FOR 24 HRS.

6 GPM = 360 G.P.H. = 8,640 GPD
 16 WEEKS IN IRRIGATION SEASON
 X 8,640 GALLONS

$138,240 \div 325,850 = 0.42 \text{ AFA}$

MICROFILMED
 DEC 8 2 1955

H. REMARKS AND OVERLAP REVIEW ANALYSIS

PERMIT HOLDERS HAVE OBTAINED A LAND LEASE FROM IDAHO
DEPARTMENT OF LANDS TO DIVERT WATER + HAVE THEIR PIPE
ON STATE LANDS.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	6/1	9/30	0.01	0.42
Totals:				

2. Recommended Amendments

- | | | |
|---|--|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name ALLEN BEARDSLEE

Signature Allen Beardslee

Certification Date _____

Field Report Preparation Date 10/3/95

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
DEC 02 1995

RECEIVED

APR 20 1992

RECEIVED

APR 29 1992

OFFICE USE ONLY

Amt. of Fee \$ 5.00Date 4-29-92Receipt No. 102221Receipt by web

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 94-07331 Telephone No. 682-2226
2. Name(s) of Permit Holder(s): RICHARD E. DULEBOHN
3. Mailing Address: HC 01 BOX 294 B KINGSTON, ID 83839
4. Source of Water: SPRING CREEK

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic ONE (No. of households) Stockwater NONE (No. and type of stock)

Irrigation 40 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted ONE CF/MINUTE cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly: 4/22/92 Rlg

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ PREVIOUSLY 50 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

SAME AS ABOVE

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 17, 1992
Date

Richard E. Dulebohn
Signature (and title, if on behalf of a company or organization)

RECEIVED
MAY 22 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 94-07331

Reviewed by Klg

Date 4/22/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 40
yes Correct Uses?

SOURCE OF WATER

✓ Surface water source
Ground water source

NA Drilling permit required?

/ Copy in the file? Drilling Permit No. _____

/ Amount paid for permit _____ Correct?

/ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date ✓

DEFICIENCIES OR ACTION ITEMS

needs OK & soyle

proof acceptable

DATA ENTRY

New Address _____

Proof Made 4/30/92
5/1/92 Klg

HC 01 Box 294 B

Kingston, ID, 83839

March 17, 1992

State of Idaho Department of Water Resources

1301 North Orchard Street, Boise, Idaho, 83720

Attn: Karen L. Gustafson: Re: Permit No. 94-07331

Dear Ms Gustafson,

Enclosed are photographs showing the beneficial use we have made of the water from Spring Creek since the autumn of 1991. These photograpgs were taken

in October, 1991 after many weeks of drought.

#1, looking south, shows the intake of the 1" plastic pipe, in a shallow pool in Spring creek.



#2, looking north, shows Spring creek below the intake--there still is substantial flow.

RECEIVED
MAY 22 1992



#3 shows the waterline on the surface which is typical as it traverses State ground.



#4 shows a shallow pool in our meadow into which the water runs when it is not being directed through sprinkler lines.

RECORDED
MAY 22 1992



#5 shows a bed of white pine seedlings
sub-irrigated by the pool shown in #4



#6 shows another of several beds of seedlings.
This one is watered by drip irrigation emitters.

REPROFILMED
MAY 22 1992



#7 shows a bed of blue spruce watered by a perforated hose fed from the 1" plastic pipe




#8 shows the line which waters a row of deciduous trees--oaks, maples, chestnuts, and locust.

MICROFILMED
MAY 22 1992

EMITTER



#9 shows an emitter just above one of the oak trees shown in #8. In summary, we have installed 4,000 feet of 1" plastic pipe which lies on the surface and is laid out thus:



We trust that this information meets the conditions of approval mentioned in your letter of Feb. 28, 1991.

Very truly yours, *RE Dulebohn*
RE Dulebohn

APPLICATION FOR PERMIT REVIEW

Application #: 94-7331
Date: 4-30-91

Reviewer: Pam Skaggs

- ✓ Existing:
 - ✓ No - 26A-P17
 - ✓ Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
- Groundwater:
 - GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
 - LT. 0.7 cfs - N/A
- Drilling Permit:
 - Approved w/permit - P99
 - Not included - 046-P23(All GW, even existing wells)
- ✓ Location:
 - ✓ Water Districts
 - Surface water - 005, 005-01H-P01(LT.7 w/pump), 005-01J-P08(GT.7)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag
 - Trust - (1, Blank or Other)
 - Non Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr or Irr & Dom)
- River Basins:
 - (Surface Water) Water District Control Condition &....
 - Boise (63) - 05A & 11E
 - Payette (65) - 047-P04, 059-P71
 - Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
- Use:
 - Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One), 042(req.), 002-P06(MD), 07A(Spec.), 044(Policy 5G)
 - Power - Use Power Review
 - Mining - 06A or 010, 09E-P10 & 054(req.)
 - Storage - 18A-for multiple measuring devices(In WD), 18B-P09(Size)
 - Rec. & Aesthetic - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
- ✓ Ownership:
 - ✓ Non land owner - 004
- Protested:
 - Agreement - 020
- Minimum Stream Flow:
 - Overlapping uses - 029-P20
- ✓ Beneficial Use Due Date: - 05-01-1992
- ✓ Other Conditions Recommended Outside Agency Approval Condition

APPROVED
MAY 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TDK DATE: 2-19-91 APPLICATION NUMBER: 94-7331

APPLICANT: DULEBOHN

REQUIRED INFORMATION

- (1). (✓) Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
(2). (✓) Source: (See USGS Quad for names of water sources)
(3). (✓) Point of Diversion including county: (10 acre tract, Subd. lot & block)
TDK (4). (✓) Quantity: (flow and/or volume)
(✓) Nature of proposed use: (Include description of use)
(✓) Period of use:
TDK (5). (✓) Total Quantity: (flow and/or volume)
(6). (✓) Description of diverting works:
(7). (✓) Time required for beneficial use of water:
(8). (✓) Proposed uses:
(9). (✓) Place of use or acres irrigated:
(10). (✓) Other Water Rights:
(11). (✓) Ownership:
(13). (✓) Map:
(✓) Signature: (signator title required for corp., partnership, etc)
TDK (✓) Fee: (Amount, receipt number and date recorded on application)
(✓) Acknowledgement Letter:
(✓) Overlap Review: Attachment? (Y) (N) Remarks? (Y) (N)

ADDITIONAL INFORMATION

YES NO

- ✓ Field check required: Field check by:
 ✓ Field report attached:
 ✓ Critical groundwater area:
 ✓ Groundwater management area:
 ✓ Send dam safety information:
 ✓ Send letter for additional fish information:
 ✓ Send letter for additional power information:
 ✓ Within trust water boundary: (Attach Trust Water Supp. Analysis Sheet):
 ✓ Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached:
 ✓ Well drilling permit required:

PROCESSING

YES NO

- ✓ In form for advertising:
 ✓ Statewide advertising: (10.00 cfs or more, 1,000 AFA or more).

Send Copies To

YES NO

- ✓ I.D. H & W
 ✓ I.D. F & G
 ✓ I.D. Lands
 ✓ Adj. Bur.

YES NO

- ✓ U.S. BLM
 ✓ U.S.F.S.
 ✓ W District #
 ✓ G.W. Prot. Div.

YES NO

 ✓ Other

RECEIVED
APR 16 1991

Application Number 94-7331

FINAL REGIONAL PROCESSING REVIEW

YES NO

Additional information received:

Notice of pending void order issued: Final date of order response.

 Comments added

Maps Copied

✓ Affidavit of publication received:

✓ Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

✓ Protests received, Final date for protest

Recommendations attached:

✓ Measuring device required:

✓ Measuring port required:

✓ Water delivered by water master? District #

✓ Special conditions of approval or cover letter: (see additional info. below)

Recomended Date of Priority 3/15/91

Recomended by:

Date 4/11/91

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS