



Molly O'Leary

Tel: 208-938-7900 Fax: 208-938-7904
molly@richardsonandoleary.com
P.O. Box 7218 Boise, ID 83707 - 515 N. 27th St. Boise, ID 83702

FAX

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE MAY BE PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED BELOW. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE, (COLLECT IF NECESSARY) AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. MAIL.

To: Steve Lester

From: Molly O'Leary

Idaho Dept of Water Resources

Fax: 208.334.2348

Pages: 9 (inc. cover)

Phone:

Date: 06.19.08

Re: 1076/16 Eagle Water Company

CC:

☐ Urgent ☐ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

Please see attached letter and documents. Thank you.

*Attorney's notice of
Appearance etc*



RICHARDSON & O'LEARY, PLLC
ATTORNEYS AT LAW

Molly O'Leary

Tel: 208-938-7900 Fax: 208-938-7904
molly@richardsonandoleary.com
P.O. Box 7218 Boise, ID 83707 - 513 N. 27th St. Boise, ID 83702

Steve Lester
Idaho Department of Water Resources
Boise Regional Office
2735 Airport Way
Boise, Idaho 83705

Via FACSIMILE
(208.334.2348)

RE: 1076/16 - Eagle Water Company, Transfer Application
#74820

Dear Steve:

Per our telephone discussion yesterday, Eagle Water Company, Inc. ("Eagle Water") has authorized me to provide the following information regarding the above-referenced Transfer Application:

1. I have been designated by Eagle Water to be the main point of contact on this application. My contact information is as follows:

Molly O'Leary
Richardson & O'Leary, PLLC
P.O. Box 7218, Boise, Idaho 83707

Tel. 208.938.7900
Fax: 208.938.7904
E-mail: molly@richardsonandoleary.com

Jim Rees, principal engineer of MTC, Inc., is also a designated contact for this application on all engineering related questions. Mr. Rees' contact information is as follows:

Jim Rees, P.E., L.S.
MTC, Inc.
707 North 27th Street
Boise, ID 83702-3113

Tel. 208.345.0780
Fax: 208.343.8967
E-mail: ELJIMREES@aol.com


Add
Attorney
Contact
info to
d'base

don't add
Eng. info
to d'base

2. The current point of diversion for Well # 3 is a minimum of 381 feet below ground level. (See attached Well Driller's Report for Well # 3 and related documents.)
3. The proposed point of diversion for this water right (Well #8) will be similar to that for Eagle Water's Well #7, as it is located within the same general hydrologic area. Well #7 is 401 feet deep and pumps from a minimum of 331 feet below ground level. (See attached Well Driller's Report for Well # 7 and related documents.)
4. Eagle Water Company has deposited a check for \$270.00 in today's mail to cover the shortfall in its original filing fee payment of \$100.00. (See copy of Check # 10109, enclosed.)

In closing, Eagle Water Company appreciates the Department's expedited processing of its Transfer Application in light of the serious constraints placed on Eagle Water Company and its customers as a result of the Idaho Department of Environmental Quality's sanitary restrictions moratorium pending the company's compliance with DEQ's redundant fire-flow system pressure requirements for a theoretical "perfect storm" of adverse conditions.

Sincerely,



Molly O'Leary
Richardson & O'Leary, PLLC

Enclosures

CC: Robert V. DeShazo, Jr., President, Eagle Water Company, Inc.
Jim Rees, P.E., L.S., MTC, Inc.

EAGLE RANCH WATER CO., INC.

P.O. BOX 455 - EAGLE, IDAHO 83816 - (208) 939-0242

Inventory of Equipment Installed in Well House #3Quantity

3	4' electric baseboard heaters
1	Kellog American, 1/4 hp air compressor
1	4000 gallon steel tank with sight guage
1	Loyal model 4AG separator with controller
1	OCV Model 1272 control valve
1	Badger, MDIM-6" water meter
1	Small 0-100 PSI guage
2	" 0-200 PSI "
1	Well pump, US 60 HP motor
2	4' double flourescent lamps
1	Delta style DP3NP pump control panel
15'	2" galvanized pipe
6	2" galvanized elbow, threaded 90°
6'	4" pipe
4	4" elbow, threaded 90°
2	6"-4" reducer threaded
1	4"-3" " "
2	3"-3"-2" tee, threaded
3	2" unions
-	6" elbow, threaded 90°
6	6" " flanged 90°
1	6" " weld type 90°
1	6" tee threaded
1	6" dresser coupling
3	6" butterfly valves
2	3/4" faucets
1	6" spool, 10" long
1	6" spool, 3' long
1	1" globe valve
1	6" spool, threaded, 7" long
1	4" threaded flange
5	6" threaded flange
2	3" threaded flange
2	4" threaded flange
10'	1/2" galvanized pipe
3	1/2" elbows 90°
1	1/2" union
1	1/2" electric pressure control
1	6" saddle fitting


(3) R.C. Friederichsen
 3 February, 1980

**CROWN**

Well #3

6H-300**MODEL 6H-300****PERFORMANCE CHARACTERISTICS**

MINIMUM WELL SIZE 7"

**CROWN**

CROWN PUMP CORPORATION, HIGHWAY 16 & BIVAR, DE LEON, TEXAS

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only

Well ID No. _____

Inspected by _____

Twp _____ Rge _____ Sec _____

1/4 1/4 1/4

Lat _____ Long _____

ELL TAG NO. D 12610

RING PERMIT NO. 63-93-4-1019-000

Per Right or Injection Well No. 63-12559

2. OWNER:

Name Engle Water Co. Inc
Address PO Box 435
City Payle State Ida Zip 83646

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. 4 North ☒ or South ☐
Rge. 1 East ☒ or West ☐
Sec. 15 N/E 1/4 N/E 1/4 S/W 1/4
Gov't Lot 3 County AdaLat: _____ Long: _____
Address of Well Site Hwy 55/ State St 1500' + South
(well #37) west of Hwy 55 Payle
Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☐ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other Reverse

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
benzoinite chips	0	23	3000#	pooured
benzoinite grout	23	300	12 yd	pooured

Was drive shoe used? ☐ Y ☐ N Shoe Depth(s) _____
Was drive shoe seal tested? ☐ Y ☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
16"	0	325'	3/16	steel	☒	☐	☒	☐
10"	260	331	3/16	steel	☒	☐	☒	☐
10"	366	376	3/16	steel	☒	☐	☒	☐

Length of Headpipe 6' Length of Tailpipe _____
Packer ☒ Y ☐ N type top. sledge packer 4" Tony

9. PERFORATIONS/SCREENS PACKER TYPE 12" pipe with Figure K

Perforation Method _____
Screen Type & Method of Installation Johnson 204 V wire

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
331	366	30		10	steel	☐	☒
376	401	30		10	steel	☐	☒

10. FILTER PACK

Filter Material	From	To	Weight / Volume	Placement Method
3/4" sand	260	403	4 2/3 yd	pooured

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

3' ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: _____

12. WELL TESTS:

Yield gal./min.	Drawdown	Pumping Level	Time
1350	354.3	160	
1075	160.5	160	

Water Temp. 58.1 Bottom hole temp. _____
Water Quality test or comments _____

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
24	0	6	sand & gravel	X	
	6	27	cemented sand & gravel	X	
	27	30	sand, gravel, boulders	X	
	30	115	brown clay		X
	115	140	sandy brown clay, clay	X	
	140	152	sand, fine to medium	X	
	152	167	clay		X
	167	180	sand, fine to medium	X	
	180	192	brown clay		X
	192	206	sand	X	
	206	230	blue clay		X
	230	260	brown sand, blue clay streaks	X	
	260	280	blue clay		X
	280	301	brown sand	X	
	301	331	brown clay with sand streaks	X	
	331	366	fine brown sand	X	
	366	376	brown clay		X
	376	388	fine to medium sand	X	
	388	390	brown clay		X
	390	402	sand	X	
	402	403	brown clay		X
Pump Depth = 200 ft					
cement grout 300-325 pumped					
Completed Depth <u>401'</u> (Measurable)					
Date Started <u>11/27/05</u> Completed <u>3/15/06</u>					

14. DRILLER'S CERTIFICATION

We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Stevens & Sons Firm No. 153

Principal Driller Rob Stevens Date 3/9/06

and Driller or Operator II Mike Stevens Date 3/9/06

Operator I _____ Date _____

Principal Driller and Rig Operator Required.
Operator I must have signature of Driller/Operator II.

FORWARD WHITE COPY TO WATER RESOURCES



P.O. BOX 1005

Nampa, Idaho 83651

208-466-7376

EAGLE WATER COMPANY
P.O. BOX 450
EAGLE, IDAHO 83616

JULY 17, 1996

RE: BID # 2 - PUMP & MOTOR FOR NEW WELL
16" WELL 440' DEEP STATIC 2'

1 250 HP ELECTRIC MOTOR US OR GE
3 PHS 480 V. 1760 RPM
1 DISCHARGE HEAD 10" W/ 10" OUTLET
100' COL. TUBE & SHAFT WL
10" x 1 11/16" x 10"
1 BOWL UNIT 4 STAGE 14 THO
(2 FULL & 2 B TRIM)
2600 GPM 320' TDH 260 BHP
1 SUCTION & STRAINER 10" x 2'

SUB TOTAL: \$20,734.00

SALES TAX 1,036.70

TOTAL: \$21,770.70

THIS BID INCLUDES INSTALLATION IN THE WELL AND ALL
FREIGHT CHARGES. THE CUSTOMER WILL FURNISH ALL THE
VALVES AND THEIR INSTALLATION, ELECTRICAL PANEL AND
WIRING.

NORMAN D. (BILLY) WEBB
LAYNE OF IDAHO, INC.

11485
more than
the 200 HP
B

EAGLE WATER COMPANY

GENERAL ACCOUNT
P. O. BOX 455
EAGLE, ID 83616

10109

DATE 6/18/0892-374/1241
02

PAY TO THE
ORDER OF L.D.W.R.

\$ 270.00

REG. 47462AS
EXP. 02-28-10

270 DOLLARS

DOLLARS



Eagle Office
400 South Eagle Road
Eagle, ID 83616
208-938-7900
24-hour 208-472-4707

Transfer Application # 74820

⑈010109⑈ ⑆124103744⑆ 21810171⑈

Betty Holt

EAGLE WATER COMPANY
EAGLE, ID 83616

DETACH AND RETAIN THIS STATEMENT
THE ATTACHED CHECK IS IN PAYMENT OF ITEMS DESCRIBED BELOW
IF NOT CORRECT, PLEASE NOTIFY US PROMPTLY, NO RECEIPT DESIRED

DATE	DESCRIPTION	AMOUNT	DISTRIBUTIONS	
			ACCT. NO.	AMOUNT
6/18/08	Well #8 - Permit			270.00
	Transfer Application # 74820			

EMPLOYEE

PERIOD ENDING	TOTAL EARNINGS	DEDUCTIONS								TOTAL DEDUCTIONS	NET PAY
		F.I.C.A.	WITHHOLDING U.S. INC. TAX	STATE TAX	MEDICARE						

AS