

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 93-07034

Priority: March 9, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
3.6 AF

This is to certify, that AUSTIN G. WEST

P.O. BOX A

PLUMMER, ID 83851

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 9, 1983; and has submitted Proof of Beneficial Use on February 16, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRINGS

tributary to **LOVELL CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF
IRRIGATION STORAGE	01/01 to 12/31		3.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		3.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
RECREATION STORAGE	01/01 to 12/31		3.0 AF
	Totals	0.04 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNWSE , Sec. 35, Township 46N, Range 05W
NENWSE , Sec. 35, Township 46N, Range 05W
BENEWAH County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N 05W 35	NWSE 1			1

Total number of acres irrigated: 1

PLACE OF USE: IRRIGATION STORAGE, same as IRRIGATION use

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

PLACE OF USE: RECREATION STORAGE, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect changing patterns or acceptable standards of water delivery efficiency.

MICROFILMED

NOV 24 1989

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE
WATER RIGHT NO. 93-07034

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21ST day of NOVEMBER, 1989.

Acting for


R. Keith Higginson, Director

RECORDED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant AUSTIN G. WEST Phone 686-1229
Post office address Box A PLUMMER, ID 83851
2. Source of water supply UNNAMED STREAM & 3 SPRINGS which is a tributary of LOVEL CREEK
3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 35 Township 46N
Range 5W B.M. BENEWAH County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.83 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 3AF for STORAGE FOR purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
~~IRRIGATION~~ RECREATION
Amount 3AF for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum) FROM STORAGE

5. Total quantity to be appropriated:

- a. 0.04 cubic feet per second and/or b. 3AF acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. COLLECTION BOXES WITH STORAGE POND

- b. Height of storage dam 8 feet, active reservoir capacity 3AF acre-feet; total reservoir capacity 3AF acre-feet, materials used in storage dam: EARTH

Period of year when water will be diverted to storage JAN 1 to DEC 31 inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 35 Township 46N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: RECREATION - FISH RAISING FOR PERSONAL USE.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____ / _____

c. Describe any other water rights used for the same purposes as described above. *NONE*


9. a. Who owns the property at the point of diversion *APPLICANT*

b. Who owns the land to be irrigated or place of use _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Geoffrey J. Kent
(Applicant)

Proposed Priority 3/9/1983

Received by KK Date 3/9/83 Time 1:00 P
Preliminary check by RSH Fee \$ 30.00
Receipted by KK Date 3/9/83 #24966
Publication prepared by pm Date 3/10/83
Published in St. Maries Gazette Record
Publication dates 3/16-23/83
Publication approved pm Date 3/28/83
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RSH JC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 93-7034, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 21st day of April, 1983.

J. Glen Sayton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

Department of Water Resources

PERMIT NO. 93-7034

YES NO

- (☒) () B/U Acknowledgement Letter Sent _____ (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) (☒) Quad Sheet
() (☒) GL Plat
() (☒) Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____

() () Other (List) _____

EXAM COMPLETED BY John Schover DATE 8/10/88
SR AGENT REVIEW JK DATE 8/88
REGIONAL MANAGER REVIEW RYA DATE 6/89
ENTERED ON COMPUTER BY me DATE 4/2/89
PRELIMINARY OVERLAP REVIEW BY LS DATE 5/31/88

(☒) NO OVERLAP



MICROFILMED
NOV 24 1989

PD #2
↓

9

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT SUPPLEMENT

JUN 26 1989

Department of Water Resources

PERMIT NO. 93-7034

(INITIAL & DATE)

by

Aerial Photo Date Requested

Quad Sheet

YES NO

() () ()

() () ()

() () ()

() () ()

() () ()

() () ()

() () ()

() () ()

() () ()

EXAM COMPLETED

SR AGENT REVIEW

REGIONAL MANAGE

ENTERED ON COMP

PRELIMINARY OVER

() NO OVERLAP FOUND

PD #1



9

93-7034

PD #2

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 93-7034

1. Owner: Austin G. West

Phone No. 686-1229

Current Address: Box 'A' Plummer Id 83851

2. Accompanied by: Mr. West

EXAM. DATE: 8/8/88

Address: Same

Phone No. Same

Relationship to Permit Holder: Same

3. Source: 3 Springs tributary to Unnamed Stream + Lovell Cr.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

RECEIVED
NOV 24 1989

JUN 13 1990

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

3 developed Springs each with a collection box and diversion to storage. #2 spring ^{ALSO OK} supplies the domestic needs of the ^(with a 3/4 hp pump) trailer. #1 and #3 divert only to storage. A small stream also runs into storage. #4 on map is a 3/4hp portable pump that pumps to garden from storage.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#4	Jacuzzi	3/4	NOT READABLE	SAME	1"
#2	Jacuzzi	1/2	957-490318	Same	1"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1		NW	NW	SE	35	46N	5W	Benedict	Map
#2		NW	NW	SE	35	46N	5W	Benedict	Map
#3		NE	NW	SE	35	46N	5W	Benedict	Map

6. Place(s) of Use:

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
46N	5W	35														D			
																RS			
																			1

UNRECORDED

NOV 24 1989

Do not use this space



AUSTIN WEST
PD: NW SE, S. 35, T46N, R5W
PU: SAME
DOMESTIC
IRRIGATION - I
RECREATION

93-7034
MAP#20
QUAD: G53

MICROFILMED

NOV 24 1989

Do not use this space

D. FLOW MEASUREMENTS


NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Domestic = .09 cfs and 1.2 af

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{3}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{9.7}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{3 \text{ af}}$

2. Volume Calculations for Other Uses:

Pond Volume = 200 ft by 150 ft by 1.5 ft
= 3.1 af

MICROFILMED

NOV 24 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION FROM STORAGE	MAR 15	NOV 15	-	3.3afa
IRRIGATION	" "	" "	.02 cfs	3afa
STORAGE (REL. + IRR.)	1/1	12/31	-	3afa
Domestic	1/1	12/31	.04 cfs	.6af
Totals:			.04 cfs	3.6afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Louis Sukovaty
Signature Louis Sukovaty
Certification Date 5/15/88
Field Report Preparation Date 8/10/88



CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JDM 7/12/89

RECEIVED
NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9307034	46N	05W	35	NW SE		UNNAMED STREAM	WEST, AUSTIN G.
				NO MATCHES FOR THIS POD			

MICROFILMED

NOV 24 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 92-7654

Date: 3-7-1988

General Considerations:

 Name same as permit
 Signature the same as permit holder
 Address change _____ If yes, prepare a data entry
 Proof received timely _____
_____ Reinstated

Source of Water:

 Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

 Rate of diversion appropriate for uses
 Is rate or volume and fee appropriate?
 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

 Is a measuring device or access port required?
 Has one been installed?
 Waiver or modification of measuring device requested

Remarks:

 Priority Calculation:
Date proof received _____
Date proof due _____ + _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
FEB 16 1988

no # encl. 82
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 93-7034

Name(s) of Permit Holder: Austin G. West

Post Office Address: Box 'A' Plummer Idaho 83851

Telephone No. 208-686-1229

Source of Water: 3 springs - small stream - tributary to Lovel Creek

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation 1 (acres) Other/Remark Recreation

Fish raising - Personal Use -

Total rate and/or volume for which proof is submitted 0.04 cts 3 AF. acre-feet

Show the date water was first diverted and beneficially used under this permit: June '83

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ 0
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Austin G. West 208-686-1229
(Name) (Telephone Number)

Box 'A' Plummer Idaho 83851
(Address)

The above information is my true statement of the extent to which the above numbered permit has been used and I relinquish any undeveloped portion of the permit to the state of Idaho.

Project is Complete.

MAR 17 1988

12 Feb. 88

Date Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RGH APPLICATION NUMBER: 93-7834

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 4/4/83
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/25/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
3/19/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RGH Date: 4/11/83

STATE OFFICE REVIEW:

- 5/1/87 26
☐ See attached sheet for more information.
By: [Signature] Date: 4/18/83

RECEIVED
APR 15 1983

Department of Water Resources

RECEIVED

WEST, AUSTIN G.

P.O. BOX A, PLUMMER, ID 83851

Source: UNNAMED STREAM trib. to LOVEL CREEK
SPRINGS trib. to LOVEL CREEK

Date Filed: 03/09/1983

Diversion Pt: NWSE Sec 35 T 46N R 05W

Use: IRRIGATION	(0.03 CFS)
IRRIGATION STORAGE	(3.0 AF)
IRRIGATION FROM STORAGE	(3.0 AF)
DOMESTIC	(0.04 CFS)
RECREATION STORAGE	(3.0 AF)

In: NWSE Sec 35 T 46N R 05W FOR 1 ACRES

RECEIVED
MAY 1983