

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 92-07226

Priority: August 20, 1996

Maximum Diversion Rate:
Maximum Diversion Volume:

0.04 CFS
9.9 AF

This is to certify, that JACK A BUELL
318 HIGHLAND DR
ST MARIES ID 83861

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 20, 1996; and
has submitted Proof of Beneficial Use on October 16, 1997. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

ST. JOE RIVER

tributary to COEUR D ALENE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	9.9 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NESW), Sec. 16, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N	02W	16	Lot 4(NESW)	3.3		3.3

Total number of acres irrigated: 3.3

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

316 2 5 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 92-07226

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 11th
day of JUNE, 1998.


KARL J. DREHER, Director

MICROFILMED

AUG 23 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

OCT 16 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 92-07226 Telephone No. 208-245-3274

2. Name(s) of Permit Holder(s): JACK A. BUELL

3. Mailing Address: 318 Highland Drive, St. MARIES, ID 83861

4. Source of Water: St. Joe River If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.12 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ☒

Has the measuring device been installed?

Yes _____ or No ☒

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No ☒

Has the measurement port been installed?

Yes _____ or No ☒

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: JACK A. BUELL Telephone Number: 208-245-3274

Address: 318 Highland Drive, St. MARIES ID 83861

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Jack A. Buell Date: 10/14/97
(include your title, if on behalf of company or organization)

MICROFILMED

DEC 1 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 92-07226

Proposed Priority: August 20, 1996

Maximum Diversion Rate:

0.12 CFS

This is to certify, that **JACK A BUELL**

318 HIGHLAND DR

ST MARIES ID 83861

has applied for a permit to appropriate water from:

ST JOE RIVER

tributary of COEUR D ALENE LAKE

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.12 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NESW), Sec. 16, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

46N 02W 16

Lot 4(NESW) 4.0

4.0

Total number of acres irrigated:


4.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1997.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

20th day of November, 1996.


for Karl J. Dreher, Director

MICROFILMED

DEC 02 1996

Ident. No. 92-07226

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant JACK A. BUELL Phone 208-245-3274Post office address 318 Highland DRIVE, ST MARIES ID. 838612. Source of water supply (St Joe River) SHADOWY ST JOE LAGOON 1st ADD LOTS 68-69 which is a tributary of Coccard Lake3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Govt. Lot 4Sec. 16 Township 46 N Range 2 WEST B.M. BENEFICIAL Co. County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .12 for IRRIGATION purposes from MARCH 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)5. Total quantity to be appropriated is (a) .12 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 3.5 HP Pump, 2.5" PVC
water intake line 40' beyond OHWM - pump + pipeline to be
removed during high water, protected with a circuit protectorb. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total
reservoir capacity NA acre-feet; period of year when water will be diverted to storage:
NA to NA inclusive.c. Proposed well diameter is NA inches; proposed depth of well is NA feet.d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

1 yr years (minimum 1 year).MICROFILMED
DEC 02 1996

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. NA
- b. Stockwatering; list number and kind of livestock. NA
- c. Municipal; show name of municipality. NA
- d. Domestic; show number of households. One
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
46N	2W	16									4								12 cfs
											6.4								
											4								
											4								

Total number of acres to be irrigated 4

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? State Dept of LANDS

b. Who owns the land to be irrigated or place of use? JACK BUELL

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: _____

RECEIVED

DEC 2 1963

JACK BUELL
LOTS 68-69
SEC 16 46N 2 WEST (NE 1/4 SW 1/4) G.L. 4
BENEFIT COUNTY

APPLICATION FOR PERMIT



MICROFILMED
DEC 02 1996


JACK BUELL

LOTS 68-69

SEC 16 46N 2 WEST


BENEWAH COUNTY

APPLICATION FOR PERMIT



RECEIVED
DEC 5 2 53

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jack A. Bueell
(Applicant)

Received by db Date 8/20/96 Time 1:15 Preliminary check by _____
Fee \$ 50⁰⁰ Received by db # N010594 Date 8/20/96
Publication prepared by db Date 9/25/96 Published in St. Maries Gazette 10/2 + 9/96
Publication approved db Date 10/10/96

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: _____



MICROFILMED
10/17/96

MEMORANDUM

TO: File 92-07226

FROM: Sharla

DATE: June 10, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit No. 92-07226 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

T46N, R2W, S16 - NESW (3.3 acres)

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.04 cfs	9.9 afa
------------	--------------	----------	---------

The number of acres is rounded to the nearest tenth; the volume has been calculated accordingly.

Examiner: David Pagel
Exam Date: May 13, 1998

MICROFILMED
AUG 25 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 92-07226 DATE 6/8/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .12 cfs
 Fee limit .20 cfs \$50.00
 Measured .04 cfs
 Theoretical .06 cfs @ 50' lift and 40 psi
 Recommended Total Div Rate .04 cfs

WATER USES	Change (P46)		
<u>W1</u>	<u>.04</u> cfs	<u>9.9</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
	<u>3x3.0</u> af		supp. gw (WB7/065/079)
			overlap spec. combined rts (W35)
			<1acre (W31)
			Domestic (W01/WB5/070/071/075)
			Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)
TOTALS	<u>.04</u> cfs	<u>9.9</u> af	

Flow rate .04 cfs X 246 days X 1.98 = 19.5 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes ✓ no SRBA Claim NA Adjust Memo rounded
 Amend letters Volume/acre

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
MAY 20 1998 BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 92-07226

1. Owner: Jack A. Buell Phone No. (208) 245-3274

Current Address: 318 Highland Dr. St. Maries, Idaho 83861

2. Accompanied by: Jack Buell EXAM DATE: May 13, 1998

Address: Same Phone No. _____

Relationship to Permit Holder: self

3. Source: St. Joe River tributary to Coeur d'Alene Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		NE	SW	16	46N	2W	Beneviah	USGS 7.5' Quad., Metsker

2. Place(s) of Use:


Indicate Method of Determination USGS 7.5' Quad, Metsker

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
46N	2W	16									04-I								

MICROFILMED

AUG 25 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = NA

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1.5	PHE-5150	General Electric	3194

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Digital Transit time Flowmeter		PEEK	DCT-7088	32529		

2. Measurements: average flow = 16.48 gallons per minute

AUG 25 1988

E. NARRATIVE/REMARKS/COMMENTS

1.5 horsepower pump is providing water from the St. Joe River to irrigate
3.25 acres of lawn through an underground sprinkling system.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

AUG 25 1988

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

See copy of printout from Ultrasonic Flow meter

$$390 \text{ ft.} \times 410 \text{ ft.} = 159,900 \text{ ft.}^2 \quad 225 \text{ ft.} \times 135 \text{ ft.} = 18,225 \text{ ft.}^2 \text{ (Home, driveway)}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: $159,900 \text{ ft.}^2 - 18,225 \text{ ft.}^2 = 141,675 \text{ ft.}^2$ (lawn irrigated)

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.25 \text{ acre} \times 3.0 \text{ aF/acre/season} = 9.75 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04 \times 245 \times 1.9835 = 19.44 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.25 \text{ acre} \times 3.0 \text{ aF/acre/season} = 9.75 \text{ afa}$$

2. Volume Calculations for Other Uses:

$$\frac{141,675 \text{ ft.}^2}{43560 \text{ ft.}^2} = 3.25 \text{ acre irrigated}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.04	9.75
Totals:			.04	9.75

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name David A. Pagel Date May 15, 1998

Reviewer _____ Date _____

SEAL


MICROFILMED
R06 15 98

92-07226

BUELL


T46N R2W

S 16 Lot 4



MICROFILMED

AUG 25 1998



MICROFILMED
AUG 25 1968

Ser. 18.
640

T46N R2W
Sec 16 Lot 04

```

Flow = 07.32
Flow Units Per
Sec *Min Hour Day
Flow = 83.83 Ft/M
Flow = 16.45 GPM
Net -84381 x1Gal
Flow = 16.56 GPM
Net -84296 x1Gal
Flow = 26.16 GPM
Flow = 16.58 GPM
Flow = 16.53 GPM
Pipe
Material = PVC
OD = 2.387 inches
WT = 0.036 inches
ID = 2.195 inches
Sound Vel. = 7388 FPS
Roughness = 0 Ft
Liner
Material = NONE
Thickness = 0.000 inches
Sound Vel. = 8110 FPS
Roughness = 0 Ft
Fluid
Type = WATER
Sound Vel. = 4863 FPS
Viscosity = 1.13
Transducer
Type = 3
Mounting = 0
Flow
Scale Fact = 0.9600
Offset = 0.00 GPM
Damping = 18 secs
Max Range = 377.42 GPM
Min Range = -377.42 GPM
Cutoff
Low Flow = 8.83
Low Signal = 0.00 %
Flow = 16.40 GPM
Vel = 1.39 FPS
Net -84241 x1Gal
Pos 76284 x1Gal
Net 168525 x1Gal
SigStr = 100.0%
Cutoff = 0.0%
Reynolds = 21740
Factor = 0.856393
SigStr = 100.0%
Margin = 200%
Delta = 23.96 ns
Speed = 4636.12 FPS
4-20mA = 4.00 mA
Flow = 16.44 GPM

```

92-07226

Jack A. Buell

Measurement taken May 13, 1998

T46 N R2W Sec 16 G.L. 4

MICROFILMED

AUG 25 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT #

92-07226

PHOTOGRAPHS



Point of diversion

pump



Place of use



Place of use

MICROFILMED

AUG 25 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT #92-07226

PHOTOGRAPH

PLACE OF
USE



81 5 86



81 5 86



81 5 86



81 5 86

MICROFILMED

AUG 25 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 92-07226 Reviewed by [Signature] Date 11-16-97

GENERAL CONSIDERATIONS

TYPES OF USE

YLS Name same as permit? ?
YLS Address same as permit? _____
YLS Proof timely received? _____ Correct Uses? _____
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
_____ Ground water source
_____ Drilling permit required?
_____ Copy in the file? Drilling Permit No. _____
_____ Amount paid for permit _____ Correct?
_____ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

YLS Required? NO
50- Amount Submitted
YLS Correct? _____ Installed?
_____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	<u>X</u>
Date proof due	_____ -	
No. of days late	_____ =	
Priority Date	_____ +	
New Priority Date	_____	

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address X Proof Made 10-16-97

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 92-7226 Name: Buell Date: 11/19/96 Ad OK? ✓ ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020 (Protest Agr) or W19 (See Final/Prelim Order)

SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065 (if GW use SW 1st)

DRILLING PERMIT:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District (~~dam~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J (meas dev)-P08
=/- 0.2 cfs - 01H (lock dev)-P01 or No MD
~~In WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/ remark WB9- Weiser), NA
Boise River (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette River (65) - 064 (regulated uses), 047-P04 (Payette Lake), NA

USE:
Domestic (surface) - *WB5 (Boise R above Star Bridge); 27A (Payette R); NA
Fish Propagation - 07A-042 (req)-010/06A/09E (WQ)-P10; 044 (N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-028-01F(P19)-09E(P10);
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09
- 18A (multi MD in WD), 18B-P09 (+10' dam), ~~WQZ~~

~~Storage~~ (✓ 3 compo.)

LOCATION:
42-248 area - In 20/30/40/50/60/70/80 (87) basin? P84
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - _____ <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-owner - 004 (PD/PU) State of Idaho

OTHER CONDITIONS: - _____

STANDARD REMARKS: - _____

BENEFICIAL USE DUE: - 12-1-1997

COMMENTS: - _____

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

WR1
BC
WRA

APPLICATION # 92-07226

***** INITIAL REVIEW *****

APPLICANT: BUEN BY: AB DATE: 8/20/96

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

PROCESSING

Yes No PRIORITY DATE: 8/20/96

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

sm/led/ak

ADVERTISE IN: BENEFICIAL County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached(>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

10/10 Affidavit of publication received

10/10 Application published correctly, If not, record action taken: _____

9/25/96 Publication dates and paper recorded on application | Sr. Agent initial AB

☒ Protests received. Final protest date: 10/21/96

☒ Measuring device required

☒ Measuring port required

☒ Special conditions: _____

☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB Date: 10/28/96

RECEIVED
NOV 03 1996

Department of Water Resources