

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 92-07225

Priority: September 10, 1996

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that MARSHALL M THORP
HC 1 BOX SR 370

ST MARIES ID 83861 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 10, 1996; and
has submitted Proof of Beneficial Use on September 5, 1997. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

ST. JOE RIVER

tributary to COEUR D ALENE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	03/15 to 11/15	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NWSE), Sec. 16, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC

TWN RGE SEC

46N 02W 16 Lot 4(NWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lot 74, Shadowy St. Joe Lagoon 1st Addition.
6. Domestic use is for lawn and garden irrigation not to exceed one-half acre.

MICROFILMED

JUN 12 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 92-07225

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 11th
day of JUNE, 1992.


Acting for KARL J. DREHER, Director

MICROFILMED

JUN 12 1992

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No: 444060
Receipt By: [Signature]
Date Received: 9/5/97

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

SEP 05 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 92-07225 Telephone No. 208-245-3698
2. Name(s) of Permit Holder(s): MARSHALL & VICKY THORP
3. Mailing Address: HCOI Box SR 370 ST. MARIES ID. 83861
4. Source of Water: ST. JOE RIVER If GROUNDWATER (well), Date Drilled: mo. / yr.
 - a. Well Driller: NA Drilling Permit Number: - - -
 - b. OPTIONAL:
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock):
Irrigation (No. of acres): 1/2 Other:
6. Total rate of diversion and/or volume for which proof is submitted: 0 - 0.20 cfs OR 0-20 acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or No <u>✓</u>
	Has the measuring device been installed?	Yes <u> </u>	or No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or No <u>✓</u>
	Has the measurement port been installed?	Yes <u> </u>	or No <u>✓</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: SAME Telephone Number:
Address:
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Marshall M. Thorp SR
(include your title, if on behalf of company or organization)

Date:

09-03-97

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 92-07225

Proposed Priority: September 10, 1996 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **MARSHALL M THORP**

HC 1 BOX SR 370

ST MARIES ID 83861

has applied for a permit to appropriate water from:

ST JOE RIVER

tributary of **COEUR D ALENE LAKE**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

03/15 to 11/15

0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4 (NWSE), Sec. 16, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC

TWN RGE SEC

46N 02W 16 Lot 4(NWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1997**.
2. Subject to all prior water rights.
3. Place of use is located within Lot 74, Shadowy St. Joe Lagoon St. Addition.
4. Domestic use is for irrigation of approximately 1/4 acre lawn.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29 day of October, 1996

[Signature]
for Karl J. Dreher, Director

MICROFILMED
DEC 9 2 1996

RECEIVED

OCT 25 1996

Form 202
10/92Ident. No. 92 07225

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Marshall M Thorp Phone 208-245-3698
Post office address HC 01 Box SR 370, St. Maries, Id. 83861
2. Source of water supply St Joe River which is a tributary of C&A Lake
3. Location of point of diversion is T 46 N 1/4 of NW 1/4 of SE 1/4, Govt. Lot 4
Sec. 16 Township T 46 N Range 8 W B.M. Beneva County; additional

points of diversion if any:

- * DOMESTIC LAWN & WATERING ONLY.
4. Water will be used for the following purposes:

Amount * 0.02 for domestic light purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 20 gal/min and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 HP - 1 1/2" Pump to be

placed on Rip Rap above summer water level to
Water approx 1/4 acre of lawn - Easy removal in winter high
water.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.

d. Is ground water with a temperature of greater than 85°F being sought? N/A

e. If well is already drilled, when? N/A; Drilling firm N/A

Well was drilled for (well owner) N/A

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

N/A years (minimum 1 year). 40 ACRE TRACT DETERMINED BY BENEVA

REMARKS: LOT 74 OF SHADOWNY ST. JOE LAKEON ST. ADDITION

RECORDED
DEC 02 1996

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully CANAL WATERING ONLY.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
46N	2W	16														9.64			

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____


11. a. Who owns the property at the point of diversion? Marshall M & Vicki F Thorp
- b. Who owns the land to be irrigated or place of use? Marshall M & Vicki F Thorp
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: N/A

RECORDED

DEC 11 2003

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED
DEC 02 1996

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marshall M. Thompson SR.
(Applicant)

Received by db Date 9/9/96 Time 3:5P Preliminary check by _____
Fee \$ 50⁰⁰ Received by db # N0106 Date 9/9/96
Publication prepared by db Date 9/11/96 Published in St. Maria's Digest 9/18+25/96
Publication approved db Date 10/4/96

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED
DEC 2 1996

MEMORANDUM

TO: File 92-07225

FROM: Sharla

DATE: June 8, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit No. 92-07225 are as follows:

H. RECOMMENDATIONS

Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
----------	-------------	----------	---------

The use is domestic for lawn/garden irrigation. If "irrigation" was the use code, it would be appropriate to figure volume based on the number of acres. However, since the use code is domestic, the volume is based upon the standard of 0.6 af for either in-house or external use only.

Exam Date: May 11, 1998

Examiner: David Pagel

MICROFILMED
JUN 12 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 92-07225 DATE 6/5/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Lot 74, Shadowy St Joe Lagoon (14) Addn.

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate .02 cfs
 Fee limit .20 cfs \$50.00
 Measured _____ cfs
 Theoretical .04 cfs

Recommended Total Div Rate .02 cfs

WATER USES

WATER USES	Change (P46)		
<u>Dom</u>	<u>.02</u> cfs	<u>.6</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
_____	_____ cfs	_____ af	supp. gw (WB7/065/079)
_____	_____ cfs	_____ af	overlap spec. combined rts (W35)
_____	_____ cfs	_____ af	<1acre (W31)
_____	_____ cfs	_____ af	Domestic (W01/WB5/070/071/075)
TOTALS	_____ cfs	_____ af	Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .02 cfs X 365 days X 1.98 = 14.5 af

REMARKS 1/ lawn and garden irrigation.

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes ☒ no

SRBA Claim NA

Adjust Memo volume
 Amend letters _____

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

MAY 20 1998 BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 92-07225

1. Owner: Marshall M. Thorp Phone No. (208) 245-3698

Current Address: HC 1 Box SR 370 St. Maries, Id. 83861

2. Accompanied by: Marshall Thorp EXAM DATE: May 11, 1998

Address: Same Phone No.

Relationship to Permit Holder: self

3. Source: St. Joe River tributary to Coeur d'Alene Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]


2. Place(s) of Use:

Indicate Method of Determination USGS 7.5' Quad. Metsker

[illegible]

1. **NAME** _____
 2. **ADDRESS** _____
 3. **CITY** _____
 4. **STATE** _____
 5. **ZIP** _____

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NA

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1	model 2825	Simmer	S 55 CXL NR-6501

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. NA

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

JUN 12 1996

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from the St. Joe River for domestic use, and less than $\frac{1}{2}$ acre of irrigation using a 1 horsepower pump.

At time of exam the pump was not set up, was unable to obtain a measurement of the pump output. I have submitted a Theoretical Pump Efficiency Calculation to verify system capacity.

Have conditions of permit approval been met? ☒ yes

☐ no

MICROFILMED

JUN 12 1988

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

unable to obtain measurement; see Theoretical Calculation

$$100 \text{ ft} \times 210 \text{ ft} = 21000 \text{ sq. ft.}$$

$$21000 \text{ ft}^2 / 43560 \text{ ft}^2 = .48 \text{ acre}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .48 \text{ acre} \times 3.0 \text{ af/acre/season} = 1.44 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \text{ cfs} \times 245 \text{ days} \times 1.9835 = 9.72 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = .48 \text{ acre} \times 3.0 \text{ af/acre/season} = 1.44 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	03/15	11/15	.02	1.44
Totals:			.02	1.44

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name David A. Pagel Date May 12, 1998

Reviewer _____ Date _____

SEAL

MICROFILMED

JUN 12 1998

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 92-07225, THORP

DATE: 12-MAY-98

COMPLETE BY: PAGEL

HORSEPOWER = 1

PUMP EFFICIENCY = 70%


DYNAMIC LIFT = 30 FEET

SYSTEM PRESSURE = 60 PSI

QUANTITY = 0.04 CFS

MICROFILMED
JUN 12 1998

Lot 04



MICROFILMED
JUN 12 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 92-07225

PHOTOGRAPHS



1 Hp Pump



Point
of
diversion

MICROFILMED
JUN 12 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 92-07225

PHOTOGRAPHS



Place

of



Use

MICROFILMED
JUN 12 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 92-07225 Reviewed by Gay Date 9-11-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	$\left(\begin{array}{c} - \\ = \\ + \end{array} \right)$	_____
Date proof due	_____		_____
No. of days late	_____		_____
Priority Date	_____		_____
New Priority Date	_____		_____

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address _____ Proof Made 9-5-97

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 92-7225 Name: Thorp Date: 10/28/96 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN?

- No/Yes _____ Mor _____ GWMA Trust/Non-trust

PROTESTED:

- 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed

- NA

1 year/no proof

- **P16**

+1 year

- 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs

- 01M

=/- 0.2 cfs

- No MD

=/+ 5 a.

- 01M, 065(if GW use SW 1st)

DRILLING PERMIT:

Existing well

- NA (pre 7/1/87)

Included w/permit

- Permit No. _____, P99

No WD permit?

- 046-46B-P23 (post 7/1/87)

irr. in WD

- P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(dam)

- 005 (req) WD # _____ <SEE MAP & LISTING>

+ 0.2 cfs

- 01J(meas dev)-P08

=/- 0.2 cfs

- 01H(lock dev)-P01 or No MD

In-WD + 0.2 cfs

- 01M or No MD (in-stream)

- 0.2 cfs

- No MD

=/+ 5 a. irr.

- 01M

RIVER BASINS (*Surface water):

Snake R (01)

- 11A-P04, NA

(02/03-irr)

- 007-P07 (w/remark WB9- Weiser), NA

Boise River (63)

- 05A (if WD), 11E (not 42-111 use), NA

Payette River (65)

- 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface)

- *WB5(Boise R - Star Bridge); 27A(Payette R); NA

Fish Propagation

- 07A-042(req)-010/06A/09E(WQ)-P10;044(N 1000 Spr)

~~In-P04-7.5 a~~

- 057 (0.03 cfs/A)

+ 5 a

- 03A (0.02 cfs/A)

Mining

- 054 (req) & 06A/010/09E-P10

Power

- 08A-17K-025-027-028-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERG); 18B-P09

Storage(✓3 compo.)

- 18A(multi MD in WD), 18B-P09 (+10' dam), W07

LOCATION:

42-248 area

- In 20/30/40/50/60/70/80 (87) basin? P84

Boise Front LoGeo

- 058 (-85° GW temp only)

In-stream dev. *existing*

- ~~P52~~ (stream channel alteration)

Irr Dist/Canal Co.

- 023 (Twin Falls area)

Swan Falls Flag

- _____ <SEE CODE CHART>

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust <1>

- 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-owner

- 004 (PD/PU) _____

OTHER CONDITIONS:

- _____

STANDARD REMARKS:

- ① woi / lawn & garden

BENEFICIAL USE DUE:

- 11-1- 1997

COMMENTS:

- _____

APPLICATION # 92-1225

***** INITIAL REVIEW *****

APPLICANT: THORP

BY: AB

DATE: 9/10/96

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ___ Field check: by _____
___ Field report attached
___ Analysis Supp. attached(>5cfs/500af)
___ Water delivered by water master?
___ Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 9/10/96

___ (X) (Include Moratorium Remark)

___ (X) Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BENEFIT

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ___/___/___

Remarks: _____

- ___ Groundwater management area
___ Critical ground water area
___ Well Drilling Permit required
___ Well Drilling Application and Fees received
___ Well Drilling Application approved?
___ Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

___ Notice of pending void order issued. Final order response date: ___/___/___

___ Further information required from applicant

10/4 ___ Affidavit of publication received

10/4 ___ Application published correctly, If not, record action taken: _____

9/11/96 ___ Publication dates and paper recorded on application

Sr. Agent initial AB

___ Protests received. Final protest date: 10/07/96

___ Measuring device required

___ Measuring port required

___ Special conditions: _____

___ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB

Date: 10/9/96