

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07219

Priority: August 21, 1995

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that JON W GRAVESTOCK
MARESA A GRAVESTOCK

HC 1 BOX SR 400

ST MARIES ID 83861

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 21, 1995; and has submitted Proof of Beneficial Use on October 31, 1996. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

ST. JOE RIVER

tributary to COEUR D ALENE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 8 (SWSE), Sec. 16, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC

TWN RGE SEC

46N 04W 16 Lot 8(SWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Point of diversion and place of use are located within Lot 80, Shadowy St. Joe Lagoon, 1st Addition.
6. Domestic use is for 1 home.

MICROFILMED


APR 13 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07219

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25TH
day of FEBRUARY, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED
APR 09 1998

RECEIVED

OCT 31 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 92-07219 Telephone No. 208-245-5819

2. Name(s) of Permit Holder(s): JAN W GRAVESTOCK - & MARESA A. GRAVESTOCK

3. Mailing Address: HCO1 BOX SR 400 ST MARIES ID 83801

4. Source of Water: ST. JOE RIVER If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____

b. OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 40.50 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X

Has the measuring device been installed? Yes _____ or No X

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X

Has the measurement port been installed? Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: JAN GRAVESTOCK Telephone Number: 208-245-5819

Address: HCO1 BOX SR 400 ST MARIES ID

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: JAN GRAVESTOCK Date: 10-29-96

(include your title, if on behalf of company or organization)

MICROFILMED
DEC 02 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 92-07219

Proposed Priority: August 21, 1995

Maximum Diversion Rate:

0.04 CFS

This is to certify, that JON W GRAVESTOCK
MARESA A GRAVESTOCK
HC 1 BOX SR 400
ST MARIES ID 83861

has applied for a permit to appropriate water from:

ST JOE RIVER

tributary of COEUR D ALENE LAKE

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 8(SWSE), Sec. 16, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC
TWN RGE SEC
46N 04W 16 Lot 8(SWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1996.
2. Subject to all prior water rights.
3. Point of diversion and place of use are located within Lot 80, Shadowy St Joe Lagoon, 1st Addition.
4. Domestic use is for 1 home.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of November, 1995.

Karl J. Dreher
for Karl J. Dreher, Director

RECORDED

NOV 16 1995



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 92-07219

To appropriate the public waters of the State of Idaho
Department of Water Resources MARSHA A. AND/OR

1. Name of applicant JON W. GRAVESTOCK Phone 208-245-5818
Post office address HCO1 Box 5R 400 ST. MARIES, ID 83861
2. Source of water supply ST. JOE RIVER which is a tributary of COEUR D'ALENE LAKE
3. Location of point of diversion is SW 1/4 of SE 1/4 of SHADOWY ST JOE LAGOON 1ST ADD 1/4, Govt. Lot 8 LOT # 80
Sec. 16 Township 46 N Range 2 W B.M. BENEWAH County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.04 cfs for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.05 0.04 and/or (b) 155
cubic feet per second acre feet per annum

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. MOUNTING OF DETACHABLE PUMP (1 1/2" - 1 1/2")
TO DOCK AND/OR DOCK PILING TO BE REMOVED DURING HIGH WATER. PURPOSE TO
WATER PLANTS, SHRUBS, LAWN, & TREES. ELECTRICAL GFI PROTECTION PLANNED
- b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.
- c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.
- d. Is ground water with a temperature of greater than 85°F being sought? N/A
- e. If well is already drilled, when? N/A; Drilling firm N/A
Well was drilled for (well owner) N/A

7. Time required for the completion of the works and application of the water to be proposed beneficial use is
ONE WEEK INSTALLATION
INDETERMINATE USE years (minimum 1 year).

LEGAL DESCRIPTION AS PER BENEWAH CO. ASSESSOR'S OFFICE AS

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. ONE
- e. Other; describe fully. N/A

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
46N	2W	16															PT 8 D		

Total number of acres to be irrigated .5

10. Describe any other water rights used for the same purposes as described above. N/A


11. a. Who owns the property at the point of diversion? JOHN W. & MARESA A. GRAVESTOCK

b. Who owns the land to be irrigated or place of use? JOHN W. & MARESA A. GRAVESTOCK

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: N/A

NOV 18 2005



SW 1/4 SE 1/4

POINT OF DIVERSION


PLACE OF USE

DETERMINED BY BENEWAH
CO. ASSESSOR'S OFFICE. 8/95

GRAVESTOCK
T. 46N., R. 2W.

NOV 16 1995

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jan W. Grunstock *Mareesa A. Grunstock*
(Applicant)

Received by db Date 8/21/95 Time 140p Preliminary check by B
Fee \$ 5895 ~~10000~~ Receipted by db # N9378 Date 8/21/95
Publication prepared by db/db Date 8/30/95 Published in St. Merics Gazette ^{9/6+13} 10/5+12/95
Publication approved db Date 10/30/95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

NOV 16 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 92-07219 DATE 2/20/98 REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

92-07221 not examined yet

RATE OF DIV

Permitted Rate .04 cfs
Fee limit .20 cfs \$50⁰⁰
Measured — cfs
Theoretical .04 cfs

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/ NATURE OF USES

<u>✓</u>	Use <u>Dom</u>	cfs <u>.04</u>	Volume Calc <u>1.2</u>	af
				af
				af
				af
	SUBTOTAL	<u>.04</u>	<u>1.2</u>	af

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af

Total volume recommended — af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1 home
RD 111 W 80

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA
Adjustment Memo —

1st Amend Letter —
2nd Amend Letter NA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

92-07219

A. GENERAL INFORMATION

Permit No.

1. Owner: Jon W. Gravestock Phone No. (208) 245-5819

Current Address: HCO 1 Box SR 400 St. Maries, ID. 83861

2. Accompanied by: Same EXAM DATE: 7-29-97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: St Joe River tributary to Coeur d'Alene ~~St.~~ Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 92-07221

2. Other water rights with the same point of diversion: 92-07221

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	08		SW	SE	16	46N	2W	Beneval	USGS 7.5' Quad.

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
46N	2W	16																D	

MICROFILMED

APR 6 5 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N/A

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	well B/H	1			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

APR 9 1988

E. NARRATIVE/REMARKS/COMMENTS

Applicant is diverting water from the St. Joe River by means of a 1 hp pump. Water is being distributed through 3/4" hose to place of use. Primary use is irrigation of lawn.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 09 1998

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

*See Theoretical***G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>01/01</i>	<i>12/31</i>	<i>.04</i>	<i>1.2</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>.04</i>	<i>1.2</i>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name *David A. Regel* Date *7-30-97*

Reviewer _____ Date _____

SEAL

MICROFILMED

APR 8 9 1998



92-07219

T. 46N., R. 02W, Sec. 16

GRAVESTOCK, JON.W.

MICROFILMED

APR 09 1998

T46N
R2W

NORTH

S89°53'E

80.40

Ser. 18.

640

N01°00'E
5480

N89°41'E

39.45

8000

3

40.00

2

14.90

4

28.30

8

32.40

35.80

9

32.40

36.40

11

22.00

12

32.10

135.70

3

82.14

1

47.60

47.60

47.60

47.60

47.60

47.60

47.60

47.60

92-07219

T. 46N; R. 02E;

GRAVESTOCK, JON

P.U.

P.D.

MICROFILMED

APR 09 1968

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 92-07219

DATE: 30-JUL-97

COMPLETE BY: DAVE PAGEL

HORSEPOWER = 1

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 10 FEET

SYSTEM PRESSURE = 55 PSI

QUANTITY = 0.04 CFS

MICROFILMED
APR 03 1998

PERMIT #

92-07219

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



Place of use



1 Hp pump -
Point of diversion



Place of use

MICROFILMED
APR 09 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 92-07219 Reviewed by [Signature] Date 11-16-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? dom.
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required? no Required?
50 - Amount Submitted 1 Installed?
yes Correct? _____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 10:31-96

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 92-7219 Name: Gravestock Date: 11/2/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: N9378 Priority: 8/2/95 ✓ Gvmt Lts: ✓

~~AREA OF CONCERN?~~ - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17
GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)
SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District (dam) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
In WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA
USE:
Domestic (surface) - 021(Boise R ↑ L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU) _____
OTHER CONDITIONS: _____
STANDARD REMARKS: _____
① Pu = Lt 80 Shadowy St Joe Lagoon 1st Add.
② woi/1
BENEFICIAL USE DUE: - 11-1-1996
COMMENTS: - Govt Lot 8.

COEUR DALENE INDIAN RESERVATION
N^o 46 North, Range N^o 2 West of the
F e e d D e c



No. a
4/87-06/92n

I DEPARTMENT OF WATER RESOURCE
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 92-07219

***** INITIAL REVIEW *****

RECEIVED
NOV 1 1995

APPLICANT: GRAVESTOCK

BY: AS DATE: 8/21/95

Department of Water Resources
REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ___ X Field check: by _____
___ X Field report attached
___ X Analysis Supp. attached(>5cfs/500af)
___ X Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 8/21/95

___ X (Include Moratorium Remark)

___ X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BENEWAH County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** **GROUNDWATER SECTION** *****

(Yes) (No)

- ___ X Groundwater management area
___ X Critical ground water area
___ X Well Drilling Permit required
___ X Well Drilling Application and Fees received
___ X Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ___/___/___

Remarks: _____

***** **FINAL REGIONAL PROCESSING/REVIEW** *****

(Yes) (No)

- ___ Notice of pending void order issued. Final order response date: ___/___/___
___ Further information required from applicant
___ Affidavit of publication received
___ Application published correctly, If not, record action taken: Read to correct
POV to RO2W
___ Publication dates and paper recorded on application | Sr. Agent initial AS
___ Protests received. Final protest date: 9/25/95 10/23/95
___ Measuring device required
___ Measuring port required
___ Special conditions: _____
___ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS RJA

Date: 10/30/95