

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07149

Priority: June 28, 1983

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.2 AF

This is to certify, that ROLAND J HOULE
E 4275 20TH

POST FALLS ID 83854 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 28, 1983; and
has submitted Proof of Beneficial Use on July 10, 1989. An examination indicates
that the works have a diversion capacity of 0.020 cfs of water from:

SPRINGS

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF

LOCATION OF POINT(S) OF DIVERSION: NENSW , Sec. 24, Township 44N, Range 01W
BENEWAH County

PLACE OF USE: STOCKWATER

TWN RGE SEC

44N 01W 24

NWSW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Point of diversion and place of use known as Lot 16, Elkhorn Meadows.


APPROVED
APR 28 1992


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07149

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 17th
day of MARCH, 1992.


KARL J. DREHER, Director
Acting for



4/23/92

Form 217
03/86

RECEIVED
JUL
of JUN 10 1989

no enc

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 92-7149

Name(s) of Permit Holder: ROLAND J. HOULE

Post Office Address: E 4275 20th POST FALLS IDAHO 83854

Telephone No. 1-208-7739697

Source of Water: SPRINGS

Extent of Use:

Domestic _____ (number of households) Stockwater X _____ (number and type of stock)

Irrigation NO IRR. (NOT ENOUGH WATER) (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted _____ cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Sept 30, 1988

Measuring Device: Required? Yes X No
Installed? Yes X No

Fee enclosed \$ 0.00 SINGLE FAMILY STOCKWATER
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

ROLAND J HOULE 773 9697
(Name) (Telephone Number)

4275 E 20 POST FALLS IDAHO 83854
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JULY 3 / 89
Date

Roland J Houle
Signature of Permit Holder (and title, if appropriate)

SEP 25 1989

RECEIVED

SEP 01 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Receipted by CP
Date 9-2-88
Receipt # C002447

REQUEST FOR EXTENSION OF TIME

Department of Water Resources To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 92-7149

Name(s) of Permit Holder: ROLAND J. HOULE

Post Office Address: E 4275 20TH POST FALLS IDAHO 83854

Telephone No. 773 9697

Date Proof is Due: Sept 1, 1988

Describe what work has been completed toward the development of this water right: stock pond is
(This must be filled out! If no work has been completed, show "none".)

completed.

Costing \$ 200

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:
I'm waiting for the pond to fill sufficiently to
put the water to beneficial use.

Permit holder(s) request an extension to Sept 1, 1989. Roland J. Houle
(1 yr. minimum) (Signature)*

FEE: \$15.00 *IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to September 1, 1989.

Signed this 12 day of October, 19 88.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED
DEC 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Roland J. Houle Phone 773-9697

Post office address E. 4275 20th, Post Falls, Id. 83854

2. Source of water supply (2) Springs which is a tributary of Sink

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 44N

Range 1W B.M. NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24. County, additional points of diversion if any:

Beneath County

4. Water will be used for the following purposes:

Amount .02 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .15 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .17 cfs cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 springs will be diverted into a stock pond. Pump into motor from pond for irrigation

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: N $\frac{1}{2}$ $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 44N
Range 1W B.M.

(2) Amount of power to be generated: horsepower under feet of head.

(3) List number of each kind of livestock to be watered 5 head of cattle

(4) Name of municipality to be served , or number of families to be supplied with domestic water .

(5) If water is to be used for other purposes describe:

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
44N	1W	24										7½							7½

Total number of acres to be irrigated 7½

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Roland J. Hoale
(Applicant)

Proposed Priority 6/28/1983

Received by [Signature] Date 6/28/83 Time 12:00 p.
Preliminary check by AB Fee \$ 30.00
Receipted by [Signature] Date 6/28/83 # 28374
Publication prepared by [Signature] Date 7/6/83
Published in # Minn. Gazette Record
Publication dates 7/13-20/83
Publication approved [Signature] Date 8/26/83
Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by [Signature] Der

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 92-7149, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 13th day of September, 1983.

[Signature]
Chief, Operations Bureau

MEMORANDUM

TO: File 92-07149

FROM: Sharla

DATE: December 10, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 92-07149 are based on the following:

H. RECOMMENDATIONS

Stockater	1/1 - 12/31	0.02 cfs	0.2 afa
Stockwater Storage	1/1 - 12/31		0.2 afa
Stockwater from Storage	1/1 - 12/31		0.2 afa
TOTALS		0.02 cfs	0.4 afa

The volume of the stockwater use is additive to the storage.

Examiner: Herman Spangle
Exam Date: August 19, 1996

MAILED 10/1/97
APR 11 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 92-07149

DATE 12/10/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO

SOURCE Change OK Is change clarification of originally intended source? NO
If not, prepare Notice of Intent to Void NO

POINT OF DIV Change OK Amendment required NO

PLACE OF USE Change OK Amendment required NO

Does map agree with written description? yes no

OVERLAPS NO P/D NO P/U

RATE OF DIV

Permitted Rate .17 cfs

Fee limit .04 cfs - NO FEE PD - PROOF ACCEPTED - SW $\leq$.04 cfs

Measured NO cfs

Theoretical NO cfs

Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/ NATURE OF USES

<u>✓</u> <u>NO</u>	Use	Volume Calculation
	<u>Stock .02</u>	<u>.2</u> af
	<u>Stock Stor</u>	<u>.2</u> af
	<u>" from Stor</u>	<u>.2</u> af
		<u>af</u>
	SUBTOTAL	<u>.4</u> af

Flow rate .02 cfs X 365 days X 1.983 = 14.5 af

Total volume recommended .4 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

PD & PU aka Lot 16 Elkham Meadows.

CONDITIONS

NO Watermaster Control WD# NO

NO GW Measurement/Measuring Device

NO Overlap

NO Use-specific conditions 072

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

Adjustment Memo total volume

1st Amend Letter N/A

2nd Amend Letter N/A

P46, P38

P42

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 22 1996

A. GENERAL INFORMATION

Permit No. Department of Water Resources
92-07149

1. Owner: Roland J. Houle Phone No. _____

Current Address: E. 4275 20th Post Falls, Id. 83854

2. Accompanied by: N/A EXAM DATE: 8-19-96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Springs tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	SW	24	44N	01W	Beneish	U.S.G.S. Topo; Aerial Photo

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
44N	01W	24																	

MICROFILMED

APR 27 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = UTS

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: _____

MICROFILMED

APR 23 1997

E. NARRATIVE/REMARKS/COMMENTS

One (1) pond found. Pond excavated @
Springs. Pond located on Lot 16 of
Elkhorn Meadows.

Visiable stockwater use.

Have conditions of permit approval been met? ☒ yes ☐ no

100-100-100
APR 29 1997

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{N/A}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{N/A}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$\text{Storage} - 50' \times 60' \times 3' = .21 \text{ ACF}$$

$$43860$$

10 HEAD OF RANGE STOCK X 12 GPD X 365 DAYS

H. RECOMMENDATIONS

SEE TABLE 6

325,850 GALLONS = 0.13 AFA

1. Recommended Amounts

ANNUAL USE STOCK WATER PURPOSES

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stock Water	1/1	12/31	0.02	0.21
STOCK WATER STORAGE	1/1	12/31		0.21
STOCK WATER FROM STORAGE	1/1	12/31		0.21
Totals:			0.02	0.31

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Herman J. Spang Date 8-19-96

Reviewer _____ Date _____

SEAL

PROCESSED
8-23-96


DEPTA 3' DEED
(AVERAGE)


Have

67120-26

T. 44w, R. 100.


MICROFILMED
APR 23 1997





SCALE 1:24 000

INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1991



CONTOUR INTERVAL 40 FEET
SUPPLEMENTARY CONTOUR INTERVAL 20 FEET

To convert meters to feet multiply by 3.2808
To convert feet to meters multiply by .3048

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092



QUADRANGLE LOCATION

Improved Road
Unimproved Road
Trail

Interstate

1	2	3	1 St. Maries
4		5	2 St. Joe Baldy
			3 St. Joe
			4 Lindstrom Peak
			5 Crystal Peak
			6 Emida
6	7	8	7 Fernwood
			8 Clarkia

ADJOINING 7.5' QUADRANGLE

PHOTOFILMED
APR 23 1997

92-07149
Houle, R.
T. 44 N., R. 1W.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 22 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 92-07149

1. Owner: Roland J Houle

Phone No. unknown

Current Address: unknown

2. Accompanied by: —

EXAM DATE: —

Address: —

Phone No. —

Relationship to Permit Holder: —

3. Source: — tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: —

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks

2. Place(s) of Use:

Indicate Method of Determination —

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

JUL 23 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

E. NARRATIVE/REMARKS/COMMENTS

after several attempts to contact Mr Houle
we have had no correspondence with him and recommend
the permit be denied

92-07149

Called on 9/12/94 & left a message

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED
609 29 037

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name _____ Date _____

Reviewer _____ Date _____

SEAL

RECEIVED
APR 23 2017

5738SSL V2R3M0 931217

BENEMAH

09/15/95 13:20:32

DISPLAY DEVICE : A4
USER : ASSESSOR

PARCEL MASTER/HISTORY INQUIRY

PARCEL: RP 001700100160 A SP MS SW UR HD CB REL PARC DD

NAME/ADDRESS

HOLE, ROLAND J & VICKY L

LEGAL DESCRIPTION

ELKHORN MEADOWS
EHM-16 (E2NENMSM & NESENMSM)
EHM-17 (W2NWNESM & NMSWNESM) +

E 4275-20TH

CODE AREA 1500 OWNER CODE
PARC TYPE LOC CODE 3
EFFECT DATE 11221982 EXPI DATE
PREV PARCEL

POST FALLS ID 83854

CAT	RY	QUANTITY	UN	VALUE	HD	MRKT	HD	EXMP	CB	MRKT	HS	MRKT
3	1995	8000	AC	1168								
7	1995	7000	AC	817								

TOTALS 15,000

1985
ENTER NEXT PARCEL NUMBER

F1=HELP F2=TAX DUE F3=EXIT F4=PROMPT F5=SUMMARY F6=NAME F7=LEGAL F24=MORE KEYS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. 92-7149
Name(s) of Permit Holder(s): ROLAND J. HOULE
Post Office Address: E. 4275 20TH
POST FALLS, ID 83854 Tel. No. 723 9697

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on Aug 29, 1984 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

MICROFILMED
APR 23 1987

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 92-7149

Date: 7/30/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
N/A 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 92-7149Reviewed by ryDate 10-12-1988

BASIC INFORMATION

g Date stamp received
g Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
y Fee received and receipted
y Name and signature same as permit
A Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN

Recommend approval based on due diligence for one year

Special conditions or remarks:

N/A Reinstate Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____ = _____
 Priority date _____ = + _____
 ADJUSTED PRIORITY DATE _____ = _____

— Prepare coding sheet
— Change rolodex cardf

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 92-7149

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☐ Fee.

☐ Yes ☒ No

Field check required.

☐ Yes ☒ No

Critical groundwater area.

☐ Yes ☒ No

Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No*

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No

Platted by: _____ Map No. _____

☐ Yes ☐ No

Other rights on same place of use. _____

☒ Yes ☐ No*

In form for advertising.

☐ Yes ☒ No

Final date for protests: 8/1/83

☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 8/12/83

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No

Measuring device required.

☐ Yes ☒ No

Access port required.

☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

6/28/83 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: [Signature]

Date: 9/1/83

STATE OFFICE REVIEW:

L17

26

☐ See attached sheet for more information.

By: DRT

Date: 9/9/83

RECEIVED
SEP 07 1983
Department of Water Resources