

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07136

Priority: May 31, 1983

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume:¹ 0.7 AF

This is to certify, that DANIEL NEIRINCKX
HC 4 BOX 94-C

ST. MARIES, ID 83861 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 31, 1983; and
has submitted Proof of Beneficial Use on November 25, 1988. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

UNNAMED STREAM tributary to FLAT CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 31, Township 45N, Range 01W
BENEWAH County

PLACE OF USE: STOCKWATER
TWN RGE SEC

45N 01W 31 NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 30 cattle.

MICROFILMED

FEB 17 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07136

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of JANUARY, 1991.

Acting for 
R. Keith Higginson, Director

RECORDED
INDEXED

FEB -7 1991

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by C.P.
Date 7-13-88
Receipt # 0001848

JUL 13 1988 REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
Department of Water Resources of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 92-7136

Name(s) of Permit Holder: DANIEL NEIRINCKX

Post Office Address: 90 RT 4 BOX 94-C

ST MARIES, ID 83861

Telephone No. 208-245-5388

Date Proof is Due: AUGUST 1, 1988

Describe what work has been completed toward the development of this water right: SMALL TEST
(This must be filled out! If no work has been completed, show "none".)

DAM, APPROXIMATELY THREE FEET HIGH, TO TEST SOIL RETENTION
ABILITIES (1983). CLEARING OF TREES AND BRUSH FROM
AREA TO BE FLOODED (1986 + 1987).

Costing \$ 350.

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

DUE TO TWO YEAR ASSIGNMENT TO NATO BASE IN ITALY FROM
OCTOBER 1983 TO OCTOBER 1985 I WAS UNABLE TO PROGRESS WITH
DEVELOPMENT AS PLANNED. ON CONTINUOUS ACTIVE DUTY IN THE
U.S. NAVY SINCE JULY 1968

Permit holder(s) request an extension to 1 JANUARY 1989.
(1 yr. minimum)

(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use be extended January 1, 1989.

MICROFILMED

DEC 27 1988

Signed this 19th day of October, 19 88.

W. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Daniel Neirinckx Phone 664-1689
Post office address 6860 W. Stack Rd Coeur d'Alene, Id 83814

2. Source of water supply Unnamed Streams which is a tributary of Flat Creek

3. Location of point of diversion is NE ^{2pts}/₄ of NE ¹/₄ of Section 31 Township 45N

Range 1W B.M. Benewah County, additional points of diversion if any: _____

NW NE sec 31 T45N R1W

4. Water will be used for the following purposes:

Amount 0.20 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.0 for Storage for Irrigation purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.0 for Irrigation from Storage purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.0 for Storage for Stock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. 1.0 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 3 ponds, mainly excavated, for irrigation and stock

b. Height of storage dam 5 feet, active reservoir capacity 10 acre-feet; total reservoir capacity 1.0 acre-feet, materials used in storage dam: Earth

Period of year when water will be diverted to storage 1/1 to 12/31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE ¹/₄ of NE ¹/₄ of Section 31 Township 45N
Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 50 cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Daniel E. Neirumby
(Applicant)

RECORDED

Proposed Priority 5/31/1983

MICROFILMED

Received by ZB Date 5/31/83 Time 8:50
Preliminary check by JK Fee \$ 3000
Receipted by ZB Date 5/31/83(27055)
Publication prepared by KK Date 4/1/83
Published in A. Maria Magallon Renda
Publication dates 6/9 - 6/16/83
Publication approved JK Date 7/14/83
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ZB JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 92-7136, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 15th day of August, 1983.

L. Glen Saxton
Chief, Operations Bureau

LICENSE REVIEW CHECKLIST

Permit No. 92-7136

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance
Order to reinstate needed? yes no ✓

Total cfs Limited by fee
Limited by capacity

Total volume Limited by flow
Chart checked for AF rate/ac N/A

Capacity Actual measurement checked N/A
Theoretical checked N/A
If greater than permit, check for other rts N/A

Source Changed? yes no ✓
If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓
More than one per 1/4? Remember remark N/A
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses ✓
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd ✓
Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

Comments/Changes to Examiner's Recommendations: 110 67 1301

License 10-day ✓ 30-day

Back of field report signed?
Reviewer Date 12/31/90 Review time min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

RECEIVED
JUN 27 1990

Department of Water Resources

Permit 98-07136

/ **A. GENERAL INFORMATION**

- / 1. Name and address are most current available. (Check BU statement)
/ 2. Exam Date
/ 3. Source (Check Permit)

/ **B. OVERLAP REVIEW**

- / 1. & 2. (Rule 5,1,4)

/ **C. SYSTEM DESCRIPTION**

- / 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
/ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
/ 3. Word Picture (Rule 5,1,3 / 5,1,4)
/ 4. Diversion (Rule 5,1,3)
/ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
/ 6. Irrigation (Rule 5,1,8)

/ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

/ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

/ **F. OPTIONAL**

/ **G. VOLUME CALCULATIONS**

- / Three significant figures and no more than 1/10's (Rule 6,1,2)
/ Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

/ **H. REMARKS AND OVERLAP ANALYSES**

- / All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
/ Overlaps (Rule 5,1,4):
/ Return flows (Rule 5,1,5):
/ Conditions (Rule 5,1,6).

/ **I. RECOMMENDATIONS**

- / 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
/ 2. Compare permit to exam for amendments (Rule 5,1,16)

/ **J. AUTHENTICATION**

/ Name, Signature, Certification Date, Exam Date.

/ **WELL INSPECTION REPORT**

/ Check with permit and well log for discrepancies

Signature JK Date 8/21/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

() B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

() Field Report () Quad Sheet () Gov. Lot Plat () Rules Check list
() Aerial Photo () Photo PD/PU () Well Log

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) _____

() Other (List) _____

Contacts: _____

Excavated
Pond

Remarks: _____



Exam Completed By John Shaw Date 6/29/89

Sr. Agent Review _____ Date _____

Regional Manager Review PSA Date 6/8/90

PERMIT NUMBER

92-07136

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 92-7136
1. Owner: Daniel Neirinckx Phone No. 245-5388
Current Address: HC 4 - Box 946 St. Maries Id. 83861
2. Accompanied by: No one EXAM. DATE: 6/29/89
Address: No one Phone No. -
Relationship to Permit Holder: -
3. Source: Unnamed St. tributary to Flat Cr.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Small dug out pond (52' x 45' x 6') to store water for stock.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NONE				

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	31	T4S	1W	Pennsylv	Map

6. **Place(s) of Use:**

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
T4S	1W	31	5																

Do not use this space

RECEIVED
JUL 10 1991

Do not use this space

D. FLOW MEASUREMENTS


NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

STOCK DRINKS FROM POND
AND STREAM

2. Alternate Method for Checking Purposes:

0.02 cfs 30 head stock

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N / _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

0.7 cfs

RECORDED
INDEXED

FEB 07 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stock	1/1	12/31	0.02 cfs	0.7 afa
Totals:			0.02 cfs	0.7 afa


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Louis Sukoraty
Signature [Signature]
Certification Date 2/17/89
Field Report Preparation Date 6/29/89



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

FEB 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 92-7136
Name(s) of Permit Holder(s): NEIRINCKX, DANIEL
Post Office Address: 6860 W. STACK RD.
COEUR D'ALENE Tel. No. 664-1689

- ☒ I hereby certify that construction of diversion works on the above referenced permit began on 4 NOV 1983 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

30 JUL 84
Date

Daniel Neirinkx
Signature of Permit Holder

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 92-7136

Date: 12-6-88

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

☒ Surface water
☐ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____


NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

NOV 30 1988

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____



STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 92-7136
Name(s) of Permit Holder: DANIEL NEIRINCKX
Post Office Address: HC 4 BOX 94-C
ST. MARIES, ID 83861 Telephone No. 245-5388
NEIGHBOR'S PHONE
Source of Water: UNNAMED STREAMS

Extent of Use:

Domestic _____ (number of households) Stockwater 30 (number and type of stock)
Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted _____ cfs 1.0 acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ - 0 -
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:
SAHE
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 27 1988

25 NOV 88 Daniel E Neirinkx
Date Signature of Permit Holder (and title, if appropriate)

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 92-7136

Reviewed by [Signature]

Date 10-18-1988

BASIC INFORMATION

- y Date stamp received
y Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
y Fee received and receipted
y Name and signature same as permit
y Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

- y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN - *Recommend approval based on due diligence for 1 year + 5 months as requested.*

Special conditions or remarks:

N/A Reinstatement Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____ = _____
 Priority date _____ = + _____
 ADJUSTED PRIORITY DATE _____ = _____

____ Prepare coding sheet
 ____ Change rolodex cardf

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: SL

APPLICATION NUMBER: 92-7136

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/27/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/20/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 5/31/83 Date of priority recommended.
Special conditions of approval or cover letter.

Total irrigation not to exceed 0.02 cfs per acre
when combined with 92-7100

By: SLB

Date: 7/18/83

STATE OFFICE REVIEW:

SLW/L17

26

- ☐ See attached sheet for more information.

By: SLB

Date: 8/8/83

RECEIVED
AUG 03 1983

Department of Water Resources

MICROFILMED

IDENT. NO. 92-7136

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]