

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-7066

Priority: January 14, 1980 Amount: .12 CFS 29.2 AFA

This is to certify, that WILLIAM ROGERS
TERRY ROGERS

SANTA MERCANTILE CO.

SANTA, ID 83866

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated January 14, 1980, and has submitted proof to the Department of Water Resources on January 28, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .12 cfs of water from;

UNNAMED STREAM
RENFRO CREEK

tributary to RENFRO CREEK
tributary to SAINT MARIES RIVER

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 10/15	.07 cfs	27.4 afa
Irrigation storage	01/01 to 12/31		1.6 afa
Irrigation from storage	04/01 to 10/15		1.6 afa
Stockwater	01/01 to 12/31	.02 cfs	.2 afa
Stockwater storage	01/01 to 12/31		1.6 afa
Stockwater from storage	01/01 to 12/31		1.6 afa
Diversion to storage	01/01 to 12/31	.12 cfs	
Totals		.12 CFS	29.2 AFA

LOCATION OF POINT OF DIVERSION(S): NWSE , Sec. 14, Township 44N, Range 1W
Benewah County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
44N	1W	14	NWSE 14				14

Total number of acres irrigated: 14

PLACE OF USE: Irrigation storage, same as Irrigation use
PLACE OF USE: Irrigation from storage, same as Irrigation use
PLACE OF USE: Stockwater, same as Irrigation use
PLACE OF USE: Stockwater storage, same as Irrigation use
PLACE OF USE: Stockwater from storage, same as Irrigation use
PLACE OF USE: Diversion to storage, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.

MICROFILMED
SEP 28 1981

State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE


WATER RIGHT NO. 92-7066

CONDITIONS/REMARKS:

2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28 day of August, 1987.

for Director


DAVID B. SHAW

MICROFILMED

SEP 28 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant William &/or Terry Rogers Phone 245-3685

Post office address Santa Mercantile Co., Santa ID83866

2. Source of water supply Unnamed stream which is a tributary of Renfro Creek
Renfro Creek Saint Maries River

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 14 Township 44N

Range 1W B.M. Benewah County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

.30cfs to stor. for irr. & stock from 1-1 to 12-31
Amount 1.6AF for stor. for irr. purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum) 1.6AF stor. for stock 1-1 to 12-31

Amount 1.6AF for Irr. from stor. purposes from 4-1 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum) 1.6AF Stock from stor. 1-1 to 12-31

Amount .02cfs for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .28cfs for Irr. purposes from 4-1 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. ~~.30~~ .30 cubic feet per second and/or b. DRT 2-27-80
1.6 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump in Renfro Creeek to pond, also runoff
into pond. Stock drink from pond and irrigation is from pond and Renfro Creek.

b. Height of storage dam 8 feet, active reservoir capacity 1.6 acre-feet; total reservoir
capacity 1.6 acre-feet, materials used in storage dam: Earth

Period of year when water will be diverted to storage 1-1 to 12-31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 14 Township 44N
Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 4 head of stock

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Applicants

b. Who owns the land to be irrigated or place of use Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William J. Rogers 1/12/80
(Applicant)

Proposed Priority 1/14/80

Received by RJA Date 1-14-80 Time 1:30 PM

Preliminary check by RJA Fee \$ 35.00

Received by RJA Date 1-17-80 (15189)

Publication prepared by KK Date 1/17/80

Published in The Idaho Statesman Record

Publication dates 1/24 + 31/80

Publication approved pm Date 2/6/80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date, _____

Recommended for approval denial by RJA Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 92-7066, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 27th day of February, 19 80.

L. Glen Saxton
DIRECTOR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 92-7066
Name(s) of Permit Holder(s): William &/or Terry Rogers.
Post Office Address: Santa Mercantile Co
Santa Idaho 83866 Tel. 845-3685

☒ I hereby certify that construction of diversion works for the above referenced permit began on JUNE 13 1982 (date) 11/14/82 I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

11/19/82
Date

William Rogers.
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. **Measurement Calculations**

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$Q = \frac{8.8 \times 8_{hp} \times .80_{eff.}}{2.31(25) + 3} = 0.927 \approx 0.93 cfs$$

as $\nearrow$
Jennifer recommended

$$\frac{8.8 \times 8. \times .80}{2.31(100) + 3} = 0.24 cfs$$

as $\nearrow$
Tom recommended

Allow 0.24 cfs capacity

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.0 = 42$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 27.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = (197 \text{ days}) \rightarrow$$

c) Volume Calculations for Other Uses:

facility volume = 4.56 AFA
OK to allow 1.6 AFA as permitted

2. **Overlap Review**

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: 92-7052 - groundwater
NO overlap

c) Analysis: _____

MICROFILMED

SEP 28 1987

10 day

Date 5-19-87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

SEP 22 1986

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 92-7066Phone No. 245-3685 245-44771. Owner: William James &/or Terry Rae RogersCurrent Address: Santa Mercantile Co., Santa Idaho 83866

2. Accompanied by: _____

EXAM. DATE: 8/11/86

Address: _____


Phone No. _____

Relationship to Permit Holder: _____

3. Source: Unnamed Stream & Reservoir Creek tributary to _____**B. OVERLAP REVIEW**

1. Other water rights with same place of use: _____

92-7052

☐ Copies Attached2. Other water rights with same point of diversion: NONE☐ Copies Attached☐ Copies of Field Exam's Attached**C. SYSTEM DESCRIPTION**1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attachedScale: 1" = NTS

SEP 28 1987

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
 2 ponds - #1 pond avg depth 8', 1 1/2" plastic
 to pump to 1 1/2" line to garden hose 3/4" 3 rainbird 5/8"
 and plant or pump 1 1/2" plastic from creek
 to 1 1/2" discharge plastic to ref. pond #1
 #1 pond also refilled by unnamed stream runoff.
 From #2 pond use same system to irr. same Ac.
 Both irr. same 14.3ac, Not Dom But yes on
 home garden and lawn & yes stock 3 horses during exam
 #2 Pond - avg depth 4' filled by fa runoff ☐ See Remarks on page 4 for continuation

To sprin
is pumped

*Code to correspond with No. on map and aerial photo

- [illegible]

- Indicate Method of Determination MAD

$$T_0(x) =$$

UNRECORDED

SEP 28 1987

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Press - 3 heads Buckner 180 - 80psi, 50psi, 84psi

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

$Q_{pump} = .84 \text{ cfs}$ $Q_{diversion} = .12 \text{ cfs}$ $Q_{stock} = .12 \text{ cfs}$ $Q_{irr} = .09 \text{ cfs}$ cal. values from attached sheet

2. Alternate Method for Checking Purposes:

$Q_{Total} = .30 \text{ cfs}$ via permit $Q_{irr} = .28 \text{ cfs}$ $Q_{stock} = .02 \text{ cfs}$ $Q_{Total} = Q_{irr} + Q_{div.} + Q_{stock} = .23 \text{ cfs}$

PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 42.0 \text{ AF}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 32.7 \text{ AF}$ 35.2

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 32.7 \text{ AF}$ 35.2

2. Volume Calculations for Other Uses:

$V_{storage} = 4.6 \text{ AF}$ $V = 1.6 \text{ AF}$ via permit storage irr & stock for
 $V_{stock} = .2 \text{ AF}$ $V = 1.6 \text{ AF}$ via permit from storage irr & stock

MICROFILMED

SEP 28 1987

H. REMARKS AND OVERLAP REVIEW ANALYSIS

92-7052 Irr. overlap with lawn & garden of this permit

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stock	1/1	12/31	.02 cfs	.2 AF
Irr.	4-1	10-15	.09 cfs	35.5 AF
DIVERSION TO STORAGE	1/1	12/31	.12	
Diversion to Storage	1/1	12/31	.12	
Irr from Storage	1/1	12/31	=	1.6
Stock from Storage	1/1	12/31	=	1.6
Storage for Stock	1/1	12/31	=	1.6
Storage for Irr	1/1	12/31	=	1.6
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Total: .23 cfs

36.1 AF
34.5
35.4

J. AUTHENTICATION

Field Examiner's Name

Jennifer Argraves

Signature

Jennifer Argraves

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 28 1987

Flow Cal

Pump 1

$$Q = \frac{8.8(8) \cdot 7}{2.38(25) + 3} = .84 \text{ cfs}$$

$2.38(100) + 3 = .21 \text{ cfs}$ from pond

Volume Cal

$$\text{Pond \#1} \approx 110 \times 225 \times 8 = 198000 \text{ ft}^3 + \frac{\text{AF}}{43560 \text{ ft}^2}$$

$$= 4.5 \text{ AF}$$

$$\text{Pond \#2} = \left(\frac{1}{2}(25)(25) \right) 2 = 625 \text{ ft}^2 \times 4 = 2500 \text{ ft}^3$$

$$= .06 \text{ AF}$$

$$\text{Total storage} = 4.56 \text{ AF}$$

MICROFILMED

SEP 28 1981

Diversion
to Storage
through
1 1/2" plastic

5 gal

Field Notes

5.3 sec

5.5

5.7

5.6

5.7

5.5

Avg = 5.55 sec

System
Capacity

J.S.

$$\frac{5 \text{ gal}}{5.55 \text{ sec}} = .90 \frac{\text{gal}}{\text{sec}} \times \frac{60 \text{ sec}}{\text{min}}$$

$$= 54.0 \text{ gpm} \times \frac{2.23 \text{ cfs}}{1000 \text{ gpm}}$$

$$= \boxed{.121 \text{ cfs}}$$

sprinkler head:

1/4" - 50 psi.

From Tables

$$12.5 \text{ gpm} = .03 \text{ cfs}$$

1 1/8" - 84 psi.

$$8.9 \text{ gpm} = .02 \text{ cfs}$$

1 1/8" = 80 psi.


$$8.9 \text{ gpm} = .02 \text{ cfs}$$


$$\text{Total} = \cancel{.09 \text{ cfs}} \\ .07 \text{ cfs}$$

KW
9/19/87

RECORDED

SEP 28 1987





FILMED

SEP 28 1987

Sidney



MICROFILMED

SEP 28 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

92-7066
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
SEP 22 1986

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index J.A. 8/18/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index J.A. 8/18/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☒ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Jennifer Arpaues 8/18/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent 8/19/86 (Initial and date)

Exam Reviewed by Manager of Regional Office 9/15/86 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

SEP 28 1986

4/86

RECEIVED

MAY 12 1986

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 1/2 \$50.00
Date 5/8/86 per
Receipt # 32043 Pat-
Receipt by mw kw
Sent to S.O. 5/9/86

RECEIVED
MAY 8 1986

1. Permit No. 92-7066

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: William James 4/or Terry Rae Rogers

3. Post Office Address: Santa Mercantile Co. Santa Idaho 83866

Telephone No. 208-245-3685 or 245-4477

4. Source of Water: unnamed creek stream & Bentr Creek

5. Extent of Use:

Domestic 1 (No. of households) Stockwater 4 horses (No. and type of stock)

Irrigation 14.3 (acres) Other/Remark Irrigation is of

pasture & domestic garden and orchard

6. Total rate &/or volume for which proof is submitted .30 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

6/82

8. Person to contact to accompany the department representative during the field examination:

William J. Rogers
(Name)

Santa Mercantile Co. Santa Id 83866 245-3685
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner. I have selected verifying that he has been retained to conduct the examination. If this box is marked, complete items 1 thru 7.)

Date 5/7/86

William J. Rogers
Signature of Permit Holder (and title, if appropriate)

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 92-7066.

Name(s) of Permit Holder: William d/or Terry Rogers.

Post Office Address: Santa mercuriale Co.

Santa Idaho 83866

Tel. No. 208-245-3685

Source of Water: unnamed stream d Rento Creek

Extent of Use: ☐ Domestic (number of households)
☒ Stockwater 4 horses (number and type of stock)
☒ Irrigation 14.3 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/25/85

Date

RECEIVED

William D. Rogers

Signature of Permit Holder

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RJA

APPLICATION NUMBER: 92-7066

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2/11/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/5/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
1-14-80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RJA Date: 2/11/80

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: Juni Date: 2/21/80

MICROFILMED