

Form No. 717
6/00
RECEIVED

SEP 19 2001

Department of Water Resources

NAZARENE CHURCH

02

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. 6056368
Receipt By: [Signature]
Date Received: 9-18-01

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. D0013869 91-07147 Telephone No. (208) 245-4594
2. Name of Permit Holder(s): St. Maries Church of the Nazarene
3. Mailing Address: P.O. Box 332
City St. Maries State ID Zip 83861
4. Source of Water: Well If GROUNDWATER (well), Date Drilled: mo. 11 / yr. 00
Well Driller: H2O Well Service Inc. Drilling Permit Number: D0013869
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 4 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .16 cfs OR _____ acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Dan Swan Telephone Number: (208) 245-4594
Address: P.O. Box 332 St. Maries, ID 83861
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Church of the Nazarene Dan Swan Date: 9/10/01
(include your title, if on behalf of company or organization)
(Pastor)

MICROFILMED

OCT 12 2001

PAGE-2-

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 91-07147

Priority: June 20, 2000

Maximum Diversion Rate:

0.16 CFS

This is to certify, that **CHURCH OF THE NAZARENE**
PO BOX 332
ST MARIES ID 83861-0332

has applied for a permit to appropriate water from: **GROUND WATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 10/31	0.12 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.16 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 17, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N 02W 17 Lot 1(NENE)	4.0			4.0

Total number of acres irrigated: 4.0

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before **November 1, 2001**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
5. Domestic use is for a church facility and does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

31st day of October, 2000.

Karl J. Dreher
for Karl J. Dreher, Director

APR 11 2001

Ident. No. 91-07147

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of Applicant CHURCH OF THE NAZARENE Phone (208) 245-4594
Mailing address PO BOX 332, ST. MARIES, ID 83861-0332
2. Source of water supply ground water which is a tributary of N/A
3. Location of point of diversion is Township 46N Range 2W Sec. 17, in the NE $\frac{1}{4}$,
NE $\frac{1}{4}$, Govt. Lot 1 Part of, B.M., Benevolence County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
- | | |
|---|---|
| Amount <u>.12 cfs</u> for <u>Irrigation</u> | purposes from <u>Mar 15</u> to <u>Nov 15</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount <u>.04 cfs</u> for <u>Domestic</u> | purposes from <u>Jan 1</u> to <u>Dec 31</u> (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
| Amount _____ for _____ | purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) | |
5. Total quantity to be appropriated is (a) .16 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source well
- b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total reservoir capacity N/A acre-feet
- c. Proposed well diameter is 8" inches; proposed depth of well is 150± feet
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? /; Drilling firm /;
Well was drilled for (well owner) /; Drilling Permit No. /
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. Church of the Nazarene, St. Maries
- e. Other; describe fully. Irrigation of grounds.

MICROFILMED

APR 1 1981

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
46N	2W	17	4																
46N	2W	17	D																

Total number of acres to be irrigated 4

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? St. Maries Church of The Nazarene

b. Who owns the land to be irrigated or place of use? St. Maries Church of The Nazarene

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

APR 11 2001

Rev. Dan Swann (Sr. Pastor)
Signature of Applicant (and title, if applicable)

Received by cm Date 6-20-00 Time 1:14 p.m. Preliminary check by church of the Nazarene
Fee \$ 50.00 Received by cm # N013762 Date 6-20-00
Publication prepared by do/d Date 7/11/00/7/24/00 Published in St. Maries Gazette 7/26/00
Publication approved do Date 8/10/00 8/2 + 9/00

RECEIVED

JUN 20 2000

IDWR/North

Sullivan

Clara

STATE HIGHWAY

896

1716

Lot 3 - 40.00

Lot 1 - 50.70

Lot 2 - 15.15

Sullivan

Nazarene Church

Lot 4 - 28.30

POINT OF
DIVERSION
&
PLACE
OF USE

Lot 5 - 2.80

ADDITION

POINT

David

city

APR 17 2001

MICROFILMED



ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 91-7147

Reviewed By: dgibson

Date: October 10, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?	X	
License examination fee required?	X		Drilling permit No.:		D0013869
Appropriate fee submitted?	X		Drilling permit upgrade needed?		X
Receipt No.:		N013762, C056368	Well driller's report filed?	X	
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		09/18/2001
Date proof due	-	11/01/2001
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	06/20/2000
New priority date	=	06/20/2000

Deficiencies of Actions Items

~~Acknowledge proof.~~

Forward copies for Well Coast. to check for appropriate fee paid. Then acknowledge proof. Done by April 10/10/01 - OK'd 10/15/01.

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLERS REPORT

Office Use Only			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
1/4 _____		1/4 _____	
Lat: _____	_____	Long: _____	_____

1. WELL TAG NO. D0013869

NOV 29 2001

11. WELL TESTS:

Drilling Permit No: _____
Other IDWR No. 767269

IDWR/North

Well Number: _____

2. OWNER Name St. Maries Church of the Nazarene 147

Address PO Box 332

City St. Maries State ID Zip 83861

3. LOCATION OF WELL by legal description

sketch map location must agree with written location

Twp. 46 ☒ North or ☐ South
Rge. 02 ☐ East or ☒ West
E Sec. 17 1/4 NE 1/4 NE 1/4

Gov't Lot _____ County BENEWAH

Lat: _____ Long: _____

Address of Well Site Hwy 3
City St. Maries

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other Public Wtr. supply

5. TYPE OF WORK check all that apply (Replacement, etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
CASING SEAL	-20	0	45 sacks	temp casing
3/8 HOLE PLUG	-55	-50	10 sacks	temp casing

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 55

Was drive shoe seal tested? ☐ Y ☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material
6	+3	-199	.250	steel
8	0	-55	.322	steel

Casing Liner Welded Threaded

☒ ☐ ☒ ☐

JAN 10 2001

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____
☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material

Casing Liner

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

115 ft. below ground Artesian pressure _____ lb.

Depth flow encountered _____ ft. Describe access port or control devices: _____

12. LITHOLOGIC LOG:(Describe repairs or abandonment)

				Water	
Bore Diam	From	To	Remarks: Lithology, Water Quality, Temperature	Y	N
12	0	1	Topsoil	☐	☒
12	1	3	Top soil w/basalt	☐	☒
12	3	18	Basalt broken	☐	☒
12	18	53	Basalt	☐	☒
12	53	55	Basalt broken	☐	☒
12	55	82	Basalt broken	☐	☒
8	82	108	Basalt	☐	☒
8	108	123	Basalt broken	☐	☒
8	123	125	Basalt w/clay orange	☐	☒
8	125	128	Basalt w/clay gray	☐	☒
8	128	190	Basalt	☐	☒
8	190	194	Basalt broken	☒	☐
8	194	196	Basalt w/clay tan	☒	☐
8	196	200	Basalt broken	☒	☐

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O Well Service, Inc. Firm No. 448

Firm Official Todd Morgan Date 11-22-00

Supervisor or Operator Todd Morgan Date 11-21-00

(Sign Once if Firm Official and Operator)

Todd Morgan

46 N 2 W 17

Idaho Department of Water Resources

Listing of Driller Reports

Owner/Operator	Use	TWP	RNG	SEC	Tract	Gov. Lot	Gallons Per Minute	Static Water Level	Total Depth	Casing Depth	CSG. DIA.	Construction Date
CHURCH OF THE NAZARENE	Public Water Supply	46N	02W	17	NENE		30	115	200	-55	8	11/17/00
HANSON, EDNA	Domestic- Single Residence	46N	02W	17		1	10	40	60	40	6	8/24/83
BAKER, JEFF	Domestic- Single Residence	46N	02W	17		10	15	67	140	66	6	9/8/87
ALLEN, PETE, CHASE, CY	Domestic- Single Residence	46N	02W	17	NENE	0	30	80	300	203	6	6/18/74
MAIER, ELMER	Domestic- Single Residence	46N	02W	17	NENE	0	6	60	115	115	6	7/2/75
BOTTS, JERRY	Domestic- Single Residence	46N	02W	17	NWNE	0	13	50	290	50	8	7/25/85
ALLEN, PETE, CHASE, CY	Domestic- Single	46N	02W	17	SWNE	0	30	60	160	160	6	6/28/74

WELL DRILLERS REPORT

Office Use Only		
Inspected by		
Twp	Rge	Sec
1/4	1/4	1/4
Lat	Long	

1. WELL TAG NO. D0013869

Drilling Permit No:
Other IDWR No. 767269

2. OWNER Well Number: 147


Name St. Maries Church of the Nazarene

Address PO Box 332

City St. Maries State ID Zip 83861

3. LOCATION OF WELL by legal description

sketch map location must agree with written location



Twp. 46 North or South
Rge. 02 East or West
Sec. 17 1/4 NE 1/4 NE 1/4

Gov't Lot County BENEWAH

Lat. : : Long. : :

Address of Well Site Hwy 3
City St. Maries

(Give at least name of road + Distance to Road or Landmark)

Lt. Blk. Sub. Name

4. USE:

☒ Domestic ☐ Municipal ☐ M
☐ Thermal ☐ Injection

5. TYPE OF WORK check all that apply

☒ New Well ☐ Modify ☐ Abandon

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud F

7. SEALING PROCEDURES

SEAL/FILTER PACK			AM
Material	From	To	Sacks
CASING SEAL	-20	0	4
3/8 HOLE PLUG	-55	-50	1

Was drive shoe used? ☒ Y ☐ N

Was drive shoe seal tested? ☐ Y ☐ N

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	+3	-199	.250	steel	☒	☐	☒	☐
8	0	-55	.322	steel	☒	☐	☒	☐

Length of Headpipe Length of Tailpipe

9. PERFORATIONS/SCREENS

☐ Perforations Method
☐ Screens Screen Type

From	To	Slot Size	Number	Diameter	Material

Casing Liner
MICROFILMED

APR 1 1 2001

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

115 ft. below ground Artesian pressure lb.

Depth flow encountered ft. Describe access port or control devices:

NOV 29 11: WELL TESTS:

IDWR/North ☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
est 30			1 Hour

Water Temp. cold Bottom Hole Temp. cold

Water Quality test or comments: clear

Depth first Water encountered 190

12. LITHOLOGIC LOG:(Describe repairs or abandonment)

				Water	
Bore Diam	From	To	Remarks: Lithology, Water Quality, Temperature	Y	N
12	0	1	Topsoil	☐	☒
12	1	3	Top soil w/basalt	☐	☒
12	3	18	Basalt broken	☐	☒
12	18	53	Basalt	☐	☒
12	53	55	Basalt broken	☐	☒
12	55	82	Basalt broken	☐	☒
8	82	108	Basalt	☐	☒
8	108	123	Basalt broken	☐	☒
8	123	125	Basalt w/clay orange	☐	☒
		128	Basalt w/clay gray	☐	☒
		190	Basalt	☐	☒
		194	Basalt broken	☒	☐
		196	Basalt w/clay tan	☒	☐
		200	Basalt broken	☒	☐

RECEIVED

DEC 14 2000

DEPARTMENT OF WATER RESOURCES

MICROFILMED

APR 1 1 2001

Completed Depth 200 (Measurable)
Date: Started 11/8/00 Completed 11/17/00

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O WellService, Inc. Firm No. 448

Firm Official [Signature] Date 11-22-00

and Supervisor or Operator [Signature] Date 11-21-00

(Sign Once if Firm Official and Operator)

Todd Morgan

46N 2W 17

WELL DRILLER'S REPORT

Office Use Only			
Inspected by			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat	:	Long	:

1. WELL TAG NO. D0013869

Drilling Permit No:

Other IDWR No.

2. OWNER


Name St. Maries Church of the Nazarene

Address PO Box 332

City St. Maries State ID Zip 83861

3. LOCATION OF WELL by legal description

sketch map location must agree with written location

Twp. 46 ☒ North or ☐ SouthRge. 02 ☐ East or ☒ WestSec. 17 ☐ 1/4 NE ☐ 1/4 NE ☐ 1/4

Gov't Lot _____ County BENEWAH

Lat: _____ Long: _____

Address of Well Site Hwy 3
City St. Maries

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement, etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To		
CASING SEAL	-20	0	45 sacks	temp casing
3/8 HOLE PLUG	-55	-50	10 sacks	temp casing

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 55Was drive shoe seal tested? ☐ Y ☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	+3	-199	.250	steel	☒	☐	☒	☐
8	0	-55	.322	steel	☒	☐	☒	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material

MICROFILMED

APR 1 2001

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

115 ft. below ground Artesian pressure _____ lb.

Depth flow encountered _____ ft. Describe access port or control devices: _____

NOV 29 11: WELL TESTS:

IDWR/North

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
est 30			1 Hour

Water Temp. cold Bottom Hole Temp. cold

Water Quality test or comments: clear

Depth first Water encountered 190

12. LITHOLOGIC LOG:(Describe repairs or abandonment)

				Water	
Bore Diam	From	To	Remarks: Lithology, Water Quality, Temperature	Y	N
12	0	1	Topsoil	☐	☒
12	1	3	Top soil w/basalt	☐	☒
12	3	18	Basalt broken	☐	☒
12	18	53	Basalt	☐	☒
12	53	55	Basalt broken	☐	☒
12	55	82	Basalt broken	☐	☒
8	82	108	Basalt	☐	☒
8	108	123	Basalt broken	☐	☒
8	123	125	Basalt w/clay orange	☐	☒
8	125	128	Basalt w/clay gray	☐	☒
8	128	190	Basalt	☐	☒
8	190	194	Basalt broken	☒	☐
8	194	196	Basalt w/clay tan	☒	☐
8	196	200	Basalt broken	☒	☐

RECEIVED

DEC 14 2000

DEPARTMENT OF WATER RESOURCES

IDWR

Tag # 13869.
was under Receipt
N013977
\$75.00 pd
Upgrade pd under
receipt N014012

Completed Depth 200 (Measurable)

Date: Started 11/8/00 Completed 11/17/00

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O Well Service, Inc. Firm No. 448

Firm Official [Signature] Date 11-22-00

and

Supervisor or Operator [Signature] Date 11-21-00

(Sign Once if Firm Official and Operator)

Todd Morgan

46N 2W 17

Idaho Department of Water Resources

Listing of Driller Reports

Owner/Operator	Use	TWP	RNG	SEC	Tract	Gov. Lot	Gallons Per Minute	Static Water Level	Total Depth	Casing Depth	CSG. DIA.	Construction Date
CHURCH OF THE NAZARENE	Public Water Supply	46N	02W	17	NENE		30	115	200	-55	8	11/17/00
HANSON, EDNA	Domestic-Single Residence	46N	02W	17		1	10	40	60	40	6	8/24/83
BAKER, JEFF	Domestic-Single Residence	46N	02W	17		10	15	67	140	66	6	9/8/87
ALLEN, PETE, CHASE, CY	Domestic-Single Residence	46N	02W	17	NENE	0	30	80	300	203	6	6/18/74
MAIER, ELMER	Domestic-Single Residence	46N	02W	17	NENE	0	6	60	115	115	6	7/2/75
BOTTS, JERRY	Domestic-Single Residence	46N	02W	17	NWNE	0	13	50	290	50	8	7/25/85
ALLEN, PETE, CHASE, CY	Domestic-Single	46N	02W	17	SWNE	0	30	60	160	160	6	6/28/74

MICROFILMED
APR 11 2001

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Cindy Zimmerman on _____

No. 91-07147 Name: Church of The Nazarene Corp. Officers NA Ad ok ☒ Govt Lots pg R/H

AREA OF CONCERN: ☒ Na/Yes ☐ Moratorium ☐ GWMA ☐ TRUST/NON-TRUST

✓ **GROUNDWATER:** (✓Flow Chart)

✓ **DRILLING PERMIT**

✓ All wells - 046(P23)

Irr. w/in WD - **P05**
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

✓ **WMD**

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
✓ ≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

✓ **LOCATION:**

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - **P84** (20s-70s, 81-86)
Swan Falls Flag -
Trust - 051(**P74**) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

✓ **USES:**

STORAGE - 18A-01H(**P01**), 01P-18B(**P09**)-NA
✓ Irr ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac) 3.0 AF
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-081(**P10**)
FISH PROP - 029(70'S only)-007-042-081(**P10**)
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

✓ **BENEFICIAL USE DUE:** 11 / 01 / 01

✓ **MISC CONDITIONS/REMARKS:**

Protested - 020-W19
✓ Development Period
≤ 1 yr - **P16**
> 1 yr - 26A(**P17**)
Ownership - 004
Non-consumptive - 027
Water Quality - 081-R07

✓ **SURFACE WATER:** (✓Flow Chart)

F&G contacted - Yes/No Response _____

In/Above MSF - WB9

PLANNING REVIEW/RESPONSE _____

In-stream development - **P52**
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H(**P01**), 01P or No MD
> 0.20 cfs - 01J(**P08**)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

✓ **RIVER BASINS:** (SW special considerations)

Snake R (01) - W22(**P04**), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(**P04**) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

✓ **USES:**

POWER - 17H-17K (+uses)-08A-025(**P18**)-01N-081(**P10**)
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
✓ **DOMESTIC** woi/Church.
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
✓ Irr use listed separate - WB5/Church
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example = 5/50 range WB5/Church.
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON 3/15 - 10/31 (Per updated map)

OTHER CONDITIONS/REMARKS ① 046 ② R66 ③ WB5/Church.
COMMENTS FF Codes ① P16 ② P23

IDAHO DEPARTMENT OF WATER RESOURCES
APPLICATION APPLICATION ANALYSIS SHEET

WR1
BCA
WPA

APPLICATION # 91-07147

INITIAL RE EW

APPLICANT: CHAURCA OF THE NAZARENE BY: TB DATE: 6/20/00

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes)(No)

- X Field check: by _____
- Field report attached _____
- Analysis Supp. attached(>5cfs/500af) _____
- Water delivered by water master? _____
- Water District # _____

PROCESSING

(Yes)(No) PRIORITY DATE: 6/20/00

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BENEWAHA County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- Groundwater management area _____
- Critical ground water area _____
- Well Drilling Permit required _____
- Well Drilling Application and Fees received _____
- Well Drilling Application approved? _____

Remarks: WELL NOT DRILLED AS OF FILING

FINAL REGIONAL PROCESSING/REVIEW

(Yes)(No)

- ✓ Notice of pending void order issued. Final order response date: _____
- ✓ Further information required from applicant _____
- 8/10 Affidavit of publication received _____
- 8/10 Application published correctly. If not, record action taken: _____
- Publication dates and paper recorded on application _____ | Sr. Agent initial _____
- ✓ Protests received, Final protest date: 8/7/00
- ✓ Measuring device required _____
- ✓ Measuring port required _____
- ✓ Special conditions: _____
- ✓ Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: RJA

Date: 9/19/2000

WR0749NP
No. 91-07147

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/05/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHURCH OF THE NAZARENE PO BOX 332 ST MARIES ID 83861-0332 (208) 245-4594	06/20/2000	IRRIGATION DOMESTIC	03/15 11/15 01/01 12/31	0.120 CFS 0.040 CFS	
TOTAL DIVERSION:					0.160 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: APPLICATION

Point(s) of Diversion: T46N R02W S17 Lot 01(NENE)

BENEWAH County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE																				
NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE		
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM	
---	---	---	:	---	---	---	---	---	:	---	---	---	---	---	:	---	---	---	---	:	---	---	---	---	:	---	---	---	---	---	---	---
46N	02W	17	:	01-04	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	4.0	
TOTAL ACRES																												4.0				

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: BENEWAH

Remarks: GEN Domestic use is for church facility.

Dates: App. Received: 06/20/2000 Priority Date: 06/20/2000
Proof Due Date: Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 07/05/2000 User-ID: DBALL Subject: Examiner's notes.
Well, pump and pipe.
Time required 1 year.

Audit: 07/05/00 DBALL