

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 91-07140

Priority: May 29, 1998

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that JACK L PARKINS

535 COTTONWOOD DR

ST MARIES ID 83861

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 29, 1998; and has submitted Proof of Beneficial Use on August 24, 1998. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

ST. JOE RIVER

tributary to COEUR D ALENE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 11(SESW), Sec. 17, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N	02W	17	Lot 11(SESW)	1		1

Total number of acres irrigated: 1

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
2. Point of diversion and place of use are located within Lot 24B, Cottonwood Point Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 22ND day of

April, 1999.

Acting for

KARL J. FREHER, Director

MICROFILMED

AUG 11 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 24 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 91-07140 Telephone No. (208) 245-4203

2. Name(s) of Permit Holder(s): JACK L. PARKINS

3. Mailing Address: 535 COTTONWOOD DR. - ST. MARIES, IDA. 83861

4. Source of Water: ST. JOE RIVER If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. **OPTIONAL:**
Pump Horsepower: 3/4 Pressure (psi): 0 to 50 Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): 1 Other:

6. Total rate of diversion and/or volume for which proof is submitted: 0.03 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No ✓

Has the measuring device been installed? Yes or No ✓

Flow Measurement Port: Is a flow measurement port required? Yes or No ✓

Has the measurement port been installed? Yes or No ✓

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: JACK L. PARKINS Telephone Number (208) 245-4203

Address: 535 COTTONWOOD DR. ST. MARIES, IDAHO 83861 MICROFILMED

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho. 8/19/98

Signature of permit holder: Jack L. Parkins Date: 8/19/98
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 91-07140

Proposed Priority: May 29, 1998

Maximum Diversion Rate:

0.03 CFS

This is to certify, that JACK L PARKINS

535 COTTONWOOD DR

ST MARIES ID 83861

has applied for a permit to appropriate water from:

ST. JOE RIVER

tributary of COEUR D ALENE LAKE

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

03/15 to 11/15

0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 11(SESW), Sec. 17, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

46N 02W 17 Lot 11(SESW) 1.0

1.0

Total number of acres irrigated:

1.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1999.
2. Subject to all prior water rights.
3. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
4. Point of diversion and place of use are located within Lot 24B, Cottonwood Point Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17th day of August, 1998.

Karl J. Dreher
for Karl J. Dreher, Director

MICROFILMED

OCT 28 1998

Ident. No. 91-07140

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED
AUG 06 1998

Department of Water Resources

1. Name of Applicant JACK L. PARKINS Phone (208) 245-4203
Mailing address 535 COTTONWOOD DR. - ST. MARIES, IDAHO 83861
2. Source of water supply ST. JOE RIVER which is a tributary of Coeur d'Alene Lake
3. Location of point of diversion is Township 46 N. Range 2 West Sec. 17, in the 1/4,
S.E. 1/4, SW. 1/4, Govt. Lot 11, B.M., BENEWAH County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.03 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source ELECTRIC PUMP 3/4 H.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85° F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

MICROFILMED
OCT 28 1998

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
46N	2W	17											1/4						1/4
													6 1/2						

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? JACK + ALICE PARKINS

b. Who owns the land to be irrigated or place of use? " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

OCT 28 1998

Jack A Parkins
Signature of Applicant (and title, if applicable)


Received by db Date 5/11/98 Time 1:30P Preliminary check by AB
 Fee \$ 50 Received by db # ND 12086 Date 5/27/98
 Publication prepared by db Date 6/10/98 Published in St. Maris Gazette 6/17+24/98
 Publication approved db Date 7/30/98

7.5 MINUTE SERIES (TOPOGRAPHIC)

SW/4 ST. MARIES 15' QUADRANGLE

GEOLOGICAL SURVEY

5 R 3 W R2W 27 280 000 28 116°37'30" 2900000E 30 31



MICROFILMED
OCT 28 1998

91-7140

MEMORANDUM

TO: File 91-07140

FROM: Sharla

DATE: April 21, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 91-07140 are as follows:

H. RECOMMENDATIONS

Irrigation	3/15 – 11/15	0.03 cfs	3.0 afa
------------	--------------	----------	---------

The subdivision plat map does not give square footage of the lots; on the front of the exam the examiner recommended the full acre as permitted. Thus the volume is 3.0 af.

Exam Date: February 5, 1999
Examiner: Dave Pagel

MICROFILMED
AUG 11 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 91-07140 DATE 4/21/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .03 cfs
 Fee limit 20 cfs \$50.00
 Measured 1 cfs
 Theoretical .03 cfs

Recommended Total Div Rate .03 cfs

WATER USES	<u>OK</u>	Change (P46)		
<u>Irrig</u>	<u>.03</u> cfs	<u>1.3</u> af	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
	cfs	af		supp. gw (WB7/065/079)
	cfs	af		overlap spec. combined rts (W35)
	cfs	af		<1acre (W31)
	cfs	af	Domestic	(W01/WB5/070/071/075)
	cfs	af	Power	(W42 or W43/025/027/R22 or R23)
TOTALS	<u>.03</u> cfs	<u>3.0</u> af	Fish (042)	Fire (077) Wtr Quality (081/R07)

Flow rate .03 cfs X _____ days X 1.98 = _____ af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes ☒ no

SRBA Claim N/A

Adjust Memo
 Amend letters

using
1 ac for plu = 3.0
af

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 22 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 91-07140

1. Owner: Jack L. Parkins Phone No. (208) 245-4203

Current Address: 535 Cottonwood Dr. St. Maries, Idaho 83861

2. Accompanied by: Jack Parkins EXAM DATE: Feb 5, 1999

Address: Same Phone No. _____

Relationship to Permit Holder: Self

3. Source: St Joe River tributary to Coeur d'Alene Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	11		SE	SW	17	46N	2W	Beneviah	USGS 7.5' Quad., Metsker Gov't Lot Maps


2. Place(s) of Use:

Indicate Method of Determination USGS 7.5' Quad. Metsker

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
46N	2W	17												1 4-01					1.0

MICROFILMED
AUG 11 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: $T = N/A$

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4		Grundfos	8E94

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. N/A

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

1986 1 1 1990

E. NARRATIVE/REMARKS/COMMENTS

Approximately .74 acres of lawn and garden is being irrigated by diverting water from The St. Joe River using a 3/4 horsepower pump. Water is distributed through garden hose.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 11 1993

F. FLOW CALCULATIONS

✓ Additional Computation Sheets Attached

Measured Method: *See theoretical calculation***G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$115' \times 275' = 43125 \text{ ft}^2, \quad 43125 \text{ ft}^2 \times .75 (\% \text{ of lot irrigated}) = 32344 \text{ ft}^2$$

$$32344 \text{ ft}^2 / 43560 \text{ ft}^2 = .74 \text{ acre irrigated}$$

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .74 \times 3.0 = 2.23 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.58 \text{ af}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.23 \text{ af}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<i>Irrigation</i>	<i>03/15</i>	<i>11/15</i>	<i>.03</i>	<i>2.23</i>
Totals:			<i>.03</i>	<i>2.23</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name *David A. Page* Date *Feb 9, 1999*

Reviewer _____ Date _____

SEAL

MICROFILMED

206 1 1 1999



Parkins
91-07140
T46N R2W
Sec 17 Lot 11

MICROFILMED
AUG 11 1999
3272

T46N
R2W
C


S89°53'E
80.40

Ser. 18.
640

NORTH
MICROFILMED

AUG 11 1999

San King
9/10/71
T46N R2W
Sec 17 Lot 11



THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 91-07140, J. PARKINS

DATE: 9-FEB-99

COMPLETE BY: PAGEL

HORSEPOWER = .75

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 30 FEET

SYSTEM PRESSURE = 45 PSI

QUANTITY = 0.03 CFS

MICROFILMED

1998 1 1 1999

PERMIT # 91-07140

STATE OF IDAHO

SOURCES

ENT

S

3/4 horsepower
pump

91-07140

Point
of
Diversion



Place
of
use

MICROFILMED
AUG 11 1999

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 91-07140 Reviewed by [Signature] Date 10-20-98

GENERAL CONSIDERATIONS

Yes Name same as permit?
Yes Address same as permit?
Yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Irr.

Correct Uses? Yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit

☐ Well log in the file?

Correct? _____

LICENSE EXAMINATION FEE

Yes Required?

50- Amount Submitted

Yes Correct?

MEASURING DEVICE

NO Required?

☐ Installed?

☐ Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

[Handwritten calculation: 10-20-98 - 10-20-98 = 0]

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address [Crossed out]

Proof Made 8-24-98

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindy Lou*

No.: 917140 Name: Parkins Date: 8/13/98 Ad OK? ✓ / Gvmt Lts: LT.11

AREA OF CONCERN: - No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year - 26A-P17

≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

WMD Supplemental use

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

DRILLING PERMIT:

All wells (✓ WDQ3)

In Basin 34?

Irr. within WD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

IN/ABOVE MIN. STR. FLOW (✓ MAP)

WD (✓ MAP & LISTING)

> 0.10 cfs

≤ 0.10 cfs

WMD (✓ MAP)

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

≤ 0.24 cfs/5 acres

RIVER BASINS: (*Surface water):

Snake R (01)

(02/03-irr)

Payette R(65)

Salmon R(70's)

USE:

Domestic surface

>1 in rest. area

Fire Protection

Fish Propagation

Heating/Cooling

Irr ≤ 5 acres

> 5 acres

Mining

Municipal

Power

Stockwater

Storage (✓3 compo.)

LOCATION:

42-248 area

Boise Front LoGeo

In-stream dev.

Mitigation

SWAN FALLS FLAG (See Code Chart)

Trust

Non-Trust (1)

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

- 020 (Protest Agreement) or *W19 (Order)

- 26A-P17

- P16

- North / East / West

- 067 or No MD (in-stream stock or power)

- No MD

- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

- 01M (report when notified)

- No MD

- 046-P23

- 085

- P05 (new well location)

- *WB9

- R04 (WD # _____)

- 01J-P08 (MD & LD)

- 01H-P01 (LD), 01P or No MD (in-stream stock)

- 01H-P01 (LD), 01P or No MD (in-stream stock)

- 01H-P01 (LD), 01P or No MD (in-stream stock)

- 067 or No MD (in-stream stock or power)

- No MD

- 01M or No MD (in-stream stock or power)

- No MD

- No MD

- *W22 -P04, NA

- 007 (w/ remark *WB9 if above Weiser), NA

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

- 029 (fish screens), NA

- 029 (fish screens), NA

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

- 071-070

- 077

- 029-007-042(req)-081 (WQ)-P10

- R07 (injection well)

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

- 054(req) -081-P10

- 022, 075, 004 (+memo?), NA (not in restricted area)

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

- R37 (BLM/USFS); NA

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

- P84 (in 20/30/40/50/60/70/80 (87) basin)

- 058 (<85° GW temp only)

- P52 (stream channel alteration)

- 120

- 120

- 120

- 120

- 120

- 120

- 120

- 120

- 120

- 120

- 120

- 120

- 120

- 120

*below
St. Joe MSF*

- 01 W59-60 / Lt 248 Cottonwood Pt.

- 8/1/ 1999

**IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET**

RECEIVED WRI
WRA
AUG 06 1998 BC

APPLICATION # 91-07140

INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: PARKINS BY: AJ DATE: 5/29/98

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

- (Yes) (No)
- X Field check: by _____
- X Field report attached
- X Analysis Supp. attached(>5cfs/500af)
- X Water delivered by water master?
- Water District # _____

PROCESSING

- (Yes) (No) PRIORITY DATE: 5/29/98
- X (Include Moratorium Remark)
- X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BENEWAH County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- X Groundwater management area
- X Critical ground water area
- X Well Drilling Permit required
- X Well Drilling Application and Fees received
- X Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

- (Yes) (No)
- Notice of pending void order issued. Final order response date: _____/_____/_____
- Further information required from applicant
- 7/29 Affidavit of publication received
- 7/20 Application published correctly. If not, record action taken: _____
- 6/10 Publication dates and paper recorded on application | Sr. Agent initial AS
- X Protests received, Final protest date: 7/6/98
- X Measuring device required
- X Measuring port required
- X Special conditions:
- Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AJ RM

Date: 7/31/98