

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07129

Priority: September 12, 1994

Maximum Diversion Rate:
Maximum Diversion Volume:

0.02 CFS
2.4 AF

This is to certify, that SEVERN MC DOUGALL
1208 ADELIN

COEUR D ALENE ID 83814 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 12, 1994; and
has submitted Proof of Beneficial Use on November 4, 1996. An examination indicates
that the works have a diversion capacity of 0.030 cfs of water from:

ST. JOE RIVER tributary to COEUR D ALENE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 12(NESE), Sec. 16, Township 46N, Range 01W
BENEWAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N	01W	16	Lot 12(NESE)	0.8		0.8

Total number of acres irrigated: 0.8

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 2.4 afa at the field headgate for the land described above.
6. Water shall not be diverted under this right when flow in the St. Joe River is below the established minimum flow amount.

MICROFILMED
SEP 05 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07129

CONDITIONS OF APPROVAL AND REMARKS

7. Place of use known as Lot 12, Cedar Grove Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 26TH
day of FEBRUARY, 1978.


Acting for KARL J. DREHER, Director

MICROFILMED
APR 09 1978

RECEIVED

NOV 04 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 91-07129 Telephone No. 208 667 5145

2. Name(s) of Permit Holder(s): Seyern McDougall

3. Mailing Address: 1208 ADELIN AVE, COEUR D'ALENE, ID

4. Source of Water: ST JOE RIVER If **GROUNDWATER** (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____ - ____

b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 3/4 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .03 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No _____

Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No _____

Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

* PUMP IN PLACE DURING SUMMER MONTHS ONLY

Name: Seyern McDougall Telephone Number: 208 667 5145

Address: 1208 ADELIN AVE - COEUR D'ALENE, ID

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Seyern McDougall Date: 10-31-96
(include your title, if on behalf of company or organization)

MICROFILMED

DEC 02 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 91-07129

Proposed Priority: September 12, 1994 **Maximum Diversion Rate:** 0.03 CFS

This is to certify, that **SEVERN MC DOUGALL**
1208 ADELIN
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:

ST JOE RIVER tributary of **COEUR D ALENE LAKE**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 12(NESE), Sec. 16, Township 46N, Range 01W
BENEWAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N	01W	16	Lot 12(NESE)	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A separate stream alteration permit from the IDWR is required for any activity in the stream channel other than construction and/or maintenance of the diversion structure. If the proposed construction or operation involves construction of an outfall or any other work in the stream channel other than a water diversion, the right holder contact the Department and obtain a Stream Channel Alteration permit prior to the start of construction.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.
7. Place of use is located within Lot 12, Cedar Grove Subdivision.

DEC 29 1994


State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 91-07129

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

28th day of November, 1994.


R. Keith Higginson, Director
for

APPROVED
DEC 8 9 1994


Ident. No. 91-7129STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant SEVERN M. DOUGALL Phone (208) 667 5145
Post office address 1208 ADELIN, COEUR D'ALENE IDAHO - 83814
2. Source of water supply ST. JOE RIVER which is a tributary of LAKE COEUR D'ALENE
- * 3. Location of point of diversion is NE SE 1/4, Govt. Lot 12
SEE ATTACHED Description Sec. 16 Township 46 N Range 1 W B.M. Benevol County; additional points of diversion if any: AKA LOT 12 Cedar Grove
4. Water will be used for the following purposes:
Amount 0.03 for IRRIGATION purposes from MARCH 15TH to NOV 15TH (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.03 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works: IRRIGATION OF LANDSCAPE
a. Description of ditches, flumes, pumps, headgates, etc. PUMP

b. Height of storage dam NONE feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet; period of year when water will be diverted to storage: NA to NA inclusive.
c. Proposed well diameter is NA inches; proposed depth of well is NA feet.
d. Is ground water with a temperature of greater than 85°F being sought? NO
e. If well is already drilled, when? NA; Drilling firm NA
Well was drilled for (well owner) NA
7. Time required for the completion of the works and application of the water to be proposed beneficial use is 2 years (minimum 1 year).



8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use: *SEE ATTACHED LEGAL DESCRIPTION

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
46N	1W	66													74				1
															LT 12				

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? FRANK ROBINSON, Serves in Douglas,
- Who owns the land to be irrigated or place of use? SAME SHAWN in Douglas
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. AS ABOVE

12. Remarks: _____

DEC 29 1994

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sever MacDargall
 (Applicant)

Received by RJC Date 9/12/94 Time 10:07 Preliminary check by AS
Fee \$ 500 Received by RJC # 118198 Date 9/12/94
Publication prepared by RJC Date 9/28/94 Published in St. Martin's Mary Hl 10/5/94
Publication approved RJC Date 10/11/94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
OCT 11 1994

OCT 29 1994

River

Joe

St.

PROPOSED LOCATION

PD

P/H

Text #14.

SW 1/4


Corner

Government Lot 12


Witness Corner to Cor. 1061.56 feet

RECORDED
DEC 29 1934

Witness Corner




F	e	E	d	D	c	C
-----	-----	-----	-----	-----	-----	-----




TOWNSHIP 46 N., RANGE 1 W. B. N
BENEAH COUNTY, IDAHO

(12)



VICINITY MAP

FROM



Proposed
Location

RECEIVED
DEC 29 1994

IN
IN/NEAR

COUNTY,

DATE: SHEET 1 OF
APPLICATION BY:

MEMORANDUM

TO: File 91-07129

FROM: Sharla

DATE: February 23, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 91-07129 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

1. Place(s) of Use:

T46N, R1W, S16 - NESE (0.8 acres)

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.02 cfs	2.4 afa
------------	--------------	----------	---------

The total number of acres irrigated is 0.8; rate calculated for 0.8 ac. $\times 0.03 \text{ cfs/acre} = 0.02 \text{ cfs}$.

Examiner: Dave Pagel
Exam Date: July 16, 1997

MICROFILMED

APR 09 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 91-07129

DATE 2/20/98

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>No</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>No</u> lot 12

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

RATE OF DIV

Permitted Rate .03 cfs
Fee limit .20 cfs \$50⁰⁰
Measured — cfs
Theoretical .03 cfs

Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/
NATURE OF USES —

<u>✓</u>	Use <u>Dr.</u>	cfs <u>.03</u>	Volume Calc <u>.8 X 3.0 = 2.4</u> af
		<u>.02</u>	<u>—</u> af
			<u>—</u> af
			<u>—</u> af
	SUBTOTAL	<u>.03</u>	<u>2.4</u> af

Flow rate .02 cfs X 245 days X 1.98 = 9.7 af

Total volume recommended 2.4 af 9.7
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS P/U known as Lot 12, Cedar Grove Subd.
W31

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device
— Overlap

— Use-specific conditions
Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA
Adjustment Memo rate/area

1st Amend Letter NA
2nd Amend Letter NA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

91-07129

A. GENERAL INFORMATION

Permit No.

1. Owner: Severn Mc Dougall

Phone No. (208) 667-5145

Current Address: 1208 Adelin Coeur d'Alene Idaho 83814

2. Accompanied by: Same

EXAM DATE: 7-16-97

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: St. Joe River

tributary to Coeur d'Alene Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	12		NE	SE	16	46N	1W	Beneviah	USGS 7.5 min. Quad, Gov't Lot maps


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
46N	1W	16																I	

MICROFILMED
APR 13 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N/A

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED
APR 09 1984

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from the St. Joe River by means of a
1/2 H.P. ^{pump}, through a 1" plastic pipe approx. 50' in length.

Water is being used to irrigate .79 acres of grass, and 10
trees.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 03 1998

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

See Theoretical**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .79 \times 3.0 = 2.37$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.58$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.37$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>3/15</u>	<u>11/15</u>	<u>.03</u>	<u>2.37</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.03</u>	<u>2.37</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name David A. Byrd Date 7-21-97

Reviewer _____ Date _____

SEAL

MICROFILMED

APR 8 9 1998

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 91-07129, SEVERN MCDONALD

DATE: 16-JUL-97

COMPLETE BY: D. PAGEL

HORSEPOWER = .5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 10 FEET

SYSTEM PRESSURE = 44 PSI

QUANTITY = 0.03 CFS

MICROFILMED
APR 09 1998

PERMIT #

91-07129

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES



1/2 Hp pump



Point of diversion



Place of use

MICROFILMED
APR 09 1998




MICROFILMED
APR 09 1998

River

Joe

St.

PROPOSED
LOCATION



Tex #114.

SW 1/4 NW 1/4

Corner

Government Lot 12

Witness Corner
to Cor.
1061.56 feet

Witness Corner
to Cor.
1061.56 feet

PROFILMED
9 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 91-07129 Reviewed by [Signature] Date 11-12-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
 Ground water source
 Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 11-4-96

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 91-7129 Name: McDougall Date: 11/25/94 Correct Fee? ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - ~~26A~~-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - 01G (new), 01K (existing), No MD

- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99

Existing well - NA (pre 7/1/87)

No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. _____

*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° GW temp only)

Swan Falls Flag - B <SEE CONDITION CODE CHART>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA

Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)

Irrigation - ~~02A~~/057, 803(if GW use SW 1st)(+5A PU comp), NA

Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021(Boise R + L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner

- 004 (PD/PU) Frank Robinson, Shawn McDougall, applicant

PROTESTED:

- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

- ① P/U located within Lt 12, Cedar Grove Subd.

BENEFICIAL USE DUE:

- 12-1-1996

COMMENTS:

WR0749NP
No. P91-07129

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/25/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SEVERN MC DOUGALL 1208 ADELIN COEUR D ALENE ID 83814 (208) 667-5145	09/12/1994	IRRIGATION	03-15 11-15	0.03 CFS	
TOTAL DIVERSION:					0.03 CFS	

Water Source: ST JOE RIVER

Tributary to: COEUR D ALENE LAKE

Stage: PERMIT

Point(s) of Diversion: T46N R01W S16 Lot 12(NESE)

BENEWAH County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	SUM		
46N	01W	16	:	:	:	:	:	:	:	:	:	:	:	1.0		
TOTAL ACRES													1.0			

Pou County: BENEWAH

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.
- 030 - A separate stream alteration permit from the IDWR is required
- for any activity in the stream channel other than construction
- and/or maintenance of the diversion structure. If the proposed
- construction or operation involves construction of an outfall or
- any other work in the stream channel other than a water
- diversion, the right holder contact the Department and obtain a
- Stream Channel Alteration permit prior to the start of
- construction.
- 057 - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed
- 0.03 cubic feet per second for each acre of land.
- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks: Place of use is located within Lot 12, Cedar Grove Subdivision.

Dates: App. Received: 09/12/1994 Priority Date: 09/12/1994
Proof Due Date: 12/01/1996 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

WR0749NP
No. P91-07129

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/25/94
PAGE: 2

=====

Comments: Date: 09/26/1994 User-ID: RCHILDER Subject: DIVERSION DESCRIPTION
Pump in river.

Date: 11/25/1994 User-ID: CZIMMERM Subject: P/D & P/U OWNERSHIP
The point of diversion and place of use are located on land owned
by Frank Robinson, Shawn McDougall, and Severn McDougall.

Audit: 11/25/94 CZIMMERM

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 91-07129

***** INITIAL REVIEW *****

APPLICANT: McDouGALL BY: AB DATE: 9/19/94

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached(>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 9/12/94

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BENEWAH County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

- ☒ Groundwater management area
☒ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☐ Notice of pending void order issued. Final order response date: ____/____/____
☐ Further information required from applicant
☒ Affidavit of publication received
☒ Application published correctly, If not, record action taken: _____
☒ Publication dates and paper recorded on application | Sr. Agent initial B
☒ Protests received. Final protest date: 10/24/94
☒ Measuring device required
☒ Measuring port required
☒ Special conditions: _____
☒ Special conditions of approval and letter attached: _____

Approval Recommended by: QMA NOV 01 1994 Date: ____/____/____

Department of Water Resources