

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07128

Priority: March 3, 1994

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

25.8 AF

This is to certify, that RUSTY YOUNG

HC 2 BOX 119

ST MARIES ID 83861

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 3, 1994; and has submitted Proof of Beneficial Use on April 7, 1997. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

SPRING

tributary to **ROUND LAKE**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
RECREATION	01/01 to 12/31	0.03 CFS	21.7 AF
RECREATION STORAGE	01/01 to 12/31		4.1 AF
FIRE PROTECTION	01/01 to 12/31	0.03 CFS	
FIRE PROTECTION STORAGE	01/01 to 12/31		4.1 AF
Totals		0.03 CFS	25.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NWNWNW), Sec. 2, Township 46N, Range 03W
BENEWAH County

PLACE OF USE: RECREATION

TWN RGE SEC

46N 03W 2 Lot 4(NWNW)

PLACE OF USE:

FIRE PROTECTION, same as RECREATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

APR 09 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07128

CONDITIONS OF APPROVAL AND REMARKS

5. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
6. Recreation use is for private fish rearing.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of MARCH, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

MAR 03 1998

RECEIVED

APR 07 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 91-07128 Telephone No. 208-245-4853
2. Name(s) of Permit Holder(s): Rusty Young
3. Mailing Address: AC02 Box 119 St. Maries Id 83861
4. Source of Water: Spring If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
- a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____
- b. **OPTIONAL:**
- Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 5 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 20 cfs OR acre feet

- 7. Measuring Device Requirement:** (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes or No ☒

Has the measuring device been installed?

Yes or No /

Flow Measurement Port: Is a flow measurement port required?

Yes or No

Has the measurement port been installed?

Yes or No

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Russell Young Telephone Number: 208-245-4853

Address: Hc2 Box 119 St. James Id

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

MICROFILMED

Signature of permit holder: Rusty Jones MAY 28 1937 Date: 4-4-77
(include your title, if on behalf of company or organization)

RECEIVED

MAY 25 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 91-07128
Name(s) of Permit Holder: Rusty Young
Mailing Address: HCO2 Box 119 St. Maries Id 83861
Date Proof is Due: June 1st 1995 Telephone No. 208-245-4853

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

I have completed most of the pond but
I need to reconstruct the south end
of it along with the spillway.

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

#1 I can't get the backhoe I need until next spring. It need
to be one with an extra long boom.
#2 I need to have time to save enough money for the completion.

Permit holder(s) request an extension to June 1st, 19 97.

FEE: \$50.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1997.

Signed this 7th day of June, 19 95.

D. Glen Saylor
Chief, Water Allocation Bureau

JUN 14 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 91-07128

Proposed Priority: March 3, 1994

Maximum Diversion Rate:

0.20 CFS

This is to certify, that RUSTY YOUNG
HC 2 BOX 119
ST MARIES ID 83861
has applied for a permit to appropriate water from:

SPRING

tributary of ROUND LAKE

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	
IRRIGATION STORAGE	03/15 to 11/15		5.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		5.0 AF
RECREATION	01/01 to 12/31	0.20 CFS	
RECREATION STORAGE	01/01 to 12/31		5.0 AF
FIRE PROTECTION	01/01 to 12/31	0.20 CFS	
FIRE PROTECTION STORAGE	01/01 to 12/31		5.0 AF
	Totals	0.20 CFS	

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NWNW), Sec. 2, Township 46N, Range 03W
BENEWAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N	03W	2	NWNW	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

PLACE OF USE: RECREATION, same as IRRIGATION use

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1995.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. Recreation use is for private fish rearing.

SEP 12 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 91-07128

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Witness the signature of the Director, affixed at Boise, this


7th day of June, 1994

R. Keith Higginson

R. Keith Higginson, Director

for

SEP 12 1994

Ident. No. 91-7128STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Rusty Young Phone 208-245-4853Post office address HCO2 Box 179 St. Maries ID 838612. Source of water supply Spring which is a tributary of Round Lake3. Location of point of diversion is 1/4 of NW 1/4 of NW 1/4, Govt. Lot 4Sec. 2 Township 46 N Range 3 W B.M. Beneviah County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 5.0 for Storage for Fire Protection purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)Amount 5.0 for Storage for Recreation purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)Amount 5.0 for Storage for Irrigation purposes from 3-15 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)Amount 0.20 for FIRE PROTECTION purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)5. Total quantity to be appropriated is (a) 0.20 cubic feet per second and/or (b) 5.0 acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

b. Height of storage dam 9 feet; active reservoir capacity 5.0 acre-feet; total reservoir capacity 5.5 acre-feet; period of year when water will be diverted to storage: 1-1 to 12-31 inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

SEP 12 1994

* maximum allowable per allocation standards for acres identified in P/U. 6/3/94 czg.

Description of proposed uses (if irrigation only, go to item 9).

- Hydropower; show total net of head and proposed output in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. RECREATION USE IS FOR FISH

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
46N.	3W	2						44.5											
							F												
							R												
							*	IRRIGATION FROM STORAGE											
							*	STORAGE FOR IRRIGATION											
							*	STORAGE FOR REC.											
							*	STORAGE FOR FIRE PROTECTION											

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____



KOOTENAI CO 2972
BENEWAH CO

T. 46N
R. 3W

POND
&
SPRING

4

BENEWAH LAKE

Goose Heaven
Lake

ST JOE

PARK

BOUNDARY

Parker Pass

Mile 0

NEGRO

Borrow Pit

Borrow Pit

ST MARIES

MISSED

SEP 12 1994

[illegible]

X Rustan (Applicant)

Received by AB Date 3/3/94 Time 10:49 Preliminary check by AB
Fee \$ 30.00 Receipt # N-7418 Date 3/3/94
Publication prepared by AB Date 3/8/94 Published in 3/16-23/94
Publication approved RUC Date 5/11/94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.


e. Other:

(4-675u)

NDIAN RESERVATION
West of the Boise Meridian, Idaho.

T 46N
R 3W

C P104
L P10



MEMORANDUM

TO: File 91-07128

FROM: Sharla

DATE: March 9, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 91-07128 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Point(s) of Diversion:

T46N, R3W, S2 - NWNWNW (Lot 4)

H. RECOMMENDATIONS

Recreation	1/1 - 12/31	0.03 cfs	21.7 afa
Recreation Storage	1/1 - 12/31		4.1 afa
Fire Protection	1/1 - 12/31	0.03 cfs	n/a
Fire Prot. Storage	1/1 - 12/31		4.1 afa
TOTALS		0.03 cfs	25.8 afa

The point of diversion description for a spring source is listed as a ten-acre tract. Volume is rounded to the nearest tenth. Volume for the recreation use has been calculated based on continuous flow.

MICROFILMED

APR 09 1998

Examiner: Herman Spangle

Exam Date: June 30, 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 91-07128

DATE 3/6/98

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	✓	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	✓	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	✓	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

RATE OF DIV

Permitted Rate .20 cfs
Fee limit .20 cfs \$ 5000
Measured .03 cfs
Theoretical — cfs

Recommended Total Div Rate .03 cfs

**ANNUAL VOLUME/
NATURE OF USES**

<u>✓</u>	Use <u>Rec</u>	cfs <u>.03</u>	Volume Calc <u>21.7</u> af
	" <u>stor</u>		<u>4.1</u> af
	<u>fire</u>	<u>.03</u>	<u>N/A</u> af
	" <u>stor</u>		<u>4.1</u> af
	SUBTOTAL	<u>.03</u>	<u>25.8</u> af

2.4
1.7
4.1

Flow rate .03 cfs X 365 days X 1.98 = 21.7 af

Total volume recommended — af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

Private
fishery rearing.

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo to acc. desc.
rounded volume

1st Amend Letter N/A

2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

91-07128

A. GENERAL INFORMATION

Permit No.

1. Owner: Rusty Young Phone No. (208) 245-4853
Current Address: HC 02 BOX 119 ST. MARIES, ID. 83861
2. Accompanied by: Rusty Young EXAM DATE: 6-30-1997
Address: SAME AS ABOVE Phone No. SAME AS ABOVE
Relationship to Permit Holder: Permit Holder
3. Source: Spring tributary to Round LAKE

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE
2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
PD #1	#4		NW	NW	02	46N	03W	Benevolence	US 65 75 QUAD, Site Visit

2. Place(s) of Use:


Indicate Method of Determination US 65 75 QUAD, Site Visit

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
46N	03W	02					R												Recreation
46N	03W	02					RS												Recreation STORAGE
46N	03W	02					F												FIRE PROTECTION
46N	03W	02					FS												FIRE PROTECTION STORAGE
* PLACE OF USE is within Government Lot #4																			

MICROFILMED

APR 09 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS.

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<u>Gravity Feed</u>					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<u>Bucket Method</u>						

2. Measurements:

MICROFILMED

APR 09 1998

E. NARRATIVE/REMARKS/COMMENTS

A Spring emerges North of County Rd and water is conveyed under the Road by a 18" Culvert. to an irregular shaped pond. The West end of the pond is below grade and the east end is also below grade but is dammed by earthen fill approx. 7-8' above ground. Spring is located approx. 200' North of the inflow Culvert.

The inflow to the pond is in the North end and outflow on the South end. The deepest part of the pond is 16' ft deep and shallowest is about 8' ft deep. The Average depth is 12 ft deep.

The outflow of the pond drain into a swampy area which is tributary to Round Lake.

Rainbow Trout are being raised in the pond for recreational use.

* No Irrigation is Taking place @ this time.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 09 1988

F. FLOW CALCULATIONS

Measured Method: Bucket Method

Additional Computation Sheets Attached

INFLOW

$$\frac{4 \text{ gals}}{18.2 \text{ second}} = \frac{4 - 18.2}{60} = \frac{240}{18.2} = 13.2 \text{ gpm}$$

OUT FLOW

$$\frac{4 \text{ gals}}{19.3} = \frac{4 - 19.3}{60} = \frac{240}{19.3} = 12.4 \text{ gpm}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\quad \quad \quad}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\quad \quad \quad}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\quad \quad \quad}$$

2. Volume Calculations for Other Uses:

AREA #1: $220' \times 40' = 8800 = \frac{14800}{43560} = (.34)(12') = 4.08 \text{ ACRE FEET}$

AREA #2: $100' \times 60' = 6000$
 $\frac{6000}{14800}$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Recreation</u>	<u>1-01</u>	<u>12-31</u>	<u>.03</u>	
<u>Recreation Storage</u>	<u>1-01</u>	<u>12-31</u>		<u>4.08</u>
<u>Fire Protection</u>	<u>1-01</u>	<u>12-31</u>	<u>.03</u>	
<u>Fire Protection Storage</u>	<u>1-01</u>	<u>12-31</u>		<u>4.08</u>
Totals:			<u>.03</u>	<u>4.08</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Norman Sample Date 7-9-97

Reviewer _____ Date _____

SEAL

MICROFILMED

APR 8 1998

PERMIT # 91-07128

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT
PHOTOGRAPHS



18" Inflow Culvert



Inflow Culvert

Inflow Culvert
18"

MICROFILMED
APR 09 1998

91-07128



OUTFLOW
Culvert

STATE OF IDAHO
NT OF WATER R
REPORT SUPPL
O T O G R A P H

OUTFLOW at Pond



Spring Head

OUTFLOW 18" Culvert

MICROFILMED
APR 09 1998





Looking EAST Direction Looking Southwest Direction Looking NORTH

STATE OF IDAHO
DEPARTMENT OF WATER
REPORT SUPPLEMENT
PHOTOGRAPH

APR 09 1998




Spring Area

91-07128

IDA:

SW/4 ST. MARIES



11


WEST

6

13

T4CN R3U

A



MICROFILMED
APR 09 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 91-07128 Reviewed by [Signature] Date 4-9-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? irr.
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☒ Drilling permit required?
☒ Copy in the file? Drilling Permit No. _____
☒ Amount paid for permit _____ Correct?
☒ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required? no Required?
50- Amount Submitted
yes Correct? ☒ Installed?
☒ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 4-7-97

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 91-07128 Reviewed by [Signature] Date 6-7-95

BASIC INFORMATION

5-25-95 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN Should Extend to June 1, 1997, on the basis of Due Diligence.

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address Y
Change Proof Due Date 6-1-97
Change Priority Date Y

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

Application #: 91-7128 Name: Young Date: 6/3/94

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <flo-ch> - T17 (new), 01K (existing), No MD

- 0.2 cfs - No MD <flow chart>

Drilling Permit:

Included w/permit - Permit No. _____, P99

Existing well - NA (pre 7/1/87)

No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <flow chart>

LOCATION:

Water District(dem) - WD No. _____

*Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° Groundwater temp)

Swan Falls Flag - B <See condition code chart>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA

Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10

044 (N 1000 Spr)

Irrigation 1/2 A. - 803(if GW use SW 1st) (+5A do POU comp), NA

Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021(Boise R + L Peak), 27A(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU) _____

PROTESTED:

Prehearing agreement - 020

OTHER CONDITIONS:

REMARKS:

✓ 057

0 Rec use for private fish rearing.

BENEFICIAL USE DUE:

- 6-1-1995

COMMENTS:

- 0 Div Desc.

WR0749NP
No. P91-07128

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/03/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RUSTY YOUNG HC 2 BOX 119 ST MARIES ID 83861 (208) 245-4853	03/03/1994	IRRIGATION	03-15 11-15	0.03 CFS	
			IRRIGATION STORAGE	03-15 11-15		5.00 AFA
			IRRIGATION FROM STORAGE	03-15 11-15		5.00 AFA
			RECREATION	01-01 12-31	0.20 CFS	
			RECREATION STORAGE	01-01 12-31		5.00 AFA
			FIRE PROTECTION	01-01 12-31	0.20 CFS	
			FIRE PROTECTION STORAGE	01-01 12-31		5.00 AFA
TOTAL DIVERSION:					0.20 CFS	

Water Source: SPRING

Tributary to: ROUND LAKE

Stage: PERMIT

Point(s) of Diversion: T46N R03W S02 Lot 04(NWNW)

BENEWAH County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE						
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM	
46N	03W	2	:								.5									:	0.5	
																					TOTAL ACRES	0.5

Place of use location for IRRIGATION FROM STORAGE is the same location as described for: IRRIGATION

Place of use location for RECREATION is the same location as described for: IRRIGATION

Place of use location for FIRE PROTECTION is the same location as described for: IRRIGATION

Pou County: BENEWAH

Other Water Rights with Same Point(s) of Diversion and Source:
91-07128

Other Water Rights Listing Overlapping Place(s) of use:
91-07128

Conditions of Approval:

- 057 - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed
- 0.03 cubic feet per second for each acre of land.

Remarks: Recreation use is for private fish rearing.

Dates:	App. Received:	03/03/1994	Priority Date:	03/03/1994
	Proof Due Date:	06/01/1995	Proof Made Date:	
	Exam Made Date:		Exam Sent to S.O.:	
	Licensed Date:			

Misc: Water District Number: Field Exam Fee:

WR0749NP
No. P91-07128

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/03/94
PAGE: 2

=====
Comments: Date: 03/08/1994 User-ID: STYPA Subject: DIVERSION DESCRIPTION
Dam is 9 ft. high; active reservoir capacity is 5 A/F; total
reservoir capacity is 5.5 A/F; water will be diverted from
1/1 to 12/31 inclusive.

Audit: 06/03/94 CZIMMERM

No. a
4/87-06/92n

INNO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
JUN 02 1994

APPLICATION # 91-7128
***** INITIAL REVIEW *****

Department of Water Resources

APPLICANT: Young BY: AB DATE: 3/3/94

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- x Field check: by _____
+ Field report attached
+ Analysis Supp. attached(>5cfs/500af)
+ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 3/3/94

x (Include Moratorium Remark)

0 Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: RENEWAL County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- + Groundwater management area
+ Critical ground water area
+ Well Drilling Permit required
+ Well Drilling Application and Fees received
+ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- + Notice of pending void order issued. Final order response date: ____/____/____
+ Further information required from applicant
+ Affidavit of publication received
+ Application published correctly, If not, record action taken: _____
+ Publication dates and paper recorded on application | Sr. Agent initial AB
+ Protests received. Final protest date: 4/4/94
+ Measuring device required
+ Measuring port required
+ Special conditions: _____
+ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB Date: 5/13/94