

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 91-07111

Priority: June 11, 1990

Maximum Diversion Rate:
Maximum Diversion Volume:

0.09 CFS
2.9 AF

This is to certify, that MARY NEMETH
PETER NEMETH

HC 03 BOX 52

ST MARIES ID 83861

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 15, 1990; and has submitted Proof of Beneficial Use on June 28, 1996. An examination indicates that the works have a diversion capacity of 0.090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	05/01 to 10/31	0.09 CFS	2.9 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SESE), Sec. 12, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC


TWN RGE SEC

46N 02W 13 Lot 2(NENE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for a 50 unit RV Park.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of APRIL, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

JUN 12 1998

RECEIVED

APR 20 1998

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 91-07111

Date of Priority: June 11, 1990

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:

2.9 AF

Comes now

MARY NEMETH
PETER NEMETH

HC 03 BOX 52
ST MARIES ID 83861

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 91-07111, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	05/01 to 10/31	0.09 CFS	2.9 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SESE), Sec. 12, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC
TWN RGE SEC
46N 02W 13 Lot 2(NENE)

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at St Maries, ID, this 15 day of April, 1998.

MICROFILMED

(Signature)

JUN 12 1998

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 91-07111

FOR DEPARTMENT USE ONLY

Preliminary check by SWF Fee = 50.00 Received by VB #001505 Date 4/20/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 91-07111 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for a 50 unit RV Park.

Witness my hand this 23rd day of April, 1998.

Acting for  KARL J. DREHER, Director

MICROFILMED
JUN 12 1998

IN THE MATTER OF PERMIT NO. 91-07111)
)
) **ORDER OF**
IN THE NAME OF PETER & MARY NEMETH) **REINSTATEMENT**
)

SEP 12 1996

RECEIVED

JUN 28 1996

IDAHO DEPARTMENT OF WATER RESOURCES
IDWR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUL 03 1996

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 91-07111 Telephone No. 208-245-2639
2. Name(s) of Permit Holder(s): Peter Nemeth
3. Mailing Address: HC 03 Box 52, St. Maries, ID 83861
4. Source of Water: Well If GROUNDWATER (well), Date Drilled: mo. 10/10 / yr. 90
a. Well Driller: Agua Drilling Drilling Permit Number: 0650350 1238 6340
b. **OPTIONAL:**
Pump Horsepower: 1 1/2 HP Pressure (psi): 40 PSI Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 2 Stockwater (No. and type of stock): N/A
Irrigation (No. of acres): N/A Other: R.V. Park 50 Hookups
6. Total rate of diversion and/or volume for which proof is submitted: 0.23 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>X</u>
	Has the measuring device been installed?	Yes _____	or	No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>X</u>
	Has the measurement port been installed?	Yes _____	or	No <u>X</u>
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Peter Nemeth Telephone Number: 208-245-2639
Address: HC-03 Box 52 St Maries ID 83861
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Peter Nemeth
(include your title, if on behalf of company or organization)

Date:

June 27, 1996

SEP 12 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

RECEIVED

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. P 91-07111 - Drilling permit # 91-90-W-7

Name(s) of Permit Holder: Peter Nemeth Mary Nemeth

Mailing Address: HC 03 Box 52, St. Maries, Id. 83861

Date Proof is Due: July 1, 1995 Telephone No. 208-245-2639

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well has been drilled, cased,

Costing \$ 3762.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Needed to do more work on the R.U. Park
before proceeding with well.

Permit holder(s) request an extension to

November 1st 1996

FEE: \$50.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MAY 31 1995

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1996.

Signed this 11th day of May, 19 95

J. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 91-07111

Proposed Priority: May 15, 1990 Maximum Diversion Rate: 0.23 CFS
This is to certify, that **PETER NEMETH**

MARY NEMETH
RT. 3 BOX 52
ST. MARIES, ID 83861

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

05/01 to 10/31

0.23 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE Sec. 12, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC

TWN RGE SEC

46N 02W 12

SESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1995.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Domestic use is for an RV Park.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of July, 1990.

for
[Signature]
R. Kerth Higginson, Director

MICROFILMED

JUL 31 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Peter and/or Mary Nemeth Phone 208-245-2639
Post office address Rt 3 Box 52, St. Maries, ID 83861

2. Source of water supply ground water which is a tributary of _____

3. Location of point of diversion is ~~SE~~ $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 12 Township 46 N Range 2 W B.M. Benewah County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.23 for Domestic purposes from 5/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.23 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well and pipeline

b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total
reservoir capacity NA acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is unknown feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

JUL 31 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. RV Park with 50 hookups
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>46 N</u>	<u>26</u>	<u>12</u>																<u>D</u>	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

IDAHO-BENEWAH CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)
SE/4 ST. MARIES 15' QUADRANGLE

2778 IV
(ROCHAT)

13. Map of proposed project show clearly the proposed point



Scale: 2 in.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Peter Smith
(Applicant)

JUL 31 1991

Received by SL Date 5/15/90 Time 4:00 pm Preliminary check by TDK
Fee \$ 45 Receipted by SL # N003756 Date 5/15/90
Publication prepared by SL Date 5/30/90 Published in Idaho State Journal
Publication approved SL Date 6/20/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUL 31 1990

PERMIT NO. 91-07111 DATE 3/6/98 REVIEWER: SHARLA

1st Amend Letter 241 138
2nd Amend Letter 247

RECEIVED

JAN 27 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 9/- 07111

1. Owner: Peter Nemeth Phone No. (208) 245-2639

Current Address: NCO 3 Box 52 St. Maries Id. 83861

2. Accompanied by: Peter Nemeth EXAM DATE: 7-8-97

Address: Same Phone No. _____

Relationship to Permit Holder:

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use:

2. Other water rights with the same point of diversion:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]


2. Place(s) of Use:

Indicate Method of Determination

[illegible]

JUN 12 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: $r = \frac{NA}{1}$

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1.5		Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

JUN 12 1998

E. NARRATIVE/REMARKS/COMMENTS

Applicant's system supplies water to a 50 unit RV Park. Water is pumped from a well using a 1.5 hp pump and is distributed through approximately 2300 ft. of 1 1/4" plastic pipe to 50 hook ups.

At the time of the examination, it was determined that the legal description for the place of use is incorrect. Mr. Nemeth has been informed that an amendment is being recommended.

Based on the pumping capacity of the system that is installed, it is my recommendation that the approved rate is .09 cfs.

Mr. Nemeth has also been informed that the 2 households included on the Proof of Beneficial Use form will require a separate application.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 12 1998

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

*See theoretical***G. VOLUME CALCULATIONS****1. Volume Calculations for Irrigation:**

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:*4 campers per unit = 200 campers*

$$200 \text{ campers} \times 25 \text{ gpd} \times 180 \text{ days} = 900,000 \text{ gal./season}$$

$$\frac{900,000 \text{ gal./season}}{325,851 \text{ gal./af}} = 2.93 \text{ afa}$$

H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>05/01</i>	<i>10/31</i>	<i>.09</i>	<i>2.93</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>.09</i>	<i>2.93</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name *David A. Regel* Date *7-23-97*

Reviewer _____ Date _____

SEAL

MICROFILMED
JUN 12 1998

T.47N.

T.46N.

R.02W.

R.01W



PD

*P.U.

91-07111

T.46N., R.02W., Sec. 12

NEMETH, PETER

MICROFILMED
JUN 12 1998

T46N
R2W
A

N0°3'E

EAST

N0°4'E

91-07111

T. 46N R. 02W

Sec. 12


INDIAN

RESERVED
RESERVATION



MICROFILMED

JUN 12 1998



THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 91-07111, NEMETH

DATE: 18-JUN-97

COMPLETE BY: D. PAGEL

HORSEPOWER = 1.5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 10 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.09 CFS

MICROFILMED

JUN 12 1998

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 91-07111, NEMETH
DATE: 23-JUL-97
COMPLETE BY: PAGEL

HORSEPOWER = 1.5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 30 FEET

SYSTEM PRESSURE = 30 PSI

QUANTITY = 0.09 CFS

MICROFILMED
JUN 12 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT #

91-07111

PHOTOGRAPHS



Point of diversion

1.5 Hp Submersible pump



Place of use

50 unit RV park

MICROFILMED
JUN 12 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 91-07111



P.U.



P.U.

P.U.



MICROFILMED
JUN 12 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 91-07111



S

P.A.



P.A.



P.A.

MICROFILMED
JUN 12 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 91-07111 Reviewed by [Signature] Date 7-10-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 91-90-N-0007-000
100- Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100- Amount Submitted
yes Correct?
no Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 6-28-96
Date proof due 6-1-96
No. of days late 27 = 27
Priority Date 5-15-90 + 135
New Priority Date 6-11-90 162

76/11/90

DEFICIENCIES OR ACTION ITEMS

Reinstate + advance priority to June 11, 1990.
Proof acceptable

DATA ENTRY

New Address X Proof Made 6-28-96

State of Idaho, Department of Health and Welfare
Bureau of Laboratories - Coeur d'Alene Branch Lab
2195 Ironwood Court, Coeur d'Alene, Idaho 83814
DRINKING WATER COLIFORM BACTERIA ANALYSIS REPORT (PRIVATE)

LAB: COEUR D'ALENE, Phone: (208) 769-1432
Branch Laboratory Supervisor, Bacteriology: Mike Brodwater

PETE NEMETH
HC 03 BOX 52
ST MARIES, ID 83861

Tracking Number: 10696-9297/
(Please Refer to this Tracking Number on any communications)

PWS Number: N/A
Water System: MISTY MEADOWS/PETE NEMETH
Sample Location: WELL
County: BENEWAH
Collected by: NEMETH
Sample Type: Unknown - N

Date Collected: 06/10/96 Date Received in Lab: 06/10/96
Time Collected: 09:30 Time Received in Lab: 16:00

TEST CODE	RESULTS	COMPLETED
WMMO TOTAL COLIFORM	ABSENT	06/11/96

NOTES:

IF YOUR RESULT IS "ABSENT": The absence of coliform bacteria indicates that your water is not contaminated.

IF YOUR RESULT IS "PRESENT": The presence of coliform bacteria means that your water is contaminated, and may contain disease causing organisms. Contaminated water should not be used for drinking water.

If coliform bacteria are present, an additional test has been run for escherichia coli bacteria. The result for this test is also reported as being present or absent.

If you have questions concerning the quality of your water, call the Benewah County Health District office (245-4556) and speak with an Environmental Health Specialist.

SEP 18 1996

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 91-07111 Reviewed by [Signature] Date 5-10-95

BASIC INFORMATION

5-5-95 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
_____ Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Recommend extend to June 1, 1996, on basis of Due Diligence.

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X
Change Proof Due Date 6-1-96
Change Priority Date X

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TDK DATE: 5/12/90 APPLICATION NUMBER: 91-07111

APPLICANT: NEMETH

REQUIRED INFORMATION

- (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
(2). ☒ Source: (See USGS Quad for names of water sources)
(3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
(4). ☒ Quantity: (flow and/or volume)
 ☒ Nature of proposed use: (Include description of use)
 ☒ Period of use:
(5). ☒ Total Quantity: (flow and/or volume)
(6). ☒ Description of diverting works:
(7). ☒ Time required for beneficial use of water:
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(13). ☒ Map:
 ☒ Signature: (signator title required for corp., partnership, etc)
 ☒ Fee: (Amount, receipt number and date recorded on application)
 ☒ Acknowledgement Letter:
 ☒ Overlap Review: Attachment? (Y) ☐ (N) ☒ Remarks? (Y) ☐ (N) ☒

ADDITIONAL INFORMATION

- YES NO
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af, supplementary analysis sheet attached.

PROCESSING

- YES NO
☒ In form for advertising:
☒ Statewide advertising: (10.00 or more cfs.)

Send Copies To

- YES NO
☒ I.D. Health and Welfare
☒ I.D. Fish and Game
☒ I.D. Lands
☒ Adjudication Bureau

- YES NO
☒ U.S. BLM
☒ U.S. Forest Svc.
☒ Water District
☒ Other _____
Department of Water Resources

RECEIVED
JUL 05 1990

Application Number 91-7111

FOLLOWING INFORMATION REQUESTED FROM APPLICANT
Item

Date Requested

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Additional information received:

☒ Notice of pending void order issued: Final date of order response. _____

☒ Affidavit of publication received:

☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:

☒ Protests received, Final date for protest 6/29/90

☒ Recommendations attached:

☒ Measuring device required:

☒ Measuring port required:

☐ Water delivered by water master? District # _____

Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 5/15/90 ✓

Recommended by: DK [signature] Date 6/29/90

STATE OFFICE REVIEW P23, P10 P17 46 26

See remarks for additional information. By KW Date 7/23/90

REMARKS OK to allow 5 yrs. to develop-