

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07078

Priority: June 17, 1983

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

3.7 AF

This is to certify, that RICHARD SCHNEBLY
LAURELEE SCHNEBLY

RT 3 BOX 75A

ST MARIES ID 83861

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 17, 1983; and has submitted Proof of Beneficial Use on June 9, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 11/01	0.02 CFS	3.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	3.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 18, Township 46N, Range 01E
BENEWAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N	01E	18	SWSE	1		1

Total number of acres irrigated:

1

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

MAY 22 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07078

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 1 home.
7. Stockwater use is for 10 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of April, 1992

Acting for R. Keith Higginson, Director

RECORDED

MAY 22 1992

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
APR 13 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 91-07078

Department of Water Resources

Date of Priority: June 17, 1983

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 3.7 AF

Comes now

RICHARD SCHNEBLY
LAURELEE SCHNEBLY

RT 3 BOX 75A
ST MARIES ID 83861

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 91-07078, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 11/01	0.02 CFS	3.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	3.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 18, Township 46N, Range 01E
BENEAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N	01E	18	SWSE	1		1
Total number of acres irrigated:						1

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at St Maries Idaho, this 10 day of April, 1992.

Richard Schnebly
(Signature)

MICROFILMED

MAY 22 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 91-07078

FOR DEPARTMENT USE ONLY

#C023774

Preliminary check by SC Fee ☒ \$20.00 Received by Billbas Date 4/13/92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 91-07078 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
5. Domestic use is for 1 home.
6. Stockwater use is for 10 range cattle.

Witness my hand this 27th day of April, 1992.

Acting for

R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

MAY 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Richard & Laurelee Schnebly Phone 245-4872
Post office address Box 75-A St. Maries Ida 83861
2. Source of water supply Ground water which is a tributary of _____
3. Location of point of diversion is N 1/2 NW 1/4 of SE ^(NWSE) 1/4 of Section 18 Township 46N
Range 1 East B.M. Renewah County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 cfs for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 cfs for Stock water purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-ft. per annum)
Amount 0.06 cfs for Irrigation purposes from 5-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1 hp. pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 55 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: S 1/2 NW 1/4
(1) Give the place of use of water: SE 1/4 of Section 18 Township 46N
Range 1 East B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 10 head range cattle
20 Chickens, 20 Ducks, & 10 geese

(4) Name of municipality to be served Richard Laurelee Schnebly or number of families to be supplied with domestic water One.

(5) If water is to be used for other purposes describe: Stock water & Irrigation

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard Charles Schmebly
(Applicant)

MICROFILMED

Proposed Priority 6/17/1983

MICROFILMED

Received by JK Date 6-17-83 Time 12:30 PM

Preliminary check by JK Fee \$ 30.00

Receipted by JK Date 6-17-83 (27702)

Publication prepared by JK Date 6/23/83

Published in St. Anne Gazette Record

Publication dates 6/29-7/6/83

Publication approved JK Date 8/4/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JK JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 91-7078, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 25th day of August, 1983.

J. Glen Saxton
Chief, Operations Bureau

LICENSE REVIEW CHECKLIST

Date 04-01-92

Permit # 91-07078

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
	☒	☐	Disagree with Theoretical? $1 \times 8.8 \times .7 = .64 \text{ cfs}$
	☒	☐	Limited by Capacity? $30 \times (2.31 \times 50)$
			<i>Reduced Rate Stock/.01 Dam/.04 Irr/.02</i>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>5-1 to 11-1 (Permit)</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
			$V_{PR} = .02 \times 184 \times 1.9835 = 7.3 \text{ AFA}$ $1 \times 3.0 = 3.0 \text{ AFA (ERR)}$
	☒	☐	Limited by Flow? <u>0.1 (Stock) 0.6 (Dam)</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☐	Notice of Intent to Void.
P/D	☒	☐	Verify with Map
	☐	☐	Amendment Needed? <u>Change $1/4$ to SWSE</u>
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Changes required to be compatible with Maps, Data Entry Standards, etc? _____
	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in $1/4$ $1/4$? _____
	☒	☐	Non-Irrigation Uses <u>Dam/1 Home Stock 10 Orange</u>
	☐	☒	Special Overlap Condition _____
	☐	☐	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R29</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED:

License ☐ 10-Day ☐ 15-Day ☒ Special Correspondence _____

Vgr

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

RECEIVED
JUN 28 1991

Department of Water Resources
Permit 9-01071

A. GENERAL INFORMATION

1. Name and address are most current available. (Check BU statement.)
2. Exam Date
3. Source (Check Permit)

B. OVERLAP REVIEW

1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
3. Word Picture (Rule 5,1,3 / 5,1,4)
4. Diversion (Rule 5,1,3)
5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey? Aerial Photos/Permit.

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature James L. King Date 6/14/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 91-07078

1. Owner: Richard + Laurelee Schnebly

Phone No. 245-4872

Current Address: Rt. 3 Box 75A St. Maries Idaho 83861

2. Accompanied by: None

EXAM. DATE: 8/15/90

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



PROFILMED
2 2 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 91-07078

Phone No. 245-4872

Idaho 83861

I. DATE: 8/15/90

ie No. _____

1. Daniel & Laurelee Schnebly

2.

3.

B. C

☐ Copies Attached

☐ Copies of Field Exam's Attached

C.

between components. Indicate weir



PROFILMED
2 2 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

- ☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Dick and Laurelee Schnebly
2. _____

Permit No. 91-07078
Phone No. 245-4872
daho 83861
DATE: 8/15/90
e No. _____


B.

☐ Copies Attached

☐ Copies of Field Exam's Attached

C.

between components. Indicate weir



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with pressure tank and buried pipe to home and 3 hose bibs for lawn & Garden Irrigation.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
inaccessible		1hp			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	18	46N	1E	Beneath	Map

6. **Place(s) of Use:**

Indicate Method of Determination


Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
46N	1E	18															51	2	1

RECORDED

MAY 22 1992

Do not use this space



MICROFILMED
MAY 22 1992

91-67078

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{(1) \times (8.8) \times (60\%)}{(2.31) \times (45) + 20} = \frac{5.28}{123.95} = 0.04 \text{ cfs}$$

1 home

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{1}{1} \times 3.0 = 3.0 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.04 \times 153 \times 1.9835 = 12.1 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.0$$

2. Volume Calculations for Other Uses:

1 home: 0.6 AF
10 Stock: 0.2 AF

MICROFILMED
MAY 22 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

PD ~~4-1-1~~ is in SEUSE of Sec 18, T, 46N, R. 1E.
Original Application was in error. Home site was verified
by phone on 8/27/90 with Mrs. Shnebley. 723

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.04 cfs	0.6 AF
Irrigation	5-1	11-1	0.04 cfs	3.0 AF
Stock water	1-1	12-31	0.025 cfs	0.2 AF
Totals:			0.04 cfs	3.8 AF

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION


Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

Theresa J. Bright
Theresa J. Bright
4/16/90
8/27/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
MAY 22 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 91-07078

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 46 N, Rge. 1E Sec. 18, SW $\frac{1}{4}$ SE $\frac{1}{4}$ Gov. Lot _____

2. Owner: Richard & Laurelee Schnebley

Address: Rt 3 Box 75A

City St. Maries, State ID 83861

3. Casing $\geq$ 12 inches above ground: Yes _____ No _____? Casing Not found

4. Access Port: Y _____ N _____ ?
Pressure Gauge: Y _____ N _____ ?
Flowing: Y _____ N _____ ?

Static Water Level: 20' $\pm$ from Possible
Casing Diameter: _____
Temperature: _____
Well log

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y _____ N _____ ?

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Possible well log - Address is similar, + so is
depth. Original location on WR Permit is wrong.

MICROFILMED

MAY 22 1992

FEB 22 1973

10/1

Department of Water Resources
Hydrogeologist Office

1. WELL OWNER
Name HERMAN NORTON
Address Rt 3 Box 75 St, Maries, Id 83861
Owner's Permit No. _____

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED 6
☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 6 inches Total depth 50 feet
Casing schedule: ☒ Steel ☐ Concrete
Thickness Diameter From To
.250 inches 6 inches +1 feet 50 feet
____ inches ____ inches ____ feet ____ feet
____ inches ____ inches ____ feet ____ feet
____ inches ____ inches ____ feet ____ feet
____ inches ____ inches ____ feet ____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation ____ inches by ____ inches
Number From To
____ perforations ____ feet ____ feet
____ perforations ____ feet ____ feet
____ perforations ____ feet ____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter Slot size Set from ____ feet to ____ feet
Diameter Slot size Set from ____ feet to ____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel ____
Placed from ____ feet to ____ feet
Surface seal depth 18 Material used in seal ☐ Cement grout
☒ Bentonite ☐ Pudding clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL ✓
Sketch map location must agree with written location.

Subdivision Name _____
Lot No. _____ Block No. _____
County _____ Benewah
SE X SE ¼ Sec. 18 T. 46 N. R. 1 E/4

7. WATER LEVEL
Static water level 20 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature ____ ° F. Quality _____
Artesian closed-in pressure ____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☐ Bailor ☐ Other
Discharge G.P.M. Draw Down Hours Pumped
15 10' 1

9. LITHOLOGIC LOG
Hole Diam. Depth Material Water
From To Yes No
6 0 1 Top Soil X
6 1 30 Gravel & Sand X
6 30 48 Brown Clay X
6 48 50 Water Gravel & Sand X

10. Work started 1/21/77 finished 2/1/77

11. DRILLERS CERTIFICATION
Firm Name CARMAN DEVELOPMENT CO Firm No. 228
Address E. 6010 Broadway Date 2/22/77
Spokane, Washington 99206
Signed by (Firm Official) _____
and _____
(Operator)

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 91-7078

Date: 10/6/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
N 1. well log in file *Not found, due to age of well*
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUN - 9 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

no # encl *JD*
Department of Water Resources PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by *JS*
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 91-7078

Name(s) of Permit Holder: Richard A. Schnebly & Laurence G. Schnebly

Post Office Address: RT 3 Box 75A St Maries Idaho 83861

Telephone No. 245-4872

Source of Water: Well

Extent of Use:

Domestic 1 (number of households)

Stockwater 10 cows (number and type of stock)

Irrigation 0 (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 0.12 cfs 0.12 acre-feet

Show the date water was first diverted and beneficially used under this permit: 9-14-83

Measuring Device: Required? Yes X No
Installed? Yes Yes No

Fee enclosed \$ None
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes Yes No

Person to contact to accompany the Department representative during the field examination:

Richard A. Schnebly
(Name)

245-4872
(Telephone Number)

RT 3 Box 75A St. Maries Idaho 83861
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FILED

June 7, 1988
Date

Richard A. Schnebly
Signature of Permit Holder (and title, if appropriate)

DEC 27 1988

To: File 98-7078

From: Groundwater Protection

Date: 10/6

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report: ☒ Not found, due to reported age of well
probably not available
☐ Found and is in file
☐ Not found

Follow-up ☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

We have no driller
or open a to by name
of Albert Best.

No further action requested

JB

MICROFILMED

DEC 27 1988

RECEIVED

SEP 21 1988

Department of Water Resources

Richard A Schnebly
RT # 3 Box 75-A
St. Marie, Id.

83861

Dear Rita Fleck.

I do not have a
driller's report. The well was
put in before we moved
here. I am told Albert Best
put it in. Around 1977.

Richard Schnebly

MICROFILMED

DEC 27 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: je

APPLICATION NUMBER: 91-7078

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☐ No Field check required.
☐ Yes ☐ No Critical groundwater area.
☐ Yes ☐ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/18/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/2/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/17/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: SLK Date: 8/4/83

STATE OFFICE REVIEW:

SLW/L17

26

- ☐ See attached sheet for more information.

By: SLK Date: 8/24/83

RECEIVED

AUG 23 1983

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

91-2078-

SCHNEBLY, RICHARD &/or LAURELEE

RT. 3 BOX 75A, ST. MARIES, ID 83861

Source: GROUNDWATER

Date Filed: 06/17/1983

Diversion Pt: NWSE Sec 18 T 46N R 01E

Use: IRRIGATION	(0.06 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: SWSE Sec 18 T 46N R 01E FOR 3 ACRES

RECEIVED
JUN 20 1983
FBI - BUTTE