

DE

RECEIVED
JUN 02 2008
WATER RESOURCES
WESTERN REGION

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NOTICE OF CHANGE IN WATER RIGHT OWNERSHIP**

Please print or type. Attach pages with additional information. Instructions are included at the end of this form. Incomplete forms will be returned.

1. Please list the water right number(s) and/or adjudication claim number(s) (if any) for each water right to be changed. List just the adjudication claim number if there is no corresponding water right record on file with the department. Indicate, by checking in the space provided (under the "split" heading), if the change in ownership is limited to a portion of a water right in which case IDWR will produce new water right number(s) for the split(s).

Water Right No(s)	Adjudication Claim No(s)	Split(s)	Water Right No(s)	Adjudication Claim No(s)	Split(s)
63-4022					
63-21488					
PD 63-21145					
PD 63-21146					

2. The following **REQUIRED** information must be submitted with this form:

- A. The appropriate **FILING FEE**. See instructions for fee amounts.
- B. A copy of the most recent **DEED, TITLE POLICY, CONTRACT OF SALE** or other legal document indicating your ownership of the property and water right(s) or claim(s) in question, **WITH ATTACHED LEGAL DESCRIPTION**.
- C. Either of the following (if necessary to clarify division of water rights or other complex property descriptions):
PLAT OF PROPERTY or **SURVEY MAP** clearly showing the location of the point(s) of diversion and place of use of your water right(s) and/or adjudication claim(s) (these are on file with the county Planning and Zoning or Recorder's Office).
- OR**
- D. If your water right(s) and/or adjudication claim(s) is for ten or more acres of irrigation, you must submit a USDA Farm Service Agency or equivalent **AERIAL PHOTO** with the irrigated acres outlined and point(s) of diversion clearly marked. The **AERIAL PHOTO** should be submitted in place of the **PLAT OF PROPERTY** or **SURVEY MAP**.

3. Name and Address of Former Owner/Claimant(s)	Craig Gibson P.O. Box 395 Meridian, Idaho 83680
4. New Owner/Claimant(s)	Staker & Parson Companies Name Connector (Check one): ☐ and, ☐ or, ☐ and/or
New Mailing Address	2350 South 1900 West
City, State and ZIP Code	Ogden, Utah 84409-1429
New Telephone Number	(888) 672-7766 Email:

5. Date you acquired the property _____
6. If the change in ownership affects the entire water right for each water right or adjudication claim number listed in line 1, then skip this line and go to line 7. If the change in ownership divides the water right(s) among multiple owners, you must describe, in detail, your portion of each water right after the change. Fill in the appropriate spaces in the box(es) below to describe your water right(s) after the change (you may copy this page, if necessary). If your quantity of water is greater than a proportionate split, you must attach documentation to show justification for a larger amount. If you are not sure how to identify your portion of the original water right or adjudication claim records, please contact the nearest IDWR office for assistance.

DESCRIPTION OF YOUR PORTION OF WATER RIGHT (If the right will not be split, skip this area and proceed to line 7)		
Water Use	Diversion Rate or Volume (cubic feet per second or acre-feet per annum)	Description (acres, number and type of stock, homes, etc)
Water Right and/or Adjudication Claim Number		
Irrigation		
Stock		
Domestic		
Other		
Totals		
Water Right and/or Adjudication Claim Number		
Irrigation		
Stock		
Domestic		
Other		
Totals		
Water Right and/or Adjudication Claim Number		
Irrigation		
Stock		
Domestic		
Other		
Totals		

For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him/her for all matters related to your claims.

7. Signature(s) of New Owner(s) or Claimant(s) Staker & Parson Companies V.P.
(title if applicable)
(title if applicable)

IT IS IMPORTANT TO FILE THIS COMPLETED FORM AT THE APPROPRIATE IDWR OFFICE, WITH PAYMENT OF THE FILING FEE AND THE OWNERSHIP DOCUMENT(S), AS REFERRED TO IN LINE 2.

For IDWR Office Use Only:

Received by [Signature]
 Received by [Signature]
 Processed by [Signature] AJ

Date 6-2-08
 Date 6-2-08
 Date _____

Receipt Amt. \$100.⁰⁰
 Receipt No. WD 36558
 WR [Signature] Date 6-5-08

2008027340

RECORDED

2008 MAY 16 PM 4 24

WILLIAM H. HURST
CANYON COUNTY RECORDER
BY *[Signature]*

PIONEER TITLE COMPANY

REQUEST
TYPE *Deed* FEE *150*

INSTRUMENT NO. 2008028347

When recorded, return to:

Gibson, Dunn & Crutcher LLP
Attn: Kimberly Schriever
1801 California Street, Ste. 4200
Denver, CO 80120

**being re-recorded to correct legal description*

200802446

Space above line for Recorder's Use

WARRANTY DEED

Date: May 16, 2008

FOR VALUE RECEIVED, **CRAIG GIBSON, aka CRAIG L. GIBSON**, an unmarried man, hereinafter referred to as Grantor, does hereby grant, bargain, sell and convey unto **STAKER & PARSON COMPANIES, a Utah corporation**, hereinafter referred to as Grantee, whose address is 2350 South 1900 West, Ogden, UT 84409-1429, the following described real property situated in **Canyon County, State of Idaho**, to wit:

the real property described in Exhibit A attached hereto and by this reference incorporated herein;

TOGETHER WITH all privileges, rights, easements, hereditaments, and appurtenances thereunto belonging, including but not limited to all water (including surface waters, springs and subsurface waters), all lands lying beneath, or constituting the bed of any waterway or body of water, abutting upon said real property or any part thereof, and all water rights appurtenant thereto (including, without limitation, water rights 63-4022, 63-21488, 63-21145, 63-21146); and all of Grantor's rights, title and interests in and to all buildings, structures, fixtures, and other improvements located thereon; all roads, streets, alleys, passages, and other rights-of-way included therein or adjacent thereto; and all metallic and nonmetallic minerals, sand, gravel, oil, gas and other saleable materials located thereon or thereunder,

TO HAVE AND TO HOLD, together with all other rights and appurtenances to the same belonging, unto Grantee and its successors and assigns forever,

AND Grantor does hereby covenant to and with Grantee that Grantor is the owner in fee simple of said real property; that said real property is free from all encumbrances except current years taxes, levies and assessments, and except U.S. Patent reservations, restrictions, easements of record and easements visible upon the premises, and that Grantor will WARRANT and DEFEND the same unto Grantee and its successors and assigns forever from and against all claims whatsoever.


IN WITNESS WHEREOF, the Grantor has hereunto set his hand effective as of the 14 day of May, 2008.

GRANTOR:
[Signature: Craig L. Gibson]
Craig L. Gibson

STATE OF IDAHO)
 : ss.
County of ADA)

On this 14th day of May 2008 before me, Erin A. Dixon, a notary public in and for said State, personally appeared Craig L. Gibson, an unmarried man, known or identified to me to be the person who executed the instrument and acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.



Erin A. Dixon
Notary Public State of Idaho
Residing at: Meridian, ID
My Commission Expires: 03/31/2012

EXHIBIT A

A parcel of land being all of the SW¼ SW¼ of Section 14, also and together with all of the SE¼ SE¼ of Section 15, also and together with a portion of the NE¼ SE¼ of Section 15, also and together with a portion of the NW¼ SE¼ of Section 15, also and together with a portion of the E¼ NE¼ of Section 22, also and together with a portion of the W¼ NW¼ of Section 23, all located in Township 4 North, Range 4 West, Boise Meridian, Canyon County, Idaho, more particularly described as follows:

Commencing at a found 3 inch diameter aluminum disk stamped "LS 4431" marking the Southeast corner of said SE¼ SE¼, (section corner common to sections 14, 15, 22 and 23), said corner bears North 89°32'19" East, a distance of 2641.31 feet from a found 3 inch diameter illegible brass disk marking the Southwest corner of said SE¼, (¼ corner common to sections 15 and 22);

Thence along the Southerly boundary of said SE¼ SE¼, South 89°32'23" West, a distance of 1320.69 feet to a found ½ inch diameter iron pin stamped "Holzhey LS 9366" marking the Southwest corner of said SE¼ SE¼, (East 1/16 corner common to Sections 15 and 22), said corner being the POINT OF BEGINNING;

Thence along the Westerly boundary of said SE¼ SE¼, North 00°02'22" East, a distance of 1319.14 feet to a found 3 inch diameter aluminum disk stamped "Skinner Land Surveying LS 3627" marking the Northwest corner of said SE¼ SE¼, (SE 1/16 corner Section 15);

Thence along the Northerly boundary of said SE¼ SE¼, North 89°43'51" East, a distance of 133.17 feet to a point on the centerline of the Roswell Canal, also known as the Riverside Canal, said point bears South 89°42'37" West, a distance of 123.34 feet from a found 5/8 inch diameter iron pin reference monument stamped "Skinner Land LS 8960";

Thence along the centerline of said Roswell Canal the following courses and distances:

Thence North 71°05'04" West, a distance of 527.55 feet to a point;

Thence North 68°19'31" West, a distance of 1006.60 feet to a point;

Thence leaving the centerline of said canal, South 85°04'02" West, a distance of 15.91 feet to a found PK nail marking a point on the Westerly boundary of said NW¼ SE¼, said point bears North 00°07'48" East, a distance of 548.19 feet from a found 3 inch diameter County Surveyor brass disk stamped "MVD LS 627" marking the Southwest corner of said NW¼ SE¼, (Center South 1/16 corner Section 15);

Thence along the Westerly boundary of said NW¼ SE¼, North 00°07'48" East, a distance of 83.60 feet to a found PK nail, said nail bears South 89°42'43" West, a distance of 25.00 feet from a found 5/8 inch diameter iron pin witness corner stamped "Skinner Land LS 8960";

Thence North 89°42'43" East, a distance of 486.71 feet to a found 5/8 inch diameter iron pin with no cap;

Thence North 00°08'15" East, a distance of 447.68 feet to a found 5/8 inch diameter iron pin stamped "Skinner Land LS 8960";

Thence parallel with the Northerly boundary of said SE¼, South 89°42'59" West, a distance of 486.77 feet to a point marking the Westerly boundary of said NW¼ SE¼, said point bears South 89°42'59" West, a distance of 25.00 feet from a found 5/8 inch diameter iron pin witness corner stamped "Skinner Land LS 8960";

Thence along the Westerly boundary of said NW¼ SE¼, North 00°07'48" East, a distance of 244.22 feet to a found 3 inch diameter Canyon County Surveyor brass disk stamped "LS 627, 1975" marking the Northwest corner of said NW¼ SE¼, (Center 1/4 corner Section 15);

Thence along the Northerly boundary of said NW¼ SE¼, North 89°42'59" East, a distance of 1316.28 feet to a found 5/8 inch diameter iron pin with no cap marking the Northwest corner of said NE¼ SE¼, (Center East 1/16 corner);

Thence along the Northerly boundary of said NE¼ SE¼, North 89°42'59" East, a distance of 1316.10 feet to a found 3 inch diameter Canyon County Surveyor brass disk stamped "1954" marking the Northeast corner of said NE¼ SE¼, (¼ corner common to Sections 14 and 15);

Thence along the Easterly boundary of said NE¼ SE¼, South 00°06'17" West, a distance of 1324.44 feet to a found 5/8 inch diameter iron pin with no cap marking the Northwest corner of said SW¼ SW¼, (South 1/16 corner common to Sections 14 and 15);

Thence along the Northerly boundary of said SW¼ SW¼, North 89°26'58" East, a distance of 1327.16 feet to a found 3 inch diameter aluminum disk stamped "LS 4431" marking the Northeast corner of said SW¼ SW¼, (Southwest 1/16 corner Section 14);

Thence along the Easterly boundary of said SW¼ SW¼, South 00°03'57" East, a distance of 1320.29 feet to a set 5/8 inch diameter iron pin stamped "R Gray PLS 7732" marking the Northeast corner of said W½ NW¼, (West 1/16 corner common to Sections 14 and 23);

Thence along the Easterly boundary of said W½ NW¼, South 00°43'45" East, a distance of 1927.48 feet to a set 5/8 inch diameter iron pin stamped "R Gray PLS 7732";

Thence parallel with the Southerly boundary of said W½ NW¼, South 89°41'56" West, a distance of 1135.79 feet to a set 5/8 inch diameter iron pin stamped "R Gray PLS 7732";

Thence North 33°50'40" West, a distance of 345.54 feet to a set 5/8 inch diameter iron pin stamped "R Gray PLS 7732" marking a point on the Westerly boundary of said W½ NW¼;

Thence along the Westerly boundary of said W½ NW¼, North 00°41'41" West, a distance of 125.00 feet to a found ½ inch diameter iron pin stamped "Holzhey LS 9366";

Thence South 89°37'53" West, a distance of 1321.03 feet to a found ½ inch diameter iron pin stamped "Holzhey LS 9366" marking a point on the Westerly boundary of said E½ NE¼;

File No.: 200802646

Thence along the Westerly boundary of said E½ NE¼, North 00°40'35" West, a distance of 1512.15 feet to the POINT OF BEGINNING.

TOGETHER WITH a 60 foot wide ingress-egress easement lying Northerly of State Highway 19 right of way and lying Westerly of and parallel with the Easterly boundary of the W½ NW¼ of Section 23, Township 4 North, Range 4 West, Boise Meridian, Canyon County Idaho, more particularly described as follows:

Commencing at a found 3 inch diameter aluminum disk stamped "LS 4431" marking the Southeast corner of said W½ NW¼, (Center West 1/16 corner), said corner bears North 89°41'56" East, a distance of 1325.17 feet from a found 5/8 inch diameter iron pin stamped "S&E LS 3627" marking the Southwest corner of said W½ NW¼, (¼ corner common to Sections 22 and 23);

Thence along the Easterly boundary of said W½ NW¼, North 00°43'45" West, a distance of 121.17 feet to a found ½ inch diameter iron pin stamped "Holzhey LS 9366" marking the Northerly right of way of State Highway 19, said pin being the POINT OF BEGINNING of said easement;

Thence along said Northerly right of way, South 89°38'24" West, a distance of 60.00 feet to a point;

Thence along a line that is 60.00 west of and parallel with the Easterly boundary of said W½ NW¼, North 00°43'45" West, a distance of 590.19 feet to a point;

Thence parallel with the Southerly boundary of said W½ NW¼, North 89°41'56" East, a distance of 60.00 feet to a set 5/8 inch diameter iron pin stamped "R Gray PLS 7732" marking a point on the Easterly boundary of said W½ NW¼;

Thence along the Easterly boundary of said W½ NW¼, South 00°43'45" East, a distance of 590.13 feet to the POINT OF BEGINNING.

2008028347

RECORDED

2008 MAY 23 PM 1 12

WILLIAM H. HURST

CANYON COUNTY RECORDER

BY

[Signature]

PIONEER TITLE COMPANY

REQUEST

TYPE *Deed* FEE *24.00*

EXHIBIT A

A parcel of land being all of the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 14, also and together with all of the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 15, also and together with a portion of the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 15, also and together with a portion of the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 15, also and together with a portion of the E $\frac{1}{2}$ NE $\frac{1}{4}$ of Section 22, also and together with a portion of the W $\frac{1}{2}$ NW $\frac{1}{4}$ of Section 23, all located in Township 4 North, Range 4 West, Boise Meridian, Canyon County Idaho, more particularly described as follows:

Commencing at a found 3 inch diameter aluminum disk stamped "LS 4431" marking the Southeast corner of said SE $\frac{1}{4}$ SE $\frac{1}{4}$, (Section corner common to Sections 14, 15, 22 and 23), said corner bears North 89°32'19" East, a distance of 2641.31 feet from a found 3 inch diameter illegible brass disk marking the Southwest corner of said SE $\frac{1}{4}$, (1/4 corner common to Sections 15 and 22);

Thence along the Southerly boundary of said SE $\frac{1}{4}$ SE $\frac{1}{4}$, South 89°32'23" West, a distance of 1320.69 feet to a found $\frac{1}{2}$ inch diameter iron pin stamped "Holzhey LS 9366" marking the Southwest corner of said SE $\frac{1}{4}$ SE $\frac{1}{4}$, (East 1/16 corner common to Sections 15 and 22), said corner being the POINT OF BEGINNING;

Thence along the Westerly boundary of said SE $\frac{1}{4}$ SE $\frac{1}{4}$, North 00°02'22" East, a distance of 1319.14 feet to a found 3 inch diameter aluminum disk stamped "Skinner Land Surveying LS 3627" marking the Northwest corner of said SE $\frac{1}{4}$ SE $\frac{1}{4}$, (SE 1/16 corner Section 15);

Thence along the Northerly boundary of said SE $\frac{1}{4}$ SE $\frac{1}{4}$, North 89°43'51" East, a distance of 133.17 feet to a point on the centerline of the Roswell Canal, also known as the Riverside Canal, said point bears South 89°42'37" West, a distance of 125.34 feet from a found 5/8 inch diameter iron pin reference monument stamped "Skinner Land LS 8960";

Thence along the centerline of said Roswell Canal the following courses and distances:

Thence North 71°05'04" West, a distance of 527.55 feet to a point;

Thence North 68°19'31" West, a distance of 1006.60 feet to a point;

Thence leaving the centerline of said canal, South 85°04'02" West, a distance of 15.91 feet to a found PK nail marking a point on the Westerly boundary of said NW $\frac{1}{4}$ SE $\frac{1}{4}$, said point bears North 00°07'48" East, a distance of 548.19 feet from a found 3 inch diameter County Surveyor brass disk stamped "MVD LS 627" marking the Southwest corner of said NW $\frac{1}{4}$ SE $\frac{1}{4}$, (Center south 1/16 corner Section 15);

Thence along the Westerly boundary of said NW $\frac{1}{4}$ SE $\frac{1}{4}$, North 00°07'48" East, a distance of 83.60 feet to a found PK nail, said nail bears South 89°42'43" West, a distance of 25.00 feet from a found 5/8 inch diameter iron pin witness corner stamped "Skinner Land LS 8960";

Thence North 89°42'43" East, a distance of 486.71 feet to a found 5/8 inch diameter iron pin with no cap;

Thence North $00^{\circ}08'15''$ East, a distance of 447.68 feet to a found 5/8 inch diameter iron pin stamped "Skinner Land LS 8960";

Thence parallel with the Northerly boundary of said $SE\frac{1}{4}$, South $89^{\circ}42'59''$ West, a distance of 486.77 feet to a point marking the Westerly boundary of said $NW\frac{1}{4} SE\frac{1}{4}$, said point bears South $89^{\circ}42'59''$ West, a distance of 25.00 feet from a found 5/8 inch diameter iron pin witness corner stamped "Skinner Land LS 8960";

Thence along the Westerly boundary of said $NW\frac{1}{4} SE\frac{1}{4}$, North $00^{\circ}07'48''$ East, a distance of 244.22 feet to a found 3 inch diameter Canyon County Surveyor brass disk stamped "LS 627, 1975" marking the Northwest corner of said $NW\frac{1}{4} SE\frac{1}{4}$, (Center 1/4 corner Section 15);

Thence along the Northerly boundary of said $NW\frac{1}{4} SE\frac{1}{4}$, North $89^{\circ}42'59''$ East, a distance of 1316.28 feet to a found 5/8 inch diameter iron pin with no cap marking the Northwest corner of said $NE\frac{1}{4} SE\frac{1}{4}$, (Center east 1/16 corner);

Thence along the Northerly boundary of said $NE\frac{1}{4} SE\frac{1}{4}$, North $89^{\circ}42'59''$ East, a distance of 1316.10 feet to a found 3 inch diameter Canyon County Surveyor brass disk stamped "1954" marking the Northeast corner of said $NE\frac{1}{4} SE\frac{1}{4}$, (1/4 corner common to Sections 14 and 15);

Thence along the Easterly boundary of said $NE\frac{1}{4} SE\frac{1}{4}$, South $00^{\circ}06'17''$ West, a distance of 1324.44 feet to a found 5/8 inch diameter iron pin with no cap marking the Northwest corner of said $SW\frac{1}{4} SW\frac{1}{4}$, (South 1/16 corner common to Sections 14 and 15);

Thence along the Northerly boundary of said $SW\frac{1}{4} SW\frac{1}{4}$, North $89^{\circ}26'58''$ East, a distance of 1327.16 feet to a found 3 inch diameter aluminum disk stamped "LS 4431" marking the Northeast corner of said $SW\frac{1}{4} SW\frac{1}{4}$, (South west 1/16 corner Section 14);

Thence along the Easterly boundary of said $SW\frac{1}{4} SW\frac{1}{4}$, South $00^{\circ}03'57''$ East, a distance of 1320.29 feet to a set 5/8 inch diameter iron pin stamped "R Gray PLS 7732" marking the Northeast corner of said $W\frac{1}{2} NW\frac{1}{4}$, (West 1/16 corner common to Sections 14 and 23);

Thence along the Easterly boundary of said $W\frac{1}{2} NW\frac{1}{4}$, South $00^{\circ}43'45''$ East, a distance of 1514.48 feet to a found 1/2 inch diameter iron pin with illegible cap;

Thence continuing along the Easterly boundary of said $W\frac{1}{2} NW\frac{1}{4}$, South $00^{\circ}43'45''$ East, a distance of 413.00 feet to a set 5/8 inch diameter iron pin stamped "R Gray PLS 7732";

Thence parallel with the Southerly boundary of said $W\frac{1}{2} NW\frac{1}{4}$, South $89^{\circ}41'56''$ West, a distance of 326.00 feet to a set 5/8 inch diameter iron pin stamped "R Gray PLS 7732";

Thence parallel with the Easterly boundary of said $W\frac{1}{2} NW\frac{1}{4}$, North $00^{\circ}43'45''$ West, a distance of 413.00 feet to a set 5/8 inch diameter iron pin stamped "R Gray PLS 7732";

Thence parallel with the Southerly boundary of said $W\frac{1}{2} NW\frac{1}{4}$, South $89^{\circ}41'56''$ West, a distance of 998.49 feet to a found 1/2 inch diameter iron pin stamped "Holzhey LS 9366";

Thence South 89°37'53" West, a distance of 1321.03 feet to a found ½ inch diameter iron pin stamped "Holzhey LS 9366" marking a point on the Westerly boundary of said E½ NE¼;

Thence along the Westerly boundary of said E½ NE¼, North 00°40'35" West, a distance of 1512.15 feet to the POINT OF BEGINNING.

TOGETHER WITH:

A 60 foot wide ingress-egress easement lying Northerly of State Highway 19 right of way and lying Westerly of and parallel with the Easterly boundary of the W½ NW¼ of Section 23, Township 4 North, Range 4 West, Boise Meridian, Canyon County Idaho, more particularly described as follows:

Commencing at a found 3 inch diameter aluminum disk stamped "LS 4431" marking the Southeast corner of said W½ NW¼, (Center West 1/16 corner), said corner bears North 89°41'56" East, a distance of 1325.17 feet from a found 5/8 inch diameter iron pin stamped "S&E LS 3627" marking the Southwest corner of said W½ NW¼, (1/4 corner common to Sections 22 and 23);

Thence along the Easterly boundary of said W½ NW¼, North 00°43'45" West, a distance of 121.17 feet to a found ½ inch diameter iron pin stamped "Holzhey LS 9366" marking the Northerly right of way of State Highway 19, said pin being the POINT OF BEGINNING of said easement;

Thence along said Northerly right of way, South 89°38'24" West, a distance of 60.00 feet to a point;

Thence along a line that is 60.00 West of and parallel with the Easterly boundary of said W½ NW¼, North 00°43'45" West, a distance of 590.19 feet to a point;

Thence parallel with the Southerly boundary of said W½ NW¼, North 89°41'56" East, a distance of 60.00 feet to a set 5/8 inch diameter iron pin stamped "R Gray PLS 7732" marking a point on the Easterly boundary of said W½ NW¼;

Thence along the Easterly boundary of said W½ NW¼, South 00°43'45" East, a distance of 590.13 feet to the POINT OF BEGINNING.