

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 67-14899

Priority: September 11, 2007

Maximum Diversion Rate: 0.15 CFS

This is to certify, that MIDVALE MAINTENANCE CEMETERY DIST
2376 VALLEY RD
MIDVALE ID 83645-5122

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 10/31	0.15 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE1/4SW1/4 Sec. 10, Twp 13N, Rge 03W, B.M. WASHINGTON County

PLACE OF USE: IRRIGATION


Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
13N 03W 10												7.5					7.5

Total Acres: 7.5

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **May 01, 2009**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
4. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 6th day of May, 2008.


for DAVID R. TUTHILL, JR., Director