

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 25-14189

Priority: October 26, 2006

Maximum Diversion Rate: 0.50 CFS

This is to certify, that MERRILL BLAKE
1149 E 1250 N
P O BOX 500
SHELLEY ID 83274

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.50 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 17 Twp 01N Rge 38E, B.M. BONNEVILLE County


PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
01N	38E	17			X	X					X				X		X	X	

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **April 01, 2009**.
2. Subject to all prior water rights.
3. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
4. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
5. Domestic use is for 29 homes and does not include lawn, garden, landscape, or other types of irrigation.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code. Witness the signature of the Director, affixed at Boise, this 29th day of April, 2009.


for: DAVID R. TUTHILL, JR., Director